


PRICE LIST

Automation
Simplified...





GENERAL TERMS & CONDITIONS

Validity	:	31 st March 2024
Discount	:	Ask Cash Discount / Quantity Discount
GST	:	18%
Taxes	:	Extra as Applicable
P & F	:	@2% Extra (Applicable on Ball / Butterfly valve series)
Freight	:	To Pay Basis (In Account of Buyer)
Payment Terms	:	Against proforma Invoice
Delivery	:	Ready Stock
Spares	:	Available On Request
Warrantee	:	One Year from the date of Purchase
Note	:	We have reserved all right to change Price without any prior notice

PAGE OF INDEX

3X2, 5X2 SINGLE SOLENOID VALVE WITH SPRING RETURN	01
3X2, 5X2 DOUBLE SOLENOID VALVE	01
3X2, 5X2 SINGLE SOLENOID NAMUR VALVE WITH SPRING RETURN	01
3X2, 5X2 DOUBLE SOLENOID NAMUR VALVE	01
5X3 DOUBLE SOLENOID VALVE WITH SPRING CENTER	02
3X2 HAND LEVER VALVE MANUAL AND SPRING RETURN	02
5X2 HAND LEVER VALVE MANUAL AND SPRING RETURN	02
5X3 HAND LEVER VALVE MANUAL RETURN	03
5X3 HAND LEVER VALVE WITH SPRING CENTER	03
3X2 EXTERNAL PILOT OPERATED VALVE	03
5X2 EXTERNAL PILOT OPERATED VALVE	04
5X3 DOUBLE EXTERNAL PILOT OPERATED VALVE WITH SPRING CENTER	04
3X2 PUSH PULL VALVE MANUAL AND SPRING RETURN	04
5X2 PUSH PULL VALVE MANUAL AND SPRING RETURN	04
MANIFOLD FOR DCV SERIES	05
3/2 SINGLE SOLENOID DIRECTIONAL CONTROL POPPET VALVE (NC)	06
5/2 SINGLE SOLENOID DIRECTIONAL CONTROL POPPET VALVE (MONOSTABLE)	06
3/2 X 5/2 CONVERTIBLE SINGLE SOLENOID DIRECTIONAL CONTROL NAMUR POPPET VALVE (MONOSTABLE)	07
5/2 DOUBLE SOLENOID DIRECTIONAL CONTROL POPPET VALVE (BISTABLE)	07
3/2 SINGLE SOLENOID DIRECTIONAL CONTROL NAMUR POPPET VALVE (NORMALLY CLOSE)	07
3 WAY DIRECT ACTING NAMUR POPPET TYPE VALVE	08
3 WAY DIRECT ACTING UNIVERSAL POPPET TYPE VALVE	08
3 WAY DIRECT ACTING UNIVERSAL POPPET TYPE VALVE (SS304)	08
PNEUMATIC TIE ROAD CYLINDER (Per ISO 15552 / VDMA 24562 Standards)	09
PNEUMATIC PROFILE CYLINDER - SQUARE TYPE (Per ISO 15552 / VDMA 24562 Standards)	09
ONE TOUCH FITTINGS	11
POLYURETHANE TUBES	16
2/2 WAY PILOT OPERATED DIAPHRAGM TYPE SOLENOID VALVE (NC/NO) - PCN SERIES	20
2/2 WAY PILOT OPERATED DIAPHRAGM TYPE SOLENOID VALVE (BRASS/SS) - PBN SERIES	20
2/2 WAY SEMI LIFT TYPE DIAPHRAGM OPERATED SOLENOID VALVE (NC/NO) - MCN / MBN SERIES	21
2/2 WAY SEMI LIFT PTFE DIAPHRAGM OPERATED SOLENOID VALVE FOR STEAM - MCB / MCF SERI	21
2/2 WAY SEMI LIFT DIAPHRAGM OPERATED SOLENOID VALVE FOR WATER - MNN SERIES	22
2/2 WAY PILOT OPERATED PISTON TYPE SOLENOID VALVE FOR STEAM (NC/NO) - HCP SERIES	23
PILOT OPERATED PISTON TYPE HIGH PRESSURE SOLENOID VALVE FOR WATER (NC) - HCA SERIES	23
PULSE JET ANGLE TYPE DUST COLLECTOR VALVE (NC)	24
2/2 WAY GAS SOLENOID VALVE LOW PRESSURE (NC)	24
2/2 WAY PROPORTIONAL SOLENOID VALVE	24
2/2 WAY DIRECT ACTING SOLENOID VALVE (NC/NO)(Aluminum)	25
2/2 WAY DIRECT ACTING SOLENOID VALVE (NC/NO)(Brass)	27
2/2 WAY DIRECT ACTING SOLENOID VALVE (NC/NO)(SS304)	30
3/2 WAY DIRECT ACTING SOLENOID VALVE (NC)(Aluminum)	32
3/2 WAY DIRECT ACTING SOLENOID VALVE (NC)(Brass)	33
3/2 WAY DIRECT ACTING SOLENOID VALVE (NC)(SS304)	35

PAGE OF INDEX

2/2 EXTERNAL PILOT OPERATED DIAPHRAGM VALVE (NC)	36
2 WAY - 3 WAY DIRECT ACTING PILOT SOLENOID VALVE (NC/NO)	37
ALL TYPES OF SOLENOID COIL	38
SOLENOID DIN CONNECTOR	39
ROTO SEAL COUPLING (ROTARY UNION)	40
MICRO LIMIT SWITCH	41
ROTARY PNEUMATIC ACTUATOR (DOUBLE ACTING)	42
ROTARY PNEUMATIC ACTUATOR (SINGLE ACTING)	43
3 PIECE DESIGN BALL VALVE (ISO PAD)	44
3 PIECE DESIGN BALL VALVE (MANUAL)	44
3 PIECE BALL VALVE WITH ROTARY PNEUMATIC ACTUATOR (DOUBLE ACTING)	45
3 PIECE BALL VALVE WITH ROTARY PNEUMATIC ACTUATOR (SINGLE ACTING)	45
CI BODY WAFER TYPE BUTTERFLY VALVE (LEVER OPERATED)	46
CI BODY WAFER TYPE BUTTERFLY VALVE (DOUBLE ACTING ACTUATOR OPERATED)	47
CI BODY WAFER TYPE BUTTERFLY VALVE (SINGLE ACTING ACTUATOR OPERATED)	47
CS BODY WAFER TYPE BUTTERFLY VALVE (LEVER OPERATED)	48
CS BODY WAFER TYPE BUTTERFLY VALVE (DOUBLE ACTING ACTUATOR OPERATED)	49
CS BODY WAFER TYPE BUTTERFLY VALVE (SINGLE ACTING ACTUATOR OPERATED)	49
CF8 BODY WAFER TYPE BUTTERFLY VALVE (LEVER OPERATED)	50
CF8 BODY WAFER TYPE BUTTERFLY VALVE (DOUBLE ACTING ACTUATOR OPERATED)	51
CF8 BODY WAFER TYPE BUTTERFLY VALVE (SINGLE ACTING ACTUATOR OPERATED)	51
CF8M BODY WAFER TYPE BUTTERFLY VALVE (LEVER OPERATED)	52
CF8M BODY WAFER TYPE BUTTERFLY VALVE (DOUBLE ACTING ACTUATOR OPERATED)	53
CF8M BODY WAFER TYPE BUTTERFLY VALVE (SINGLE ACTING ACTUATOR OPERATED)	53
CI BODY LUG TYPE BUTTERFLY VALVE (LEVER OPERATED)	54
CI BODY LUG TYPE BUTTERFLY VALVE (DOUBLE ACTING ACTUATOR OPERATED)	55
CI BODY LUG TYPE BUTTERFLY VALVE (SINGLE ACTING ACTUATOR OPERATED)	55
CS BODY LUG TYPE BUTTERFLY VALVE (LEVER OPERATED)	56
CS BODY LUG TYPE BUTTERFLY VALVE (DOUBLE ACTING ACTUATOR OPERATED)	57
CS BODY LUG TYPE BUTTERFLY VALVE (SINGLE ACTING ACTUATOR OPERATED)	57
CF8 BODY LUG TYPE BUTTERFLY VALVE (LEVER OPERATED)	58
CF8 BODY LUG TYPE BUTTERFLY VALVE (DOUBLE ACTING ACTUATOR OPERATED)	59
CF8 BODY LUG TYPE BUTTERFLY VALVE (SINGLE ACTING ACTUATOR OPERATED)	59
CF8M BODY LUG TYPE BUTTERFLY VALVE (LEVER OPERATED)	60
CF8M BODY LUG TYPE BUTTERFLY VALVE (DOUBLE ACTING ACTUATOR OPERATED)	61
CF8M BODY LUG TYPE BUTTERFLY VALVE (SINGLE ACTING ACTUATOR OPERATED)	61
GEAR BOX	62
PNEUMATICALLY CONTROLLED Y TYPE VALVE WITH SS ACTUATOR (ANGLE SEATED)	63
PNEUMATICALLY CONTROLLED Y TYPE VALVE WITH PLASTIC ACTUATOR (ANGLE SEATED)	63

PNEUMATIC DIRECTIONAL CONTROL VALVE SERIES (NC/NO) TYPE

Type	3/2, 5/2 & 5/3	Coil Width	26 mm
Design	Spool With Cartridge Type	Coil Bore	10 mm
Media	Compressed Air (Filtered & Lubricated)	Operating Voltage	AC(50Hz, 60Hz) - 12V, 24V, 110V, 230V DC - 12V, 24V
Working Pressure	2 - 10 Bar, 0 - 10 Bar	Power Consumption	AC - 6W, DC - 6W
Ambient/Media Temp.	5°C - 60°C	Duty Cycle	Continuous
Flow	¼" - 1200 LPM & ½" - 3500LPM (at 6 Bar)	Class of Insulation	Class H
Body Material	Aluminium	Type of Coil Protection	IP65
		Coil Housing	Epoxy Square Coil

3X2, 5X2 SINGLE SOLENOID VALVE WITH SPRING RETURN

1 - Input, 2/4 - Output, 3/5 - Exhaust

Model No.	Type	Flow (at 6 Bar)	Port Size Input	Function	Symbol	Price Per Unit Rs.
SSA1BN23CT060V1	3X2	1200 LPM	¼"	Spring Return (NC)		1276.00
STA1BN23CT060V1	3X2	1200 LPM	¼"	Spring Return (NO)		1287.00
SFA1BN23CT060V1	5X2	1200 LPM	¼"	Spring Return		1360.00
SSA2BN23CT120V0	3X2	3500 LPM	½"	Spring Return (NC)		2485.00
STA2BN23CT120V0	3X2	3500 LPM	½"	Spring Return (NO)		2485.00
SFA2BN23CT120V0	5X2	3500 LPM	½"	Spring Return		2801.00

3X2, 5X2 DOUBLE SOLENOID VALVE

1 - Input, 2/4 - Output, 3/5 - Exhaust

Model No.	Type	Flow (at 6 Bar)	Port Size Input	Function	Symbol	Price Per Unit Rs.
SVA1BN23CT060V1	3X2	1200 LPM	¼"	Double Solenoid		2046.00
SDA1BN23CT060V1	5X2	1200 LPM	¼"	Double Solenoid		2112.00
SVA2BN23CT120V0	3X2	3500 LPM	½"	Double Solenoid		3608.00
SDA2BN23CT120V0	5X2	3500 LPM	½"	Double Solenoid		3879.00

3X2, 5X2 SINGLE SOLENOID NAMUR VALVE WITH SPRING RETURN

1 - Input, 2/4 - Output, 3/5 - Exhaust

Model No.	Type	Flow (at 6 Bar)	Port Size Input	Function	Symbol	Price Per Unit Rs.
SCA1RN23CT060V1	3X2	1200 LPM	¼" - Namur	Spring Return		1584.00
	5X2	1200 LPM	¼" - Namur	Spring Return		

3X2, 5X2 DOUBLE SOLENOID NAMUR VALVE

1 - Input, 2/4 - Output, 3/5 - Exhaust

Model No.	Type	Flow (at 6 Bar)	Port Size Input	Function	Symbol	Price Per Unit Rs.
SJA1RN23CT060V1	3X2	1200 LPM	¼" - Namur	Double Solenoid		2189.00
	5X2	1200 LPM	¼" - Namur	Double Solenoid		

PNEUMATIC DIRECTIONAL CONTROL VALVE SERIES (NC/NO) TYPE

5X3 DOUBLE SOLENOID VALVE WITH SPRING CENTER

1 - Input, 2/4 - Output, 3/5 - Exhaust



Model No.	Type	Flow (at 6 Bar)	Port Size	Function	Symbol	Price Per Unit Rs.
SBA1BN23CT060V1	5X3	1200 LPM	¼"	Center Blocked		2264.00
SEA1BN23CT060V1	5X3	1200 LPM	¼"	Center Exhausted		2255.00
SPA1BN23CT060V1	5X3	1200 LPM	¼"	Center Pressurised		2530.00
SBA2BN23CT120V0	5X3	3500 LPM	½"	Center Blocked		4364.00
SEA2BN23CT120V0	5X3	3500 LPM	½"	Center Exhausted		4364.00
SPA2BN23CT120V0	5X3	3500 LPM	½"	Center Pressurised		4817.00

3X2 HAND LEVER VALVE MANUAL AND SPRING RETURN

1 - Input, 2/4 - Output, 3/5 - Exhaust



Model No.	Type	Flow (at 6 Bar)	Port Size	Function	Symbol	Price Per Unit Rs.
LSA1BN04V1	3X2	1200 LPM	¼"	Spring Return(NC)		902.00
LTA1BN04V1	3X2	1200 LPM	¼"	Spring Return(NO)		902.00
LVA1BN04V1	3X2	1200 LPM	¼"	Manual Return		924.00
LSA2BN04V0	3X2	3500 LPM	½"	Spring Return(NC)		1936.00
LTA2BN04V0	3X2	3500 LPM	½"	Spring Return(NO)		1936.00
LVA2BN04V0	3X2	3500 LPM	½"	Manual Return		1743.00

5X2 HAND LEVER VALVE MANUAL AND SPRING RETURN

1 - Input, 2/4 - Output, 3/5 - Exhaust



Model No.	Type	Flow (at 6 Bar)	Port Size	Function	Symbol	Price Per Unit Rs.
LFA1BN04V1	5X2	1200 LPM	¼"	Spring Return		990.00
LDA1BN04V1	5X2	1200 LPM	¼"	Manual Return		968.00
LFA2BN04V0	5X2	3500 LPM	½"	Spring Return		2031.00
LDA2BN04V0	5X2	3500 LPM	½"	Manual Return		2031.00

PNEUMATIC DIRECTIONAL CONTROL VALVE SERIES (NC/NO) TYPE

5X3 HAND LEVER VALVE MANUAL RETURN

1 - Input, 2/4 - Output, 3/5 - Exhaust



Model No.	Type	Flow (at 6 Bar)	Port Size	Function	Symbol	Price Per Unit Rs.
LBA1BN04V1	5X3	1200 LPM	1/4"	Center Blocked		990.00
LEA1BN04V1	5X3	1200 LPM	1/4"	Center Exhausted		990.00
LPA1BN04V1	5X3	1200 LPM	1/4"	Center Pressurised		1023.00
LBA2BN04V0	5X3	3500 LPM	1/2"	Center Blocked		2461.00
LEA2BN04V0	5X3	3500 LPM	1/2"	Center Exhausted		2725.00
LPA2BN04V0	5X3	3500 LPM	1/2"	Center Pressurised		2725.00

5X3 HAND LEVER VALVE WITH SPRING CENTER

1 - Input, 2/4 - Output, 3/5 - Exhaust



Model No.	Type	Flow (at 6 Bar)	Port Size	Function	Symbol	Price Per Unit Rs.
LKA1BN04V1	5X3	1200 LPM	1/4"	Center Blocked		858.00
LHA1BN04V1	5X3	1200 LPM	1/4"	Center Exhausted		858.00
LRA1BN04V1	5X3	1200 LPM	1/4"	Center Pressurised		858.00
LKA2BN04V0	5X3	3500 LPM	1/2"	Center Blocked		2461.00
LHA2BN04V0	5X3	3500 LPM	1/2"	Center Exhausted		2725.00
LRA2BN04V0	5X3	3500 LPM	1/2"	Center Pressurised		2725.00

3X2 EXTERNAL PILOT OPERATED VALVE

1 - Input, 2/4 - Output, 3/5 - Exhaust



Model No.	Type	Flow (at 6 Bar)	Port Size	Function	Symbol	Price Per Unit Rs.
ASA1BN04V1	3X2	1200 LPM	1/4"	Spring Return (NC)		1023.00
ATA1BN04V1	3X2	1200 LPM	1/4"	Spring Return (NO)		1067.00
AVA1BN04V1	3X2	1200 LPM	1/4"	Double External		1210.00
ASA2BN04V0	3X2	3500 LPM	1/2"	Spring Return (NC)		1460.00
ATA2BN04V0	3X2	3500 LPM	1/2"	Spring Return (NO)		1624.00
AVA2BN04V0	3X2	3500 LPM	1/2"	Double External		1803.00

PNEUMATIC DIRECTIONAL CONTROL VALVE SERIES (NC/NO) TYPE

5X2 EXTERNAL PILOT OPERATED VALVE

1 - Input, 2/4 - Output, 3/5 - Exhaust



Model No.	Type	Flow (at 6 Bar)	Port Size	Function	Symbol	Price Per Unit Rs.
AFA1BN04V1	5X2	1200 LPM	¼"	Spring Return		1069.00
ADA1BN04V1	5X2	1200 LPM	¼"	Double External		1419.00
AFA2BN04V0	5X2	3500 LPM	½"	Spring Return		1782.00
ADA2BN04V0	5X2	3500 LPM	½"	Double External		1885.00

5X3 DOUBLE EXTERNAL PILOT OPERATED VALVE WITH SPRING CENTER

1 - Input, 2/4 - Output, 3/5 - Exhaust



Model No.	Type	Flow (at 6 Bar)	Port Size	Function	Symbol	Price Per Unit Rs.
AKA1BN04V1	5X3	1200 LPM	¼"	Center Blocked		1562.00
AHA1BN04V1	5X3	1200 LPM	¼"	Center Exhausted		1562.00
ARA1BN04V1	5X3	1200 LPM	¼"	Center Pressurised		1595.00
AKA2BN04V0	5X3	3500 LPM	½"	Center Blocked		2203.00
AHA2BN04V0	5X3	3500 LPM	½"	Center Exhausted		2443.00
ARA2BN04V0	5X3	3500 LPM	½"	Center Pressurised		2443.00

3X2 PUSH PULL VALVE MANUAL AND SPRING RETURN

1 - Input, 2/4 - Output, 3/5 - Exhaust



Model No.	Type	Flow (at 6 Bar)	Port Size	Function	Symbol	Price Per Unit Rs.
PSA1BN04V1	3X2	1200 LPM	¼"	Spring Return(NC)		1089.00
PTA1BN04V1	3X2	1200 LPM	¼"	Spring Return(NO)		1133.00
PVA1BN04V1	3X2	1200 LPM	¼"	Manual Return		1111.00
PSA2BN04V0	3X2	3500 LPM	½"	Spring Return(NC)		1882.00
PTA2BN04V0	3X2	3500 LPM	½"	Spring Return(NO)		1882.00
PVA2BN04V0	3X2	3500 LPM	½"	Manual Return		1882.00

5X2 PUSH PULL VALVE MANUAL AND SPRING RETURN

1 - Input, 2/4 - Output, 3/5 - Exhaust



Model No.	Type	Flow (at 6 Bar)	Port Size	Function	Symbol	Price Per Unit Rs.
PFA1BN04V1	5X2	1200 LPM	¼"	Spring Return		1133.00
PDA1BN04V1	5X2	1200 LPM	¼"	Manual Return		1111.00
PFA2BN04V0	5X2	3500 LPM	½"	Spring Return		2185.00
PDA2BN04V0	5X2	3500 LPM	½"	Manual Return		2185.00

MANIFOLD FOR DCV SERIES



Description	Port Size	Model No.	Price Per Unit Rs.
1/4" MANIFOLD ALUMINIUM 2 NOS OF 3X2 DIRECTIONAL CONTROL VALVE	¼"	NTA102V0	979.00
1/4" MANIFOLD ALUMINIUM 3 NOS OF 3X2 DIRECTIONAL CONTROL VALVE	¼"	NTA103V0	1254.00
1/4" MANIFOLD ALUMINIUM 4 NOS OF 3X2 DIRECTIONAL CONTROL VALVE	¼"	NTA104V0	1518.00
1/4" MANIFOLD ALUMINIUM 5 NOS OF 3X2 DIRECTIONAL CONTROL VALVE	¼"	NTA105V0	1799.00
1/4" MANIFOLD ALUMINIUM 6 NOS OF 3X2 DIRECTIONAL CONTROL VALVE	¼"	NTA106V0	2079.00
1/4" MANIFOLD ALUMINIUM 7 NOS OF 3X2 DIRECTIONAL CONTROL VALVE	¼"	NTA107V0	2299.00
1/4" MANIFOLD ALUMINIUM 8 NOS OF 3X2 DIRECTIONAL CONTROL VALVE	¼"	NTA108V0	2519.00
1/4" MANIFOLD ALUMINIUM 10 NOS OF 3X2 DIRECTIONAL CONTROL VALVE	¼"	NTA110V0	2849.00
1/4" MANIFOLD ALUMINIUM 2 NOS OF 5X2 & 5X3 DIRECTIONAL CONTROL VALVE	¼"	NFA102V0	1052.00
1/4" MANIFOLD ALUMINIUM 3 NOS OF 5X2 & 5X3 DIRECTIONAL CONTROL VALVE	¼"	NFA103V0	1340.00
1/4" MANIFOLD ALUMINIUM 4 NOS OF 5X2 & 5X3 DIRECTIONAL CONTROL VALVE	¼"	NFA104V0	1626.00
1/4" MANIFOLD ALUMINIUM 5 NOS OF 5X2 & 5X3 DIRECTIONAL CONTROL VALVE	¼"	NFA105V0	1925.00
1/4" MANIFOLD ALUMINIUM 6 NOS OF 5X2 & 5X3 DIRECTIONAL CONTROL VALVE	¼"	NFA106V0	2222.00
1/4" MANIFOLD ALUMINIUM 7 NOS OF 5X2 & 5X3 DIRECTIONAL CONTROL VALVE	¼"	NFA107V0	2464.00
1/4" MANIFOLD ALUMINIUM 8 NOS OF 5X2 & 5X3 DIRECTIONAL CONTROL VALVE	¼"	NFA108V0	2706.00
1/4" MANIFOLD ALUMINIUM 10 NOS OF 5X2 & 5X3 DIRECTIONAL CONTROL VALVE	¼"	NFA110V0	3350.00
1/2" MANIFOLD ALUMINIUM 2 NOS OF 3X2 DIRECTIONAL CONTROL VALVE	½"	NTA202V0	1183.00
1/2" MANIFOLD ALUMINIUM 3 NOS OF 3X2 DIRECTIONAL CONTROL VALVE	½"	NTA203V0	1583.00
1/2" MANIFOLD ALUMINIUM 4 NOS OF 3X2 DIRECTIONAL CONTROL VALVE	½"	NTA204V0	2033.00
1/2" MANIFOLD ALUMINIUM 5 NOS OF 3X2 DIRECTIONAL CONTROL VALVE	½"	NTA205V0	2317.00
1/2" MANIFOLD ALUMINIUM 6 NOS OF 3X2 DIRECTIONAL CONTROL VALVE	½"	NTA206V0	2617.00
1/2" MANIFOLD ALUMINIUM 7 NOS OF 3X2 DIRECTIONAL CONTROL VALVE	½"	NTA207V0	3217.00
1/2" MANIFOLD ALUMINIUM 8 NOS OF 3X2 DIRECTIONAL CONTROL VALVE	½"	NTA208V0	3583.00
1/4" MANIFOLD ALUMINIUM 10 NOS OF 3X2 DIRECTIONAL CONTROL VALVE	½"	NTA210V0	4917.00
1/2" MANIFOLD ALUMINIUM 2 NOS OF 5X2 & 5X3 DIRECTIONAL CONTROL VALVE	½"	NFA202V0	1750.00
1/2" MANIFOLD ALUMINIUM 3 NOS OF 5X2 & 5X3 DIRECTIONAL CONTROL VALVE	½"	NFA203V0	2083.00
1/2" MANIFOLD ALUMINIUM 4 NOS OF 5X2 & 5X3 DIRECTIONAL CONTROL VALVE	½"	NFA204V0	2650.00
1/2" MANIFOLD ALUMINIUM 5 NOS OF 5X2 & 5X3 DIRECTIONAL CONTROL VALVE	½"	NFA205V0	3150.00
1/2" MANIFOLD ALUMINIUM 6 NOS OF 5X2 & 5X3 DIRECTIONAL CONTROL VALVE	½"	NFA206V0	3917.00
1/2" MANIFOLD ALUMINIUM 7 NOS OF 5X2 & 5X3 DIRECTIONAL CONTROL VALVE	½"	NFA207V0	4817.00
1/2" MANIFOLD ALUMINIUM 8 NOS OF 5X2 & 5X3 DIRECTIONAL CONTROL VALVE	½"	NFA208V0	5417.00
1/2" MANIFOLD ALUMINIUM 10 NOS OF 5X2 & 5X3 DIRECTIONAL CONTROL VALVE	½"	NFA210V0	6917.00

3/2 SINGLE SOLENOID DIRECTIONAL CONTROL POPPET VALVE (NC)

Type	3/2
Design	Internal Pilot Operated Poppet Valve
Media	Compressed Air (Filtered & Lubricated)
Materials of Construction	Aluminium, Nitrile, Brass, Polymer
Operating Voltage	AC: 24V, 110V, 230V DC: 12V, 24V



Model No.	Coil Enclosure	Voltage	Port Size	Orifice (mm)	Pressure	Manual Override	Price Per Unit Rs.
CSA1BN23ET070V0-MAI09S	PLUG IN	230V AC	1/4"	7	2-10 BAR	PUSH & TURN	2145.00
CSA1BN23GT070V0-BAI08H	WEATHERPROOF	230V AC	1/4"	7	2-10 BAR	PUSH & TURN	2870.00
CSA1BN23GT070V0-FAI08H	FLAMEPROOF	230V AC	1/4"	7	2-10 BAR	PUSH & TURN	3703.00
CSA1BN23FT070V0-MGI11S	PLUG IN	24V DC	1/4"	7	2-10 BAR	PUSH & TURN	2145.00
CSA1BN23HT070V0-BGI11H	WEATHERPROOF	24V DC	1/4"	7	2-10 BAR	PUSH & TURN	2870.00
CSA1BN23HT070V0-FGI10H	FLAMEPROOF	24V DC	1/4"	7	2-10 BAR	PUSH & TURN	3703.00
CSA2BN23ET160V0-MAI09S	PLUG IN	230V AC	1/2"	16	2-10 BAR	PUSH & TURN	5450.00
CSA2BN23GT160V0-BAI08H	WEATHERPROOF	230V AC	1/2"	16	2-10 BAR	PUSH & TURN	6175.00
CSA2BN23GT160V0-FAI08H	FLAMEPROOF	230V AC	1/2"	16	2-10 BAR	PUSH & TURN	7008.00
CSA2BN23FT160V0-MGI11S	PLUG IN	24V DC	1/2"	16	2-10 BAR	PUSH & TURN	5450.00
CSA2BN23HT160V0-BGI11H	WEATHERPROOF	24V DC	1/2"	16	2-10 BAR	PUSH & TURN	6175.00
CSA2BN23HT160V0-FGI10H	FLAMEPROOF	24V DC	1/2"	16	2-10 BAR	PUSH & TURN	7008.00

Note:

- ☑ All Valve Available With 14mm Coil ID.
- ☑ For NPT thread 10% extra on list price
- ☑ 10 Lac. Cycle Guaranteed.

5/2 SINGLE SOLENOID DIRECTIONAL CONTROL POPPET VALVE (MONOSTABLE)

Type	5/2
Design	Internal Pilot Operated Poppet Valve
Media	Compressed Air (Filtered & Lubricated)
Materials of Construction	Aluminium, Nitrile, Brass, Polymer
Operating Voltage	AC: 24V, 110V, 230V DC: 12V, 24V



Model No.	Coil Enclosure	Voltage	Port Size	Orifice (mm)	Pressure	Manual Override	Price Per Unit Rs.
CFA1BN23ET070V0-MAI09S	PLUG IN	230V AC	1/4"	7	2-10 BAR	PUSH & TURN	2475.00
CFA1BN23GT070V0-BAI08H	WEATHERPROOF	230V AC	1/4"	7	2-10 BAR	PUSH & TURN	3200.00
CFA1BN23GT070V0-FAI08H	FLAMEPROOF	230V AC	1/4"	7	2-10 BAR	PUSH & TURN	4033.00
CFA1BN23FT070V0-MGI11S	PLUG IN	24V DC	1/4"	7	2-10 BAR	PUSH & TURN	2475.00
CFA1BN23HT070V0-BGI11H	WEATHERPROOF	24V DC	1/4"	7	2-10 BAR	PUSH & TURN	3200.00
CFA1BN23HT070V0-FGI10H	FLAMEPROOF	24V DC	1/4"	7	2-10 BAR	PUSH & TURN	4033.00

Note:

- ☑ All Valve Available With 14mm Coil ID.
- ☑ For NPT thread 10% extra on list price
- ☑ 10 Lac. Cycle Guaranteed.

3/2 X 5/2 CONVERTIBLE SINGLE SOLENOID DIRECTIONAL CONTROL NAMUR POPPET VALVE (MONOSTABLE)

Type	3/2 & 5/2
Design	Internal Pilot Operated Poppet Valve
Media	Compressed Air (Filtered & Lubricated)
Materials of Construction	Aluminium, Nitrile, Brass, Polymer
Operating Voltage	AC: 24V, 110V, 230V DC: 12V, 24V



Model No.	Coil Enclosure	Voltage	Port Size	Orifice (mm)	Pressure	Manual Override	Price Per Unit Rs.
CCA1RN23ET070V0-MAI09S	PLUG IN	230V AC	1/4"	7	2-10 BAR	PUSH & TURN	3025.00
CCA1RN23GT070V0-BAI08H	WEATHERPROOF	230V AC	1/4"	7	2-10 BAR	PUSH & TURN	3750.00
CCA1RN23GT070V0-FAI08H	FLAMEPROOF	230V AC	1/4"	7	2-10 BAR	PUSH & TURN	4583.00
CCA1RN23FT070V0-MGI11S	PLUG IN	24V DC	1/4"	7	2-10 BAR	PUSH & TURN	3025.00
CCA1RN23HT070V0-BGI11H	WEATHERPROOF	24V DC	1/4"	7	2-10 BAR	PUSH & TURN	3750.00
CCA1RN23HT070V0-FGI10H	FLAMEPROOF	24V DC	1/4"	7	2-10 BAR	PUSH & TURN	4583.00

Note:

- ☑ All Valve Available With 14mm Coil ID.
- ☑ For NPT thread 10% extra on list price
- ☑ 10 Lac. Cycle Guaranteed.

5/2 DOUBLE SOLENOID DIRECTIONAL CONTROL POPPET VALVE (BISTABLE)

Type	5/2
Design	Internal Pilot Operated Poppet Valve
Media	Compressed Air (Filtered & Lubricated)
Materials of Construction	Aluminium, Nitrile, Brass, Polymer
Operating Voltage	AC: 24V, 110V, 230V DC: 12V, 24V



Model No.	Coil Enclosure	Voltage	Port Size	Orifice (mm)	Pressure	Manual Override	Price Per Unit Rs.
CDA1BN23EP060V0-MAI09S	PLUG IN	230V AC	1/4"	6	2-10 BAR	PUSH MOR	3839.00
CDA1BN23GP060V0-BAI08H	WEATHERPROOF	230V AC	1/4"	6	2-10 BAR	PUSH MOR	5289.00
CDA1BN23GP060V0-FAI08H	FLAMEPROOF	230V AC	1/4"	6	2-10 BAR	PUSH MOR	6955.00
CDA1BN23FP060V0-MGI11S	PLUG IN	24V DC	1/4"	6	2-10 BAR	PUSH MOR	3839.00
CDA1BN23HP060V0-BGI11H	WEATHERPROOF	24V DC	1/4"	6	2-10 BAR	PUSH MOR	5289.00
CDA1BN23HP060V0-FGI10H	FLAMEPROOF	24V DC	1/4"	6	2-10 BAR	PUSH MOR	6955.00

Note:

- ☑ All Valve Available With 14mm Coil ID.
- ☑ For NPT thread 10% extra on list price
- ☑ 10 Lac. Cycle Guaranteed.

3/2 SINGLE SOLENOID DIRECTIONAL CONTROL NAMUR POPPET VALVE (NORMALLY CLOSE)

Type	3/2
Design	Internal Pilot Operated Poppet Valve
Media	Compressed Air (Filtered & Lubricated)
Materials of Construction	Aluminium, Nitrile, Brass, Polymer
Operating Voltage	AC: 24V, 110V, 230V DC: 12V, 24V



Model No.	Coil Enclosure	Voltage	Port Size	Orifice (mm)	Pressure	Manual Override	Price Per Unit Rs.
CSA1RN23ET070V0-MAI09S	PLUG IN	230V AC	1/4"	7	2-10 BAR	PUSH & TURN	3025.00
CSA1RN23GT070V0-BAI08H	WEATHERPROOF	230V AC	1/4"	7	2-10 BAR	PUSH & TURN	3750.00
CSA1RN23GT070V0-FAI08H	FLAMEPROOF	230V AC	1/4"	7	2-10 BAR	PUSH & TURN	4583.00
CSA1RN23FT070V0-MGI11S	PLUG IN	24V DC	1/4"	7	2-10 BAR	PUSH & TURN	3025.00
CSA1RN23HT070V0-BGI11H	WEATHERPROOF	24V DC	1/4"	7	2-10 BAR	PUSH & TURN	3750.00
CSA1RN23HT070V0-FGI10H	FLAMEPROOF	24V DC	1/4"	7	2-10 BAR	PUSH & TURN	4583.00

Note:

- ☑ All Valve Available With 14mm Coil ID.
- ☑ For NPT thread 10% extra on list price
- ☑ 10 Lac. Cycle Guaranteed.

3 WAY DIRECT ACTING NAMUR POPPET TYPE VALVE

Type	3 Way
Design	Internal Pilot Operated Poppet Valve
Media	Compressed Air (Filtered & Lubricated)
Materials of Construction	Aluminium, Nitrile, Brass, Polymer
Operating Voltage	AC: 24V, 110V, 230V DC: 12V, 24V



Model No.	Coil Enclosure	Voltage	Port Size	Orifice (mm)	Pressure	Manual Override	Price Per Unit Rs.
TAN104RNET050V0-MAI09S	PLUG IN	230V AC	1/4"	5	0-10 BAR	PUSH & TURN	2250.00
TAN104RNGT050V0-BJI10H	WEATHERPROOF	230V FAC	1/4"	5	0-10 BAR	PUSH & TURN	2975.00
TAN104RNGT050V0-FJI10H	FLAMEPROOF	230V FAC	1/4"	5	0-10 BAR	PUSH & TURN	3808.00
TAN104RNFT050V0-MGI11S	PLUG IN	24V DC	1/4"	5	0-10 BAR	PUSH & TURN	2250.00
TAN104RNHT050V0-BGI11H	WEATHERPROOF	24V DC	1/4"	5	0-10 BAR	PUSH & TURN	2975.00
TAN104RNHT050V0-FGI10H	FLAMEPROOF	24V DC	1/4"	5	0-10 BAR	PUSH & TURN	3808.00

Note:

- ☑ All Valve Available With 14mm Coil ID.
- ☑ For NPT thread 10% extra on list price
- ☑ 10 Lac. Cycle Guaranteed.

3 WAY DIRECT ACTING UNIVERSAL POPPET TYPE VALVE

Type	3 Way
Design	Internal Pilot Operated Poppet Valve
Media	Compressed Air (Filtered & Lubricated)
Materials of Construction	Aluminium, Nitrile, Brass, Polymer
Operating Voltage	AC: 24V, 110V, 230V DC: 12V, 24V



Model No.	Coil Enclosure	Voltage	Port Size	Orifice (mm)	Pressure	Manual Override	Price Per Unit Rs.
TAN104BUET050V0-MAI09S	PLUG IN	230V AC	1/4"	5	0-10 BAR	PUSH & TURN	2160.00
TAN104BUGT050V0-BJI10H	WEATHERPROOF	230V FAC	1/4"	5	0-10 BAR	PUSH & TURN	2885.00
TAN104BUGT050V0-FJI10H	FLAMEPROOF	230V FAC	1/4"	5	0-10 BAR	PUSH & TURN	3718.00
TAN104BUFT050V0-MGI11S	PLUG IN	24V DC	1/4"	5	0-10 BAR	PUSH & TURN	2160.00
TAN104BUHT050V0-BGI11H	WEATHERPROOF	24V DC	1/4"	5	0-10 BAR	PUSH & TURN	2885.00
TAN104BUHT050V0-FGI10H	FLAMEPROOF	24V DC	1/4"	5	0-10 BAR	PUSH & TURN	3718.00

Note:

- ☑ All Valve Available With 14mm Coil ID.
- ☑ For NPT thread 10% extra on list price
- ☑ 10 Lac. Cycle Guaranteed.

3 WAY DIRECT ACTING UNIVERSAL POPPET TYPE VALVE (SS304)

Type	3 Way
Design	Internal Pilot Operated Poppet Valve
Media	Compressed Air (Filtered & Lubricated)
Materials of Construction	SS304, Nitrile, Brass, Polymer
Operating Voltage	AC: 24V, 110V, 230V DC: 12V, 24V



Model No.	Coil Enclosure	Voltage	Port Size	Orifice (mm)	Pressure	Manual Override	Price Per Unit Rs.
T4N104BUET050V0-MAI09S	PLUG IN	230V AC	1/4"	5	0-10 BAR	PUSH & TURN	5410.00
T4N104BUGT050V0-BJI10H	WEATHERPROOF	230V FAC	1/4"	5	0-10 BAR	PUSH & TURN	6135.00
T4N104BUGT050V0-FJI10H	FLAMEPROOF	230V FAC	1/4"	5	0-10 BAR	PUSH & TURN	6968.00
T4N104BUFT050V0-MGI11S	PLUG IN	24V DC	1/4"	5	0-10 BAR	PUSH & TURN	5410.00
T4N104BUHT050V0-BGI11H	WEATHERPROOF	24V DC	1/4"	5	0-10 BAR	PUSH & TURN	6135.00
T4N104BUHT050V0-FGI10H	FLAMEPROOF	24V DC	1/4"	5	0-10 BAR	PUSH & TURN	6968.00

Note:

- ☑ All Valve Available With 14mm Coil ID.
- ☑ SS316 Valve Available on Request.
- ☑ For NPT thread 10% extra on list price
- ☑ 10 Lac. Cycle Guaranteed.

PNEUMATIC TIE ROAD CYLINDER

(Per ISO 15552 / VDMA 24562 Standards)

Cylinder bore Ø (mm)	32, 40, 50, 63, 80, 100	
Standard strokes (mm)	25, 50, 80, 100, 125, 160, 200, 250, 300, 320, 400, 500	
Media	Compressed air - filtered - lubricated	
Working pressure	0.5 - 10 bar	
Medium temperature	Regular	High temperature applications
	5°C - 60°C	5°C - 150°C Max
Materials of construction	Aluminium, Nitrile, Steel, Acetal, Polyurethane	



Model No.	Cylinder Bore Ø (mm)	Stroke (mm)	Price Per Unit Rs.
C05032025AV0	32	25	1195.00
C05032050AV0	32	50	1260.00
C05032080AV0	32	80	1330.00
C05032100AV0	32	100	1380.00
C05032125AV0	32	125	1420.00
C05032160AV0	32	160	1501.00
C05032200AV0	32	200	1610.00
C05032250AV0	32	250	1730.00
C05032300AV0	32	300	1860.00
C05032320AV0	32	320	1920.00
C05032400AV0	32	400	2110.00
C05032500AV0	32	500	2350.00

Model No.	Cylinder Bore Ø (mm)	Stroke (mm)	Price Per Unit Rs.
C05040025AV0	40	25	1330.00
C05040050AV0	40	50	1395.00
C05040080AV0	40	80	1490.00
C05040100AV0	40	100	1540.00
C05040125AV0	40	125	1580.00
C05040160AV0	40	160	1680.00
C05040200AV0	40	200	1790.00
C05040250AV0	40	250	1930.00
C05040300AV0	40	300	2060.00
C05040320AV0	40	320	2130.00
C05040400AV0	40	400	2340.00
C05040500AV0	40	500	2610.00

Model No.	Cylinder Bore Ø (mm)	Stroke (mm)	Price Per Unit Rs.
C05050025AV0	50	25	1450.00
C05050050AV0	50	50	1530.00
C05050080AV0	50	80	1630.00
C05050100AV0	50	100	1700.00
C05050125AV0	50	125	1750.00
C05050160AV0	50	160	1870.00
C05050200AV0	50	200	1995.00
C05050250AV0	50	250	2170.00
C05050300AV0	50	300	2340.00
C05050320AV0	50	320	2420.00
C05050400AV0	50	400	2680.00
C05050500AV0	50	500	3010.00

Model No.	Cylinder Bore Ø (mm)	Stroke (mm)	Price Per Unit Rs.
C05063025AV0	63	25	1830.00
C05063050AV0	63	50	1970.00
C05063080AV0	63	80	2130.00
C05063100AV0	63	100	2250.00
C05063125AV0	63	125	2390.00
C05063160AV0	63	160	2580.00
C05063200AV0	63	200	2800.00
C05063250AV0	63	250	3070.00
C05063300AV0	63	300	3350.00
C05063320AV0	63	320	3490.00
C05063400AV0	63	400	3900.00
C05063500AV0	63	500	4450.00

Model No.	Cylinder Bore Ø (mm)	Stroke (mm)	Price Per Unit Rs.
C05080025AV0	80	25	2820.00
C05080050AV0	80	50	2990.00
C05080080AV0	80	80	3190.00
C05080100AV0	80	100	3330.00
C05080125AV0	80	125	3500.00
C05080160AV0	80	160	3730.00
C05080200AV0	80	200	3995.00
C05080250AV0	80	250	4330.00
C05080300AV0	80	300	4670.00
C05080320AV0	80	320	4840.00
C05080400AV0	80	400	5340.00
C05080500AV0	80	500	6020.00

Model No.	Cylinder Bore Ø (mm)	Stroke (mm)	Price Per Unit Rs.
C05100025AV0	100	25	3320.00
C05100050AV0	100	50	3530.00
C05100080AV0	100	80	3790.00
C05100100AV0	100	100	3970.00
C05100125AV0	100	125	4180.00
C05100160AV0	100	160	4480.00
C05100200AV0	100	200	4820.00
C05100250AV0	100	250	5250.00
C05100300AV0	100	300	5680.00
C05100320AV0	100	320	5890.00
C05100400AV0	100	400	6530.00
C05100500AV0	100	500	7390.00

Features

- Adjustable cushioning at both ends with elastomer pads.
- Wide varieties of mountings.
- Optional - High temperature (Viton seals) 150°C max.
- Optional - Non corrosive stainless steel piston rod and piston rod lock nut (SS304)

Seal Kit

Seal Kit Code	Price Per Unit	Seal Kit Code	Price Per Unit
SKC032V0	490.00	SKC063V0	748.00
SKC040V0	552.00	SKC080V0	896.00
SKC050V0	652.00	SKC100V0	980.00

PNEUMATIC PROFILE CYLINDER - SQUARE TYPE (Per ISO 15552 / VDMA 24562 Standards)

Cylinder bore Ø (mm)	32, 40, 50, 63, 80, 100	
Standard strokes (mm)	25, 50, 80, 100, 125, 160, 200, 250, 300, 320, 400, 500	
Media	Compressed air - filtered - lubricated	
Working pressure	0.5 - 10 bar	
Medium temperature	Regular	High temperature applications
	5°C - 60°C	5°C - 150°C Max
Materials of construction	Aluminium, Nitrile, Steel, Acetal, Polyurethane	



Model No.	Cylinder Bore Ø (mm)	Stroke (mm)	Price Per Unit Rs.
C07032025AV0	32	25	1955.00
C07032050AV0	32	50	2005.00
C07032080AV0	32	80	2065.00
C07032100AV0	32	100	2110.00
C07032125AV0	32	125	2160.00
C07032160AV0	32	160	2225.00
C07032200AV0	32	200	2310.00
C07032250AV0	32	250	2410.00
C07032300AV0	32	300	2550.00
C07032320AV0	32	320	2595.00
C07032400AV0	32	400	2715.00
C07032500AV0	32	500	2915.00

Model No.	Cylinder Bore Ø (mm)	Stroke (mm)	Price Per Unit Rs.
C07040025AV0	40	25	2315.00
C07040050AV0	40	50	2380.00
C07040080AV0	40	80	2455.00
C07040100AV0	40	100	2505.00
C07040125AV0	40	125	2570.00
C07040160AV0	40	160	2660.00
C07040200AV0	40	200	2760.00
C07040250AV0	40	250	2890.00
C07040300AV0	40	300	3065.00
C07040320AV0	40	320	3075.00
C07040400AV0	40	400	3275.00
C07040500AV0	40	500	3530.00

Model No.	Cylinder Bore Ø (mm)	Stroke (mm)	Price Per Unit Rs.
C07050025AV0	50	25	2620.00
C07050050AV0	50	50	2695.00
C07050080AV0	50	80	2785.00
C07050100AV0	50	100	2840.00
C07050125AV0	50	125	2920.00
C07050160AV0	50	160	3020.00
C07050200AV0	50	200	3140.00
C07050250AV0	50	250	3290.00
C07050300AV0	50	300	3500.00
C07050320AV0	50	320	3510.00
C07050400AV0	50	400	3740.00
C07050500AV0	50	500	4040.00

Model No.	Cylinder Bore Ø (mm)	Stroke (mm)	Price Per Unit Rs.
C07063025AV0	63	25	3270.00
C07063050AV0	63	50	3355.00
C07063080AV0	63	80	3455.00
C07063100AV0	63	100	3525.00
C07063125AV0	63	125	3610.00
C07063160AV0	63	160	3725.00
C07063200AV0	63	200	3860.00
C07063250AV0	63	250	4030.00
C07063300AV0	63	300	4265.00
C07063320AV0	63	320	4295.00
C07063400AV0	63	400	4535.00
C07063500AV0	63	500	4870.00

Model No.	Cylinder Bore Ø (mm)	Stroke (mm)	Price Per Unit Rs.
C07080025AV0	80	25	4560.00
C07080050AV0	80	50	4680.00
C07080080AV0	80	80	4825.00
C07080100AV0	80	100	4920.00
C07080125AV0	80	125	5040.00
C07080160AV0	80	160	5205.00
C07080200AV0	80	200	5400.00
C07080250AV0	80	250	5640.00
C07080300AV0	80	300	5975.00
C07080320AV0	80	320	5995.00
C07080400AV0	80	400	6360.00
C07080500AV0	80	500	6840.00

Model No.	Cylinder Bore Ø (mm)	Stroke (mm)	Price Per Unit Rs.
C07100025AV0	100	25	5695.00
C07100050AV0	100	50	5835.00
C07100080AV0	100	80	6010.00
C07100100AV0	100	100	6120.00
C07100125AV0	100	125	6265.00
C07100160AV0	100	160	6470.00
C07100200AV0	100	200	6700.00
C07100250AV0	100	250	6985.00
C07100300AV0	100	300	7390.00
C07100320AV0	100	320	7455.00
C07100400AV0	100	400	7845.00
C07100500AV0	100	500	8420.00

Features

- ✓ Adjustable cushioning at both ends with elastomer pads.
- ✓ Wide varieties of mountings.
- ✓ Optional - High temperature (Viton seals) 150°C max.
- ✓ Optional - Non corrosive stainless steel piston rod and piston rod lock nut (SS304)

Seal Kit

Seal Kit Code	Price Per Unit	Seal Kit Code	Price Per Unit
SKC032V0	490.00	SKC063V0	748.00
SKC040V0	552.00	SKC080V0	896.00
SKC050V0	652.00	SKC100V0	980.00

ONE TOUCH FITTINGS

SPECIFICATIONS

Fluid	Air
Max. operating pressure	10 Bar
Ambient temperature	-10°C to +60°C
Threaded connection	Male : R - Taper thread, Female : G - Parallel thread
Media temperature	+5°C to 50°C
Applicable tube material	Nylon, Polyurethane
Applicable tube size (OD)	Ø4, Ø6, Ø8, Ø10, Ø12, Ø14, Ø16
Recommended tolerance for tube OD	±0.1 mm

Recommended minimum wall thickness of tubes	Nylon		PU	
	Tube OD (mm)	Thickness (mm)	Tube OD (mm)	Thickness (mm)
	Ø4	1	Ø4	1
	Ø6		Ø6	1
	Ø8		Ø8	1.5
	Ø10		Ø10	1.5
	Ø12		Ø12	2
	Ø14		Ø14	2
Ø16			2.5	

STRAIGHT UNION



Model No.	Tube OD ØD1	Price Per Unit Rs.
VO210404V0	4	35.00
VO210606V0	6	36.00
VO210808V0	8	40.00
VO211010V0	10	50.00
VO211212V0	12	60.00
VO211414V0	14	120.00
VO211616V0	16	150.00

DIFFERENT DIA. STRAIGHT UNION



Model No.	Tube OD		Price Per Unit Rs.
	ØD1	ØD2	
VO220406V0	4	6	65.00
VO220608V0	6	8	72.00
VO220610V0	6	10	80.00
VO220810V0	8	10	90.00
VO220812V0	8	12	110.00
VO221012V0	10	12	110.00
VO221216V0	12	16	220.00

UNION ELBOW



Model No.	Tube OD ØD1	ØD	ØDXH	Price Per Unit Rs.
VO230404V0	4	10.6	Ø3.3X11	34.00
VO230606V0	6	12.8	Ø3.3X13	39.00
VO230808V0	8	15	Ø3.3X15.5	42.00
VO231010V0	10	18.5	Ø4.3X19	50.00
VO231212V0	12	21.1	Ø4.3X21.5	58.00
VO231414V0	14	23.1	Ø4.3X23.5	120.00
VO231616V0	16	25.6	Ø4.3X26	150.00

UNION ELBOW REDUCER



Model No.	Tube OD		ØD	ØDXH	Price Per Unit Rs.
	ØD1	ØD2			
VO240812V0	8	12	21.1	Ø4.3X21.5	120.00

ONE TOUCH FITTINGS

UNION TEE



Model No.	Tube OD ØD1	ØD	ØDXH	Price Per Unit Rs.
VO250404V0	4	10.6	Ø3.3X11	46.00
VO250606V0	6	12.8	Ø3.3X13	50.00
VO250808V0	8	15	Ø3.3X15.5	55.00
VO251010V0	10	18.5	Ø4.3X19	66.00
VO251212V0	12	21.1	Ø4.3X20.5	86.00
VO251414V0	14	23.1	Ø4.3X23.5	170.00
VO251616V0	16	25.6	Ø4.3X26	210.00

UNION TEE REDUCER



Model No.	Tube OD			ØD	ØDXH	Price Per Unit Rs.
	ØD1	ØD2	ØD3			
VO26040406V0	4	4	6	12.6	Ø3.3X13	110.00
VO26060604V0	6	6	4	12.6	Ø3.3X13	78.00
VO26060608V0	6	6	8	15	Ø3.3X15.5	88.00
VO26061212V0	6	12	12	21.1	Ø4.3X20.5	160.00
VO26080806V0	8	8	6	15	Ø3.3X15.5	88.00
VO26080810V0	8	8	10	18.5	Ø4.3X19	150.00
VO26081212V0	8	12	12	21.1	Ø4.3X24	140.00
VO26101006V0	10	10	6	18.5	Ø4.3X19	120.00
VO26101008V0	10	10	8	18.5	Ø4.3X19	110.00
VO26101012V0	10	10	12	21.1	Ø4.3X20.5	200.00
VO26121206V0	12	12	6	21.1	Ø4.3X20.5	150.00
VO26121208V0	12	12	8	21.1	Ø4.3X20.5	140.00
VO26121210V0	12	12	10	21.1	Ø4.3X20.5	155.00

UNION 'Y'



Model No.	Tube OD ØD1	ØD	ØDXH	Price Per Unit Rs.
VO270404V0	4	10.6	Ø3.3X11	68.00
VO270606V0	6	12.8	Ø3.3X13	66.00
VO270808V0	8	15	Ø3.3X15.5	70.00
VO271010V0	10	18.5	Ø4.3X19	80.00
VO271212V0	12	21.1	Ø4.3X21.5	100.00

UNION 'Y' REDUCER



Model No.	Tube OD		ØD	ØDXH	Price Per Unit Rs.
	ØD1	ØD2			
VO28040406V0	4	6	12.6	Ø3.3X13	102.00
VO28060608V0	6	8	15	Ø3.3X15.5	78.00
VO28080810V0	8	10	18.5	Ø4.3X19	150.00

ONE TOUCH FITTINGS

CROSS UNION



Model No.	Tube OD	ØD	ØDXH	Price Per Unit Rs.
VO490404V0	4	10.6	Ø3.3X11	112.00
VO490606V0	6	12.6	Ø3.3X13	110.00
VO490808V0	8	15	Ø3.3X15.5	128.00
VO491010V0	10	18.5	Ø4.3X19	140.00
VO491212V0	12	21.1	Ø4.3X21.5	165.00

BULK HEAD UNION



Model No.	Tube OD	Hex	MPTM	MHD	Price Per Unit Rs.
VO2904V0	4	14	16	12.5	90.00
VO2906V0	6	17	14	14.5	92.00
VO2908V0	8	19	12	16.5	108.00
VO2910V0	10	24	12	20.5	120.00
VO2912V0	12	27	12	22.5	170.00
VO2914V0	14	30	10	25	190.00
VO2916V0	16	32	12	28	310.00

MALE CONNECTOR



Model No.	Tube OD	Thread	Hex	Price Per Unit Rs.
VO3004AV0	4	M5 x 0.8	10	38.00
VO3004BV0		R1/8	10	26.00
VO3004CV0		R1/4	14	30.00
VO3006AV0	6	M5 x 0.8	12	39.00
VO3006BV0		R1/8	12	30.00
VO3006CV0		R1/4	14	34.00
VO3006DV0		R3/8	17	46.00
VO3008BV0	8	R1/8	14	34.00
VO3008CV0		R1/4	14	38.00
VO3008DV0		R3/8	17	44.00
VO3008EV0		R1/2	22	84.00
VO3010CV0	10	R1/4	17	44.00
VO3010DV0		R3/8	17	48.00
VO3010EV0		R1/2	22	77.00
VO3012CV0	12	R1/4	22	90.00
VO3012DV0		R3/8	22	88.00
VO3012EV0		R1/2	22	90.00
VO3012GV0		1/4	22	90.00
VO3012IV0		3/8	22	88.00
VO3012JV0		1/2	22	90.00
VO3014JV0	14	1/2	24	210.00
VO3014HV0		3/4	27	260.00
VO3016JV0	16	1/2	24	268.00
VO3016HV0		3/4	27	330.00
VO3016KV0		1	36	490.00

ONE TOUCH FITTINGS

FEMALE CONNECTOR



Model No.	Tube OD	Thread (BSP)	Hex	Price Per Unit Rs.
VO3204FV0	4	1/8	14	62.00
VO3204GV0		1/4	17	84.00
VO3206FV0	6	1/8	14	74.00
VO3206GV0		1/4	17	83.00
VO3208FV0	8	1/8	14	74.00
VO3208GV0		1/4	17	88.00
VO3208IV0		3/8	22	140.00
VO3210GV0	10	1/4	17	98.00
VO3210IV0		3/8	22	150.00
VO3212IV0	12	3/8	22	156.00
VO3212JV0		1/2	27	238.00
VO3214JV0	14	1/2	27	274.00

PLUG



Model No.	Applicable Fitting size ØD	ØD1	Price Per Unit Rs.
VO5004V0	4	10	17.00
VO5006V0	6	12	20.00
VO5008V0	8	14	24.00
VO5010V0	10	16	29.00
VO5012V0	12	18	34.00
VO5014V0	14	20	41.00
VO5016V0	16	22	49.00

Made in India

MALE ELBOW



Model No.	Tube OD	ØD	ØD x H	Hex	Thread	Price Per Unit Rs.
VO3304AV0	4	10.6	3.3x11	9	M5 x 0.8	50.00
VO3304BV0		10.6	3.3x11	10	R 1/8	42.00
VO3304CV0		10.6	3.3x11	14	R 1/4	44.00
VO3306AV0	6	12.8	3.3x13	11	M5x0.8	50.00
VO3306BV0		12.8	3.3x13	12	R 1/8	40.00
VO3306CV0		12.8	3.3x13	14	R 1/4	42.00
VO3306DV0		12.8	3.3x13	17	R 3/8	64.00
VO3306EV0		12.8	3.3x13	22	R 1/2	82.00
VO3308AV0	8	15	3.3x15.5	13	M5x0.8	48.00
VO3308BV0		15	3.3x15.5	14	R 1/8	52.00
VO3308CV0		15	3.3x15.5	14	R 1/4	54.00
VO3308DV0		15	3.3x15.5	17	R 3/8	60.00
VO3308EV0		15	3.3x15.5	22	R 1/2	108.00
VO3310CV0	10	18.5	4.3x19	17	R 1/4	80.00
VO3310DV0		18.5	4.3x19	17	R 3/8	82.00
VO3310EV0		18.5	4.3x19	22	R 1/2	110.00
VO3312CV0	12	21.1	4.3x21.5	19	R 1/4	104.00
VO3312DV0		21.1	4.3x21.5	19	R 3/8	98.00
VO3312EV0		21.1	4.3x21.5	22	R 1/2	110.00
VO3314JV0	14	23.1	4.3x23.5	22	1/2	255.00
VO3314HV0		23.1	4.3x23.5	27	3/4	380.00
VO3316JV0	16	25.6	4.3x26	24	1/2	320.00
VO3316HV0		25.6	4.3x26	27	3/4	380.00
VO3316KV0		25.6	4.3x26	36	1	628.00

ONE TOUCH FITTINGS

MALE BRANCH TEE



Model No.	Tube OD	ØD	ØD x H	Hex	Thread	Price Per Unit Rs.
VO3604BV0	4	10.6	3.3x11	10	R 1/8	78.00
VO3604CV0		10.6	3.3x11	14	R 1/4	80.00
VO3606BV0	6	12.8	3.3x13	12	R 1/8	88.00
VO3606CV0		12.8	3.3x13	14	R 1/4	90.00
VO3608BV0	8	15	3.3x15.5	14	R 1/8	95.00
VO3608CV0		15	3.3x15.5	14	R 1/4	98.00
VO3608DV0		15	3.3x15.5	17	R 3/8	108.00
VO3610CV0	10	18.5	4.3x19	17	R 1/4	124.00
VO3610DV0		18.5	4.3x19	17	R 3/8	132.00
VO3612DV0	12	21.1	4.3x20.5	19	R 3/8	154.00
VO3612EV0		21.1	4.3x20.5	22	R 1/2	160.00
VO3614EV0	14	21.1	4.3x23.5	22	1/2	288.00

MALE RUN TEE



Model No.	Tube OD	ØD	ØD x H	Hex	Thread	Price Per Unit Rs.
VO3804BV0	4	10.6	3.3x11	10	R 1/8	72.00
VO3804CV0		10.6	3.3x11	14	R 1/4	86.00
VO3806BV0	6	12.8	3.3x13	12	R 1/8	82.00
VO3806CV0		12.8	3.3x13	14	R 1/4	85.00
VO3808BV0	8	15	3.3x15.5	14	R 1/8	88.00
VO3808CV0		15	3.3x15.5	14	R 1/4	90.00
VO3808DV0		15	3.3x15.5	17	R 3/8	94.00
VO3810CV0	10	18.5	4.3x19	17	R 1/4	112.00
VO3810DV0		18.5	4.3x19	17	R 3/8	120.00
VO3812DV0	12	21.1	4.3x21.5	19	R 3/8	148.00
VO3812EV0		21.1	4.3x21.5	22	R 1/2	150.00

MALE BRANCH 'Y'



Model No.	Tube OD	ØD	ØD x H	Hex	Thread	Price Per Unit Rs.
VO4004BV0	4	10.6	3.3x11	10	R 1/8	94.00
VO4004CV0		10.6	3.3x11	14	R 1/4	98.00
VO4006BV0	6	12.8	3.3x13	12	R 1/8	101.00
VO4006CV0		12.8	3.3x13	14	R 1/4	106.00
VO4008BV0	8	15	3.3x15.5	14	R 1/8	110.00
VO4008CV0		15	3.3x15.5	14	R 1/4	118.00
VO4008DV0		15	3.3x15.5	17	R 3/8	122.00
VO4010CV0	10	18.5	4.3x19	17	R 1/4	140.00
VO4010DV0		18.5	4.3x19	17	R 3/8	152.00
VO4012DV0	12	21.1	4.3x21.5	19	R 3/8	180.00
VO4012FV0		21.1	4.3x21.5	22	R 1/2	202.00

Note:

- ⊕ For NPT thread 10% extra on list price
- ⊕ For BSP and BSPT Price Same

POLYURETHANE TUBES (SILVER TYPE)

Outer Diameter (Ø) :

4 6 8 10 12 14 16

Inner Diameter (Ø) :

2 4 5 7 8 10 11

Available Colors :

Blue, Red, Yellow, Black, Transparent, Silver



Model No.	Color	OD	ID	Working Pressure	Min Bend Radius (mm)	Price Rs. (Per Meter)
PS0403B	Blue	Ø4	Ø2	13 Bar	10	20.00
PS0603B	Blue	Ø6	Ø4	11 Bar	15	25.00
PS0805B	Blue	Ø8	Ø5	12 Bar	25	42.00
PS1005B	Blue	Ø10	Ø7	10 Bar	30	65.00
PS1207B	Blue	Ø12	Ø8	10 Bar	35	80.00
PS1407B	Blue	Ø14	Ø10	10 Bar	130	130.00
PS1609B	Blue	Ø16	Ø11	10 Bar	140	160.00

Model No.	Color	OD	ID	Working Pressure	Min Bend Radius (mm)	Price Rs. (Per Meter)
PS0403K	Black	Ø4	Ø2	13 Bar	10	22.00
PS0603K	Black	Ø6	Ø4	11 Bar	15	28.00
PS0805K	Black	Ø8	Ø5	12 Bar	25	46.00
PS1005K	Black	Ø10	Ø7	10 Bar	30	72.00
PS1207K	Black	Ø12	Ø8	10 Bar	35	88.00
PS1407K	Black	Ø14	Ø10	10 Bar	130	143.00
PS1609K	Black	Ø16	Ø11	10 Bar	140	176.00

Model No.	Color	OD	ID	Working Pressure	Min Bend Radius (mm)	Price Rs. (Per Meter)
PS0403Y	Yellow	Ø4	Ø2	13 Bar	10	22.00
PS0603Y	Yellow	Ø6	Ø4	11 Bar	15	28.00
PS0805Y	Yellow	Ø8	Ø5	12 Bar	25	46.00
PS1005Y	Yellow	Ø10	Ø7	10 Bar	30	72.00
PS1207Y	Yellow	Ø12	Ø8	10 Bar	35	88.00
PS1407Y	Yellow	Ø14	Ø10	10 Bar	130	143.00
PS1609Y	Yellow	Ø16	Ø11	10 Bar	140	176.00

Model No.	Color	OD	ID	Working Pressure	Min Bend Radius (mm)	Price Rs. (Per Meter)
PS0403R	Red	Ø4	Ø2	13 Bar	10	22.00
PS0603R	Red	Ø6	Ø4	11 Bar	15	28.00
PS0805R	Red	Ø8	Ø5	12 Bar	25	46.00
PS1005R	Red	Ø10	Ø7	10 Bar	30	72.00
PS1207R	Red	Ø12	Ø8	10 Bar	35	88.00
PS1407R	Red	Ø14	Ø10	10 Bar	130	143.00
PS1609R	Red	Ø16	Ø11	10 Bar	140	176.00

POLYURETHANE TUBES (SILVER TYPE)

Model No.	Color	OD	ID	Working Pressure	Min Bend Radius (mm)	Price Rs. (Per Meter)
PS0403S	Silver	Ø4	Ø2	13 Bar	10	22.00
PS0603S	Silver	Ø6	Ø4	11 Bar	15	28.00
PS0805S	Silver	Ø8	Ø5	12 Bar	25	46.00
PS1005S	Silver	Ø10	Ø7	10 Bar	30	72.00
PS1207S	Silver	Ø12	Ø8	10 Bar	35	88.00
PS1407S	Silver	Ø14	Ø10	10 Bar	130	143.00
PS1609S	Silver	Ø16	Ø11	10 Bar	140	176.00

Model No.	Color	OD	ID	Working Pressure	Min Bend Radius (mm)	Price Rs. (Per Meter)
PS0403T	Transparent	Ø4	Ø2	13 Bar	10	22.00
PS0603T	Transparent	Ø6	Ø4	11 Bar	15	28.00
PS0805T	Transparent	Ø8	Ø5	12 Bar	25	46.00
PS1005T	Transparent	Ø10	Ø7	10 Bar	30	72.00
PS1207T	Transparent	Ø12	Ø8	10 Bar	35	88.00
PS1407T	Transparent	Ø14	Ø10	10 Bar	130	143.00
PS1609T	Transparent	Ø16	Ø11	10 Bar	140	176.00

POLYURETHANE TUBES (GOLD TYPE)

Outer Diameter (Ø) :

4 6 8 10 12 14 16

Inner Diameter (Ø) :

2 4 5 7 8 10 11

Available Colors :

Blue, Red, Yellow, Black, Transparent, Silver



Model No.	Color	OD	ID	Working Pressure	Min Bend Radius (mm)	Price Rs. (Per Meter)
PG0403B	Blue	Ø4	Ø2	13 Bar	10	28.00
PG0603B	Blue	Ø6	Ø4	11 Bar	15	35.00
PG0805B	Blue	Ø8	Ø5	12 Bar	25	59.00
PG1005B	Blue	Ø10	Ø7	10 Bar	30	91.00
PG1207B	Blue	Ø12	Ø8	10 Bar	35	112.00
PG1407B	Blue	Ø14	Ø10	10 Bar	130	182.00
PG1609B	Blue	Ø16	Ø11	10 Bar	140	224.00

Model No.	Color	OD	ID	Working Pressure	Min Bend Radius (mm)	Price Rs. (Per Meter)
PG0403K	Black	Ø4	Ø2	13 Bar	10	31.00
PG0603K	Black	Ø6	Ø4	11 Bar	15	39.00
PG0805K	Black	Ø8	Ø5	12 Bar	25	65.00
PG1005K	Black	Ø10	Ø7	10 Bar	30	100.00
PG1207K	Black	Ø12	Ø8	10 Bar	35	123.00
PG1407K	Black	Ø14	Ø10	10 Bar	130	200.00
PG1609K	Black	Ø16	Ø11	10 Bar	140	246.00

Model No.	Color	OD	ID	Working Pressure	Min Bend Radius (mm)	Price Rs. (Per Meter)
PG0403Y	Yellow	Ø4	Ø2	13 Bar	10	31.00
PG0603Y	Yellow	Ø6	Ø4	11 Bar	15	39.00
PG0805Y	Yellow	Ø8	Ø5	12 Bar	25	65.00
PG1005Y	Yellow	Ø10	Ø7	10 Bar	30	100.00
PG1207Y	Yellow	Ø12	Ø8	10 Bar	35	123.00
PG1407Y	Yellow	Ø14	Ø10	10 Bar	130	200.00
PG1609Y	Yellow	Ø16	Ø11	10 Bar	140	246.00

Model No.	Color	OD	ID	Working Pressure	Min Bend Radius (mm)	Price Rs. (Per Meter)
PG0403R	Red	Ø4	Ø2	13 Bar	10	31.00
PG0603R	Red	Ø6	Ø4	11 Bar	15	39.00
PG0805R	Red	Ø8	Ø5	12 Bar	25	65.00
PG1005R	Red	Ø10	Ø7	10 Bar	30	100.00
PG1207R	Red	Ø12	Ø8	10 Bar	35	123.00
PG1407R	Red	Ø14	Ø10	10 Bar	130	200.00
PG1609R	Red	Ø16	Ø11	10 Bar	140	246.00

POLYURETHANE TUBES (GOLD TYPE)

Model No.	Color	OD	ID	Working Pressure	Min Bend Radius (mm)	Price Rs. (Per Meter)
PG0403S	Silver	Ø4	Ø2	13 Bar	10	31.00
PG0603S	Silver	Ø6	Ø4	11 Bar	15	39.00
PG0805S	Silver	Ø8	Ø5	12 Bar	25	65.00
PG1005S	Silver	Ø10	Ø7	10 Bar	30	100.00
PG1207S	Silver	Ø12	Ø8	10 Bar	35	123.00
PG1407S	Silver	Ø14	Ø10	10 Bar	130	200.00
PG1609S	Silver	Ø16	Ø11	10 Bar	140	246.00

Model No.	Color	OD	ID	Working Pressure	Min Bend Radius (mm)	Price Rs. (Per Meter)
PG0403T	Transparent	Ø4	Ø2	13 Bar	10	31.00
PG0603T	Transparent	Ø6	Ø4	11 Bar	15	39.00
PG0805T	Transparent	Ø8	Ø5	12 Bar	25	65.00
PG1005T	Transparent	Ø10	Ø7	10 Bar	30	100.00
PG1207T	Transparent	Ø12	Ø8	10 Bar	35	123.00
PG1407T	Transparent	Ø14	Ø10	10 Bar	130	200.00
PG1609T	Transparent	Ø16	Ø11	10 Bar	140	246.00

2/2 Way Pilot Operated Diaphragm Type Solenoid Valve (NC/NO) - PCN Series

Size	¾" to 3"
End Connection	BSP(F) / NPT(F) / Flange End
Body Material	SS304, Optional: SS316
Diaphragm & Seal	Nitrile, Optional: EPDM, VITON
Pressure Range	0.5 to 12 Bar
Temperature	Nitrile 90°C, EPDM 140°C, VITON 180°C
Operating Voltage	AC: 24V, 110V, 230V DC: 12V, 24V
Media	Air, Water, Gas, Chemical



Model No.	Port Size (in/mm)	Body Material	Orifice (In mm)	Screwed End		Flange End		Spare Diaphragm Kit Price in Rs.
				Price Per Unit Rs. (NC)	Price Per Unit Rs. (NO)	Price Per Unit Rs. (NC)	Price Per Unit Rs. (NO)	
PCN708BNEWV0	¾" (10 mm)	SS304	17	2112.00	2968.00	-	-	378.00
PCN208BNEWV0	½" (15 mm)	SS304	17	2171.00	3027.00	3558.00	4614.00	401.00
PCN308BNEWV0	¾" (20 mm)	SS304	20	2767.00	3823.00	4614.00	6071.00	513.00
PCN408BNEWV0	1" (25 mm)	SS304	25	3634.00	4879.00	6466.00	8449.00	637.00
PCN508BNEWV0	1¼" (32 mm)	SS304	36	5092.00	7523.00	8714.00	12148.00	861.00
PCN608BNEWV0	1½" (40 mm)	SS304	36	5487.00	7877.00	9888.00	13063.00	979.00
PCN808BNEWV0	2" (50 mm)	SS304	48	6732.00	9110.00	13045.00	16060.00	1109.00
PCN908BNEWV0	2½" (65 mm)	SS304	60	17169.00	24574.00	30385.00	32975.00	2183.00
PCNA08BNEWV0	3" (80 mm)	SS304	72	18491.00	25895.00	36202.00	40486.00	2578.00

Note:

- ⊙ High Pressure Series Available on Request Up to 20Kg.- Rs. 300.00 Extra On Above List Price.
- ⊙ For SS316 - 40% Extra on Above List Price.
- ⊙ Manual Override Available on Request - Rs. 750.00 Extra on Request For EPDM Diaphragm - 25% Extra, Viton Diaphragm - 35% Extra Price on Above List Price.
- ⊙ Minimum pressure require 0.5 bar - Not suitable for Gravity Pressure
- ⊙ All Valve Available With 14mm Coil ID.
- ⊙ For Latching Coil / Power Saver Coil Add Rs. 331.00 On Above List Price.
- ⊙ For Npt Thread 10% Extra On Above List Price
- ⊙ For spare plunger set 14mm Rs. 684.00
- ⊙ For Flameproof Coil Price Add Extra - 1558.00 On Above List Price
- ⊙ For Weatherproof Coil Price Add Extra - 413.00 On Above List Price

2/2 WAY PILOT OPERATED DIAPHRAGM TYPE SOLENOID VALVE (BRASS/SS) - PBN SERIES

Size / End Connection	½" to 2"(Brass) & 4" (SS304) / BSP(F) / NPT(F)
Body Material	Brass & SS304
Diaphragm & Seal	Nitrile, Optional: EPDM, VITON
Pressure Range	0.5 to 10 Bar, 0.5 to 12 Bar
Temperature	Nitrile 90°C, EPDM 140°C, VITON 180°C
Operating Voltage	AC: 24V, 110V, 230V DC: 12V, 24V
Media	Air, Water, Gas, Chemical
Application	For Home appliances, General purpose water treatment plant



Model No.	Port Size (in/mm)	Body Material	Orifice (mm)	Screwed End		Flange End		Spare Diaphragm Kit Price in Rs.
				Price Per Unit Rs. (NC)	Price Per Unit Rs. (NO)	Price Per Unit Rs. (NC)	Price Per Unit Rs. (NO)	
PBN706BNCMV0	¾" (10mm)	Brass	12	1830.00	NA	NA	NA	550.00
PBN206BNCMV0	½" (15mm)	Brass	12	1830.00	NA	NA	NA	550.00
PBN306BNCMV0	¾" (20mm)	Brass	20	2450.00	NA	NA	NA	590.00
PBN406BNCMV0	1" (25mm)	Brass	25	2970.00	NA	NA	NA	750.00
PBN606BNCMV0	1½" (40mm)	Brass	36	4350.00	NA	NA	NA	950.00
PBN806BNEWV0	2" (50mm)	Brass	50	8990.00	NA	NA	NA	1550.00
PCNB08BNEWV0	4" (100mm)	SS304	98	33028.00	46244.00	60782.00	64222.00	9428.00

Feature:

- ⊙ Brass Series available with manual override ¾" to 1½" By Default.

Note:

- ⊙ In Brass ¾", ½", ¾", 1", 1½" & 2" Only Size available.
- ⊙ For NPT thread 10% extra on list price.
- ⊙ NO TYPE valve not available in Brass series
- ⊙ For Spare Plunger Set 10mm Price - 525.00 & 14mm Plunger Set Price - 684.00, & 18mm Plunger Set Price - 1038.00
- ⊙ For EPDM Diaphragm - 25% extra, Viton Diaphragm - 35% extra price on above List price.
- ⊙ ¾" to 1½" valve series available with 10mm coil, 2" valves available with 14mm Coil & 4" valves available with 18mm Coil.

2/2 WAY SEMILIFT TYPE DIAPHRAGM OPERATED SOLENOID VALVE (NC/NO) - MCN / MBN SERIES

Size	¾" to 2"
End Connection	BSP(F) / NPT(F) / Flange End
Body Material	Brass, SS304, Optional: SS316
Diaphragm & Seal	Nitrile, Optional: EPDM, VITON
Pressure Range	0 to 4 Bar / 0 to 7 Bar / 0 to 10 Bar
Temperature	Nitrile 90°C, EPDM 140°C, VITON 180°C
Operating Voltage	AC: 24V, 110V, 230V DC: 12V, 24V
Media	Air, Water, Gas, Chemical



Model No.	Port Size (in/mm)	Body Material	Orifice (In mm)	Screwed End		Flange End		Spare Diaphragm Kit Price in Rs.
				Price Per Unit Rs. (NC)	Price Per Unit Rs. (NO)	Price Per Unit Rs. (NC)	Price Per Unit Rs. (NO)	
MCN203BNEVO	½" (15mm)	SS304	17	2171.00	3953.00	3558.00	5340.00	791.00
MCN204BNEVO	½" (15mm)	SS304 (0-10 bar)	15	1971.00	NA	NA	NA	673.00
MCN303BNEVO	¾" (20mm)	SS304	20	2767.00	4879.00	4614.00	6466.00	920.00
MCN304BNEVO	¾" (20mm)	SS304 (0-10 bar)	18	2537.00	NA	NA	NA	861.00
MCN403BNEVO	1" (25mm)	SS304	25	3634.00	5670.00	6466.00	8502.00	1050.00
MCN613BNIVO	1½" (40 mm)	SS304	35	6071.00	NA	10431.00	NA	1522.00
MCN813BNIVO	2" (50 mm)	SS304	48	7257.00	NA	13204.00	NA	1652.00
MBN203BNEVO	½" (15mm)	BRASS	16	1990.00	2850.00	NA	NA	791.00
MBN703BNEVO	¾" (10mm)	BRASS	16	1990.00	2850.00	NA	NA	791.00
MBN204BNEVO	½" (15mm)	BRASS (0-10 bar)	12	1890.00	NA	NA	NA	584.00
MBN704BNEVO	¾" (10mm)	BRASS (0-10 bar)	12	1890.00	NA	NA	NA	584.00

Note:

- ☑ Customized Low Pressure (0 to 2 bar) available on Request
- ☑ Suitable for Gravity pressure.
- ☑ For Flange Dimension check on our website www.uflowvalve.com
- ☑ Manual Override not available in this series
- ☑ For Spare Plunger set up to 1" size Rs. 684.00, 1½" & 2" size Rs. 1038.00 For NBR.
- ☑ For NPT thread 10% extra on list price
- ☑ For 14mm Latching Coil / Power Saver Coil Price Add - 331.00 On Above List Price.
- ☑ For Brass Series Flange End Is Not Available.
- ☑ Do Not interchange AC & DC Coil.
- ☑ Above Series Only Suitable For Horizontal Pipeline Mounting.
- ☑ For Vertical Mounting Valve Available On Request.
- ☑ For SS316 - 40% Extra On Above Price List .
- ☑ Up to 1" Flameproof Coil Price Add Extra - 1558.00 On Above List Price.
- ☑ Up to 1" Weatherproof Coil Price Add Extra - 413.00 On Above List Price.
- ☑ For 1½" & 2" Valve Suitable Coil ID 18mm.
- ☑ For ¾" to 1" Valve Suitable Coil ID 14mm.

2/2 WAY SEMILIFT PTFE DIAPHRAGM OPERATED SOLENOID VALVE FOR STEAM - MCB / MCF SERIES

Size	½" to 1"
End Connection	BSP(F) / NPT(F) / Flange End
Body Material	SS304, Optional: SS316
Diaphragm & Seal	PTFE, Sp.Viton
Pressure Range	0 to 4 Bar
Temperature	PTFE 180°C, SP.VITON 180°C
Operating Voltage	AC: 24V, 110V, 230V DC: 12V, 24V
Media	Hot Water, Steam, Air, Water, Gas, Chemical
Application	Steam



Model No.	Port Size (in/mm)	Body Material & Seal Material	Orifice (mm)	Screwed End	Flange End	Spare Diaphragm Kit Price in Rs.
				Price Per Unit Rs. (NC)	Price Per Unit Rs. (NC)	
MCB213BNFV0	½" (15mm)	SS304 + PTFE	17	2345.00	3465.00	780.00
MCB313BNEVO	¾" (20mm)	SS304 + PTFE	20	3125.00	4245.00	890.00
MCB413BNEVO	1" (25mm)	SS304 + PTFE	25	4360.00	5590.00	1005.00
MCF213BNEVO	½" (15mm)	SS304 + SPL VITON	17	3125.00	4305.00	1790.00
MCF313BNEVO	¾" (20mm)	SS304 + SPL VITON	20	4025.00	5590.00	2010.00
MCF413BNEVO	1" (25mm)	SS304 + SPL VITON	25	5030.00	7430.00	2235.00

Note:

- ☑ Suitable for Steam and Gravity pressure
- ☑ MCF Series Available with Special Viton Diaphragm for Steam for long life
- ☑ 1-1/2" & 2" Sizes not available in this series
- ☑ For SS316 - 40% Extra on Above List Price
- ☑ For Flange Dimension check on our website www.uflowvalve.com
- ☑ Manual Override not available in this series
- ☑ Normally Open Type not available in this series
- ☑ Do Not interchange AC & DC Coil.
- ☑ Above Series Only Suitable For Horizontal Pipeline Mounting.
- ☑ For NPT thread 10% extra on list price
- ☑ For Vertical Mounting Valve Available On Request.
- ☑ For Flameproof Coil Price Add Extra - 1558.00 On Above List Price
- ☑ For Weatherproof Coil Price Add Extra - 413.00 On Above List Price

2/2 WAY SEMI LIFT DIAPHRAGM OPERATED SOLENOID VALVE FOR WATER - MNN SERIES

Size / End Connection	½", ¾", 1" / BSP(F) / NPT(F) / BSPT
Body Material	Nylon GF
Diaphragm & Seal	Nitrile (NBR)
Pressure Range	0 to 4 Bar / 0 to 7 Bar
Media Temperature	5°C to 50°C
Operating Voltage	AC: 24V, 110V, 230V DC: 12V, 24V
Media	Water
Application	Water



Model No.	Port Size (in/mm)	Body Material	Orifice (mm)	Screwed End	Spare Diaphragm Kit Price in Rs.
				Price Per Unit Rs. (NC)	
MNN203BNEV0	½" (15mm)	NYLON GF	16	1200.00	650.00
MNN303BNEV0	¾" (20mm)	NYLON GF	16	1450.00	850.00
MNN413BNFV0	1" (25mm)	NYLON GF	26	1800.00	950.00

Note:

- ☑ Suitable for Water and Gravity pressure.
- ☑ Only Suitable For Horizontal Pipeline Mounting.
- ☑ For NPT thread 10% extra on list price
- ☑ For Spare Plunger Set Price -684.00.
- ☑ All Valve Available With 14mm Coil ID.

2/2 WAY PILOT OPERATED PISTON TYPE SOLENOID VALVE FOR STEAM (NC/NO) - HCP SERIES

Size	½" to 2"
End Connection	BSP(F) / NPT(F) / Flange End
Body Material	SS304, Optional: SS316
Seal	PTFE + Sp.Viton
Temperature	PTFE - 180°C, Sp.VITON - 180°C
Pressure Range	1.5 to 12 Bar (Steam Application)
Operating Voltage	AC: 24V, 110V, 230V DC: 12V, 24V
Media	Steam, Hot Fluid, Air, Water, Gas, Chemical
Application	Steam



Model No.	Port Size (in/mm)	Body Material	Orifice (In mm)	Screwed End		Flange End		Spare Diaphragm Kit Price in Rs.
				Price Per Unit Rs. (NC)	Price Per Unit Rs. (NO)	Price Per Unit Rs. (NC)	Price Per Unit Rs. (NO)	
HCP209BNIWV0	½" (15mm)	SS304	17	2890.00	3990.00	4990.00	6490.00	550.00
HCP309BNIWV0	¾" (20mm)	SS304	20	3690.00	4990.00	6290.00	8090.00	590.00
HCP409BNIWV0	1" (25mm)	SS304	25	4890.00	6490.00	7490.00	9690.00	660.00
HCP509BNIWV0	1¼" (32 mm)	SS304	32	6290.00	8240.00	9540.00	12140.00	775.00
HCP609BNIWV0	1½" (40mm)	SS304	36	7690.00	9990.00	11590.00	14590.00	775.00
HCP809BNIWV0	2" (50mm)	SS304	48	8590.00	12490.00	14390.00	18590.00	1000.00

Note:

- ☑ Minimum pressure require 1.5 Bar - Not Suitable for Gravity pressure
- ☑ For Steam application max. pressure up to 8 bar
- ☑ Manual override not available
- ☑ For NPT thread 10% extra on list price
- ☑ SS316 valve on request available - 40% extra on list price
- ☑ Do Not interchange AC & DC Coil.
- ☑ Flameproof Coil Price Add Extra - 1941.00 On Above List Price.
- ☑ Weatherproof Coil Price Add Extra - 259.00 On Above List Price.
- ☑ All Valve Available With 18mm Coil ID.

PILOT OPERATED PISTON TYPE HIGH PRESSURE SOLENOID VALVE FOR WATER (NC) - HCA SERIES

Size	½" to 2"
End Connection	BSP(F) / NPT(F) / Flange End
Body Material	SS304, Optional: SS316
Seal	PTFE + NBR
Temperature	90°C
Pressure Range	1.5 to 40 Bar (Water Application)
Operating Voltage	AC: 24V, 110V, 230V DC: 12V, 24V
Media	Air, Water, Gas, Chemical
Application	Water, High pressure Series only for Water



Model No.	Port Size (in/mm)	Body Material	Orifice (mm)	Screwed End	Flange End	Spare Diaphragm Kit Price in Rs.
				Price Per Unit Rs. (NC)	Price Per Unit Rs. (NC)	
HCA210BNIWV0	½" (15mm)	SS304	17	3540.00	5640.00	550.00
HCA310BNIWV0	¾" (20mm)	SS304	20	4340.00	6940.00	590.00
HCA410BNIWV0	1" (25mm)	SS304	25	5540.00	8140.00	660.00
HCA510BNIWV0	1¼" (32 mm)	SS304	32	6940.00	10190.00	775.00
HCA610BNIWV0	1½" (40mm)	SS304	36	8340.00	12240.00	775.00
HCA810BNIWV0	2" (50mm)	SS304	48	9240.00	15040.00	1000.00

Note:

- ☑ Minimum pressure require 1.5 Bar - Not Suitable for Gravity pressure
- ☑ Manual override not available
- ☑ For NPT thread 10% extra on list price
- ☑ SS316 valve on request available - 40% extra on list price
- ☑ Do Not interchange AC & DC Coil.
- ☑ Flameproof Coil Price Add Extra - 1941.00 On Above List Price.
- ☑ Weatherproof Coil Price Add Extra - 259.00 On Above List Price.
- ☑ All Valve Available With 18mm Coil ID.

PULSE JET ANGLE TYPE DUST COLLECTOR VALVE(Normally Close)

Size	1", 1½", 2" & 2½" BSP(F) / NPT(F)
Body Material	Aluminum Die Cast
Diaphragm & Seal	NBR (Nitrile Buna Rubber)
Pressure Range	0.5 To 8.5 Bar
Temperature	Up to 90°C
Operating Voltage	AC: 24V, 110V, 230V DC: 12V, 24V
Media	Air
Application	For Bag Filter Machine to clean Bag



Model No.	Port Size (in/mm)	Body Material	Orifice (In mm)	Price Per Unit Rs. (NC)	Spare Diaphragm Kit Price in Rs.	Features
JAN307BERV0	¾" (20mm)	Aluminum	19	1737.00	577.00	Single Diaphragm
JAN407BERV0	1" (25mm)	Aluminum	29	1837.00	627.00	Single Diaphragm
JAN607BERV0	1½" (40mm)	Aluminum	52	2519.00	699.00	Double Diaphragm
JAN607BESV0	1½" (40mm)	Aluminum	52	2723.00	699.00	Double Diaphragm
JAN807BERV0	2" (50mm)	Aluminum	64	7029.00	2365.00	Double Diaphragm
JAN807BESV0	2" (50mm)	Aluminum	52	7629.00	2365.00	Double Diaphragm
JAN907BERV0	2½" (65mm)	Aluminum	64	8789.00	3289.00	Double Diaphragm
JAN907BESV0	2½" (65mm)	Aluminum	64	9329.00	3289.00	Double Diaphragm

Note:

- ☑ Special feature Brass Silencer to reduce extra noise available on request.
- ☑ NPT Thread available on request.
- ☑ For Spare Plunger Set Price - 684.00
- ☑ Flameproof Coil Price Add Extra - 1558.00 On Above List Price.
- ☑ Weatherproof Coil Price Add Extra - 413.00 On Above List Price.
- ☑ All Valve Available With 14mm Coil ID.

2/2 WAY GAS SOLENOID VALVE LOW PRESSURE (NC)

Size	½" & 1" BSP(F)
Body Material	Aluminum Die Cast
Seal	Nitrile
Pressure Range	0 to 350 mbar, 0 to 500 mbar
Temperature	Nitrile 90°C
Operating Voltage	AC: 110V, 230V
Media	LPG, Natural Gas, Town Gas, Air



Model No.	Port Size (in/mm)	Body Material	Pressure (mbar)	Orifice (mm)	Price Per Unit Rs. (NC)
DAN201BNJW152V0	½" (15mm)	Aluminum	0-500 MBAR	15	2390.00
DAN400BNKW300V0	1" (25mm)	Aluminum	0-350 MBAR	30	3790.00

Note:

- ☑ Suitable for low pressure gas application.
- ☑ NPT Thread not available.
- ☑ Above Series Not Available With DC Voltage.
- ☑ Only Power Saver Coil Available.

2/2 WAY PROPORTIONAL SOLENOID VALVE

Size	⅛"
Body Material	Brass
Seal	Nitrile, Viton
Pressure Range	-40°F to 158°F (-40°C to 70°C)
Operating Voltage	DC: 9V, 12V
Media	Air, Oxygen



Model No.	Port Size	Body Material	Pressure	Orifice (mm)	Price Per Unit Rs. (NC)	Features	Flow Rate (LPM)
IBVB30005V0	⅛" (Barb)	Brass	10 PSI	0.8	3590.00	Low Flow	6 LPM
IBVM35150V0	⅛" (Manifold)	Brass	0 - 35 PSI	5.1	4990.00	High Flow	150 LPM

Note:

- ☑ ⅛" Aluminum Manifold - Rs. 530.00 (Price Per Unit).
- ☑ ¼" Aluminum Manifold - Rs. 580.00 (Price Per Unit).
- ☑ For Medical Ventilator application.

2/2 WAY DIRECT ACTING SOLENOID VALVE (NC/NO)(Aluminum)

Size	1/8", 1/4", 3/8," & 1/2"
Body Material	Aluminum
Seal	Nitrile, Optional: EPDM, VITON Silicon
Pressure Range	0 to 10 bar, 0 to 25 Bar, 0 to 150 Bar
Temperature	Nitrile 90°C, EPDM 140°C, VITON 180°C
Operating Voltage	AC: 24V, 110V, 230V DC: 12V, 24V
Media	Air, Water, Steam, Gas, Chemical, & Oil



1/8" - 2/2 Way Direct Acting Solenoid Valve (NC/NO) 14 MM

Model No.	Port Size (in)	Body Matrial	Pressure (Bar)	Orifice (mm)		Price Per Unit	
				NC	NO	Price Per Unit Rs. (NC)	Price Per Unit Rs. (NO)
DAN013BNEW050V0	1/8"	Aluminum	0-4	5	4	1144.00	1348.00
DAN004BNEW030V0	1/8"	Aluminum	0-10	3	2.5	1018.00	1221.00
DAN005BNEW025V0	1/8"	Aluminum	0-16	2.5	1.8	1018.00	1221.00
DAN011BNEW022V0	1/8"	Aluminum	0-25	2.2	1.8	1144.00	1348.00
DAN018BNEW018V0	1/8"	Aluminum	0-40	1.8	1.3	1144.00	1348.00
DAN017BNEW018V0	1/8"	Aluminum	0-60	1.8	1.3	1265.00	1469.00

1/4" - 2/2 Way Direct Acting Solenoid Valve (NC/NO) 14 MM

Model No.	Port Size (in)	Body Matrial	Pressure (Bar)	Orifice (mm)		Price Per Unit	
				NC	NO	Price Per Unit Rs. (NC)	Price Per Unit Rs. (NO)
DAN113BNEW050V0	1/4"	Aluminum	0-4	5	4	1144.00	1348.00
DAN104BNEW030V0	1/4"	Aluminum	0-10	3	2.5	1018.00	1221.00
DAN105BNEW025V0	1/4"	Aluminum	0-16	2.5	1.8	1018.00	1221.00
DAN111BNEW022V0	1/4"	Aluminum	0-25	2.2	1.8	1144.00	1348.00
DAN118BNEW018V0	1/4"	Aluminum	0-40	1.8	1.3	1144.00	1348.00
DAN117BNEW018V0	1/4"	Aluminum	0-60	1.8	1.3	1265.00	1469.00

3/8" - 2/2 Way Direct Acting Solenoid Valve (NC/NO) 14 MM

Model No.	Port Size (in)	Body Matrial	Pressure (Bar)	Orifice (mm)		Price Per Unit	
				NC	NO	Price Per Unit Rs. (NC)	Price Per Unit Rs. (NO)
DAN715BNEW060V0	3/8"	Aluminum	0-1	6	5	1450.00	1626.00
DAN713BNEW050V0	3/8"	Aluminum	0-4	5	4	1355.00	1531.00
DAN704BNEW040V0	3/8"	Aluminum	0-10	4	2.5	1155.00	1331.00
DAN705BNEW030V0	3/8"	Aluminum	0-16	3	2	1155.00	1331.00
DAN711BNEW025V0	3/8"	Aluminum	0-25	2.5	1.8	1280.00	1484.00
DAN718BNEW020V0	3/8"	Aluminum	0-40	2	1.3	1280.00	1484.00
DAN717BNEW018V0	3/8"	Aluminum	0-60	1.8	1.3	1401.00	1605.00
DAN720BNEW015V0	3/8"	Aluminum	0-100	1.5	0.9	1522.00	1830.00
DAN712BNEW013V0	3/8"	Aluminum	0-150	1.3	NA	1522.00	NA

1/2" - 2/2 Way Direct Acting Solenoid Valve (NC/NO) 14 MM

Model No.	Port Size (in)	Body Matrial	Pressure (Bar)	Orifice (mm)		Price Per Unit	
				NC	NO	Price Per Unit Rs. (NC)	Price Per Unit Rs. (NO)
DAN215BNEW060V0	1/2"	Aluminum	0-1	6	5	1450.00	1626.00
DAN213BNEW050V0	1/2"	Aluminum	0-4	5	4	1355.00	1531.00
DAN204BNEW040V0	1/2"	Aluminum	0-10	4	2.5	1155.00	1331.00
DAN205BNEW030V0	1/2"	Aluminum	0-16	3	2	1155.00	1331.00
DAN211BNEW025V0	1/2"	Aluminum	0-25	2.5	1.8	1281.00	1484.00
DAN218BNEW020V0	1/2"	Aluminum	0-40	2	1.3	1281.00	1484.00
DAN217BNEW018V0	1/2"	Aluminum	0-60	1.8	1.3	1401.00	1605.00
DAN220BNEW015V0	1/2"	Aluminum	0-100	1.5	0.9	1522.00	1830.00
DAN212BNEW013V0	1/2"	Aluminum	0-150	1.3	NA	1522.00	NA

2/2 WAY DIRECT ACTING SOLENOID VALVE (NC/NO) (Aluminum)

½" - 2/2 Way Direct Acting Solenoid Valve (NC/NO) 18 MM

Model No.	Port Size (in)	Body Material	Pressure (Bar)	Orifice (mm)		Price Per Unit	
				NC	NO	Price Per Unit Rs. (NC)	Price Per Unit Rs. (NO)
DAN202BNIW080V0	½"	Aluminum	0-2	8	8	2150.00	2450.00
DAN213BNIW080V0	½"	Aluminum	0-4	8	5	1950.00	2250.00
DAN204BNIW050V0	½"	Aluminum	0-10	5	4	1716.00	2466.00
DAN205BNIW040V0	½"	Aluminum	0-16	4	3	1850.00	2600.00
DAN217BNIW025V0	½"	Aluminum	0-60	2.5	NA	2046.00	-

Note:

- ☑ For EPDM Seal - 25% extra, Viton Seal - 35% extra price on above List price.
- ☑ For SS316 - 40% Extra on Above SS304 List Price.
- ☑ For NPT thread 10% extra on list price.

2/2 Way Direct Acting Solenoid Valve (NC) 10MM - Miniature Series


Model No.	Port Size (in)	Body Material	Pressure (Bar)	Orifice (mm)		Price Per Unit	
				NC	NO	Price Per Unit Rs. (NC)	Price Per Unit Rs. (NO)
DAN004BNCW020V0	⅛"	Aluminum	0-10	2	NA	908.00	-
DAN102BNCW025V0	¼"	Aluminum	0-2	2.5	NA	908.00	-
DAN104BNCW020V0	¼"	Aluminum	0-10	2	NA	908.00	-

Note:

- ☑ For Steam Application Special Viton Available in Above All Sizes - Prices 35% Extra on Above List Price
- ☑ For EPDM Seal - 25% Extra, Viton Seal - 35% Extra Price on Above List Price
- ☑ Manual Override Available On Request.
- ☑ For SS316 - 40% Extra on Above List Price.
- ☑ For NPT Thread 10% Extra on List Price

2/2 WAY DIRECT ACTING SOLENOID VALVE (NC/NO) (Brass)

Size	1/8", 1/4", 3/8," & 1/2"
Body Material	Brass
Seal	Nitrile, Optional: EPDM, VITON Silicon
Pressure Range	0 to 10 bar, 0 to 25 Bar, 0 to 150 Bar
Temperature	Nitrile 90°C, EPDM 140°C, VITON 180°C
Operating Voltage	AC: 24V, 110V, 230V DC: 12V, 24V
Media	Air, Water, Steam, Gas, Chemical, & Oil



1/8" - 2/2 Way Direct Acting Solenoid Valve (NC/NO) 14 MM

Model No.	Port Size (in)	Body Material	Pressure (Bar)	Orifice (mm)		Price Per Unit	
				NC	NO	Price Per Unit Rs. (NC)	Price Per Unit Rs. (NO)
DBN015BNEW060V0	1/8"	Brass	0-1	6	5	1837.00	2137.00
DBN013BNEW050V0	1/8"	Brass	0-4	5	4	1298.00	1590.00
DBN004BNEW040V0	1/8"	Brass	0-10	4	2.5	1172.00	1469.00
DBN005BNEW030V0	1/8"	Brass	0-16	3	2	1172.00	1469.00
DBN011BNEW025V0	1/8"	Brass	0-25	2.5	1.8	1298.00	1590.00
DBN018BNEW020V0	1/8"	Brass	0-40	2	1.3	1298.00	1590.00
DBN017BNEW018V0	1/8"	Brass	0-60	1.8	1.3	1419.00	1716.00
DBN020BNEW015V0	1/8"	Brass	0-100	1.5	0.9	1540.00	1837.00
DBN012BNEW013V0	1/8"	Brass	0-150	1.3	NA	1540.00	-

1/4" - 2/2 Way Direct Acting Solenoid Valve (NC/NO) 14 MM

Model No.	Port Size (in)	Body Material	Pressure (Bar)	Orifice (mm)		Price Per Unit	
				NC	NO	Price Per Unit Rs. (NC)	Price Per Unit Rs. (NO)
DBN115BNEW060V0	1/4"	Brass	0-1	6	5	1837.00	2137.00
DBN113BNEW050V0	1/4"	Brass	0-4	5	4	1298.00	1590.00
DBN104BNEW040V0	1/4"	Brass	0-10	4	2.5	1172.00	1469.00
DBN105BNEW030V0	1/4"	Brass	0-16	3	2	1172.00	1469.00
DBN111BNEW025V0	1/4"	Brass	0-25	2.5	1.8	1298.00	1590.00
DBN118BNEW020V0	1/4"	Brass	0-40	2	1.3	1298.00	1590.00
DBN117BNEW018V0	1/4"	Brass	0-60	1.8	1.3	1419.00	1716.00
DBN120BNEW015V0	1/4"	Brass	0-100	1.5	0.9	1540.00	1837.00
DBN112BNEW013V0	1/4"	Brass	0-150	1.3	NA	1540.00	-

3/8" - 2/2 Way Direct Acting Solenoid Valve (NC/NO) 14 MM

Model No.	Port Size (in)	Body Material	Pressure (Bar)	Orifice (mm)		Price Per Unit	
				NC	NO	Price Per Unit Rs. (NC)	Price Per Unit Rs. (NO)
DBN715BNEW060V0	3/8"	Brass	0-1	6	5	1421.00	1729.00
DBN713BNEW050V0	3/8"	Brass	0-4	5	4	1348.00	1656.00
DBN704BNEW040V0	3/8"	Brass	0-10	4	2.5	1221.00	1529.00
DBN705BNEW030V0	3/8"	Brass	0-16	3	2	1221.00	1529.00
DBN711BNEW025V0	3/8"	Brass	0-25	2.5	1.8	1348.00	1716.00
DBN718BNEW020V0	3/8"	Brass	0-40	2	1.3	1348.00	1716.00
DBN717BNEW018V0	3/8"	Brass	0-60	1.8	1.3	1590.00	1898.00
DBN720BNEW015V0	3/8"	Brass	0-100	1.5	0.9	1712.00	2021.00
DBN712BNEW013V0	3/8"	Brass	0-150	1.3	NA	1712.00	-

2/2 WAY DIRECT ACTING SOLENOID VALVE (NC/NO) (Brass)

½" - 2/2 Way Direct Acting Solenoid Valve (NC/NO) 14 MM

Model No.	Port Size (in)	Body Material	Pressure (Bar)	Orifice (mm)		Price Per Unit	
				NC	NO	Price Per Unit Rs. (NC)	Price Per Unit Rs. (NO)
DBN215BNEW060V0	½"	Brass	0-1	6	5	1521.00	1729.00
DBN213BNEW050V0	½"	Brass	0-4	5	4	1448.00	1656.00
DBN204BNEW040V0	½"	Brass	0-10	4	2.5	1221.00	1529.00
DBN205BNEW030V0	½"	Brass	0-16	3	2	1221.00	1529.00
DBN211BNEW025V0	½"	Brass	0-25	2.5	1.8	1348.00	1716.00
DBN218BNEW020V0	½"	Brass	0-40	2	1.3	1348.00	1716.00
DBN217BNEW018V0	½"	Brass	0-60	1.8	1.3	1469.00	1898.00
DBN220BNEW015V0	½"	Brass	0-100	1.5	0.9	1590.00	2021.00
DBN212BNEW013V0	½"	Brass	0-150	1.3	NA	1590.00	-

2/2 WAY DIRECT ACTING SOLENOID VALVE (NC/NO) (Brass)

Size	¼", ⅜", & ½"
Body Material	Brass Bar
Seal	Nitrile, Optional: EPDM, VITON Silicon
Pressure Range	0 to 2 bar, 0 to 4 Bar, 0 to 10 Bar, 0 to 16 Bar, 0 to 16 Bar
Temperature	Nitrile 90°C, EPDM 140°C, VITON 180°C
Operating Voltage	AC: 24V, 110V, 230V DC: 12V, 24V
Media	Air, Water, Steam, Gas, Chemical, & Oil



⅜" - 2/2 Way Direct Acting Solenoid Valve (NC/NO) (Square Bar) 18 MM

Model No.	Port Size (in)	Body Material	Pressure (Bar)	Orifice (mm)		Price Per Unit	
				NC	NO	Price Per Unit Rs. (NC)	Price Per Unit Rs. (NO)
DRN702BNIW080V0	⅜"	Brass	0-2	8	8	2350.00	2650.00
DRN713BNIW080V0	⅜"	Brass	0-4	8	5	2035.00	2335.00
DRN704BNIW050V0	⅜"	Brass	0-10	5	4	2035.00	2113.00
DRN705BNIW040V0	⅜"	Brass	0-16	4	3	2160.00	2360.00
DRN717BNIW025V0	⅜"	Brass	0-60	2.5	NA	2550.00	-

¼" - 2/2 Way Direct Acting Solenoid Valve (NC) (Square Bar) 14MM With Manual Override

Model No.	Port Size (in)	Body Material	Pressure (Bar)	Orifice (mm)		Price Per Unit	
				NC	NO	Price Per Unit Rs. (NC)	Price Per Unit Rs. (NO)
DRN104BNEM040V0	¼"	Brass	0-10	4	NA	1972.00	2269.00
DRN105BNEM030V0	¼"	Brass	0-16	3	NA	1972.00	2269.00

½" - 2/2 Way Direct Acting Solenoid Valve (NC/NO) (Square Bar) 18mm

Model No.	Port Size (in)	Body Material	Pressure (Bar)	Orifice (mm)		Price Per Unit	
				NC	NO	Price Per Unit Rs. (NC)	Price Per Unit Rs. (NO)
DRN202BNIW080V0	½"	Brass	0-2	8	8	2350.00	2650.00
DRN213BNIW080V0	½"	Brass	0-4	8	5	2035.00	2335.00
DRN204BNIW050V0	½"	Brass	0-10	5	4	2035.00	2113.00
DRN205BNIW040V0	½"	Brass	0-16	4	3	2160.00	2360.00
DRN217BNIW025V0	½"	Brass	0-60	2.5	NA	2550.00	-

Note:

- ☑ For EPDM Seal - 25% extra, Viton Seal - 35% extra price on above List price.
- ☑ For SS316 - 40% Extra on Above SS304 List Price.
- ☑ For NPT thread 10% extra on list price.

2/2 Way Direct Acting Solenoid Valve (NC) 10MM - Miniature Series

Model No.	Port Size (in)	Body Material	Pressure (Bar)	Orifice (mm)		Price Per Unit	
				NC	NO	Price Per Unit Rs. (NC)	Price Per Unit Rs. (NO)
DBN014BNCW030V0	⅛"	Brass	0-3	3	NA	924.00	-
DBN004BNCW020V0	⅛"	Brass	0-10	2	NA	924.00	-
DBN005BNCW020V0	⅛"	Brass	0-16	2	NA	924.00	-
DBN104BNCW020V0	¼"	Brass	0-10	2	NA	979.00	-
DBN105BNCW020V0	¼"	Brass	0-16	2	NA	979.00	-
DRN104BNCM012V0	¼"	Brass	0-10	1.2	NA	-	-

Note:

- ☑ For Steam Application Special Viton Available in Above All Sizes - Prices 35% Extra on Above List Price
- ☑ For EPDM Seal - 25% Extra, Viton Seal - 35% Extra Price on Above List Price
- ☑ Manual Override Available On Request.
- ☑ For SS316 - 40% Extra on Above List Price.
- ☑ For NPT Thread 10% Extra on List Price

2/2 WAY DIRECT ACTING SOLENOID VALVE (NC/NO) (SS304)

Size	1/8", 1/4", 3/8," & 1/2"
Body Material	SS304, Optional: SS316
Seal	Nitrile, Optional: EPDM, VITON Silicon
Pressure Range	0 to 10 bar, 0 to 25 Bar, 0 to 150 Bar
Temperature	Nitrile 90°C, EPDM 140°C, VITON 180°C
Operating Voltage	AC: 24V, 110V, 230V DC: 12V, 24V
Media	Air, Water, Steam, Gas, Chemical, & Oil



1/4" - 2/2 Way Direct Acting Solenoid Valve (NC/NO) 14 MM

Model No.	Port Size (in)	Body Matrial	Pressure (Bar)	Orifice (mm)		Price Per Unit	
				NC	NO	Price Per Unit Rs. (NC)	Price Per Unit Rs. (NO)
DCN115BNEW060V0	1/4"	SS304	0-1	6	5	1964.00	2838.00
DCN113BNEW050V0	1/4"	SS304	0-4	5	4	1469.00	1689.00
DCN104BNEW040V0	1/4"	SS304	0-10	4	2.5	1348.00	1656.00
DCN105BNEW030V0	1/4"	SS304	0-16	3	2	1348.00	1656.00
DCN111BNEW025V0	1/4"	SS304	0-25	2.5	1.8	1469.00	1777.00
DCN118BNEW020V0	1/4"	SS304	0-40	2	1.3	1469.00	1777.00
DCN117BNEW018V0	1/4"	SS304	0-60	1.8	1.3	1590.00	1898.00
DCN120BNEW015V0	1/4"	SS304	0-100	1.5	0.9	1716.00	2024.00
DCN112BNEW013V0	1/4"	SS304	0-150	1.3	NA	1716.00	-

3/8" - 2/2 Way Direct Acting Solenoid Valve (NC/NO) 14 MM

Model No.	Port Size (in)	Body Matrial	Pressure (Bar)	Orifice (mm)		Price Per Unit	
				NC	NO	Price Per Unit Rs. (NC)	Price Per Unit Rs. (NO)
DCN715BNEW060V0	3/8"	SS304	0-1	6	5	-	-
DCN713BNEW050V0	3/8"	SS304	0-4	5	4	1837.00	1936.00
DCN704BNEW040V0	3/8"	SS304	0-10	4	2.5	1590.00	1914.00
DCN705BNEW030V0	3/8"	SS304	0-16	3	2	1590.00	1914.00
DCN711BNEW025V0	3/8"	SS304	0-25	2.5	1.8	1716.00	2035.00
DCN718BNEW020V0	3/8"	SS304	0-40	2	1.3	1716.00	2035.00
DCN717BNEW018V0	3/8"	SS304	0-60	1.8	1.3	1837.00	2145.00
DCN720BNEW015V0	3/8"	SS304	0-100	1.5	0.9	1964.00	2283.00
DCN712BNEW013V0	3/8"	SS304	0-150	1.3	NA	1964.00	-

1/2" - 2/2 Way Direct Acting Solenoid Valve (NC/NO) 14 MM

Model No.	Port Size (in)	Body Matrial	Pressure (Bar)	Orifice (mm)		Price Per Unit	
				NC	NO	Price Per Unit Rs. (NC)	Price Per Unit Rs. (NO)
DCS226BNEW170V0	1/2"	SS304	0-0.350	17	NA	2024.00	-
DCN215BNEW060V0	1/2"	SS304	0-1	6	5	2084.00	2384.00
DCN213BNEW050V0	1/2"	SS304	0-4	5	4	1837.00	2057.00
DCN204BNEW040V0	1/2"	SS304	0-10	4	2.5	1716.00	2024.00
DCN205BNEW030V0	1/2"	SS304	0-16	3	2	1716.00	2024.00
DCN211BNEW025V0	1/2"	SS304	0-25	2.5	1.8	1837.00	2145.00
DCN218BNEW020V0	1/2"	SS304	0-40	2	1.3	1837.00	2145.00
DCN217BNEW018V0	1/2"	SS304	0-60	1.8	1.3	1958.00	2288.00
DCN220BNEW015V0	1/2"	SS304	0-100	1.5	0.9	2085.00	2393.00
DCN212BNEW013V0	1/2"	SS304	0-150	1.3	NA	2085.00	-

1/2" - 2/2 Way Direct Acting Solenoid Valve (NC/NO) 18 MM

Model No.	Port Size (in)	Body Matrial	Pressure (Bar)	Orifice (mm)		Price Per Unit	
				NC	NO	Price Per Unit Rs. (NC)	Price Per Unit Rs. (NO)
DCS202BNIW120V0	1/2"	SS304	0-2	12	NA	2272.00	-
DCN202BNIW120V0	1/2"	SS304	0-2	12	NA	2272.00	-
DCN201BNIW120V0	1/2"	SS304	0-0.500	12	12	2272.00	2646.00

2/2 WAY DIRECT ACTING SOLENOID VALVE (NC/NO)(SS304)

Size	1/8", 1/4", 3/8," & 1/2"
Body Material	SS304, Optional: SS316
Seal	Nitrile, Optional: EPDM, VITON Silicon
Pressure Range	0 to 10 bar, 0 to 25 Bar, 0 to 150 Bar
Temperature	Nitrile 90°C, EPDM 140°C, VITON 180°C
Operating Voltage	AC: 24V, 110V, 230V DC: 12V, 24V
Media	Air, Water, Steam, Gas, Chemical, & Oil



1/2" - 2/2 Way Direct Acting Solenoid Valve (NC) (Square Bar) 14MM With Manual Override

Model No.	Port Size (in)	Body Material	Pressure (Bar)	Orifice (mm)		Price Per Unit	
				NC	NO	Price Per Unit Rs. (NC)	Price Per Unit Rs. (NO)
D4N104BNFM040V0	1/4"	SS304	0-10	4	NA	2848.00	3169.00
D4N105BNEM040V0	1/4"	SS304	0-10	4	NA	2848.00	3169.00

1/2" - 2/2 Way Direct Acting Solenoid Valve (NC/NO)(Square Bar) 18 MM

Model No.	Port Size (in)	Body Material	Pressure (Bar)	Orifice (mm)		Price Per Unit	
				NC	NO	Price Per Unit Rs. (NC)	Price Per Unit Rs. (NO)
D4N202BNIW080V0	1/2"	SS304	0-2	8	8	2750.00	3050.00
D4N213BNIW080V0	1/2"	SS304	0-4	8	5	2450.00	2750.00
D4N204BNIW050V0	1/2"	SS304	0-10	5	4	2450.00	2650.00
D4N205BNIW040V0	1/2"	SS304	0-16	4	3	3050.00	3350.00
D4N217BNIW025V0	1/2"	SS304	0-60	2.5	NA	3250.00	-

Note:

- ☑ For EPDM Seal - 25% extra, Viton Seal - 35% extra price on above List price.
- ☑ For SS316 - 40% Extra on Above SS304 List Price.
- ☑ For NPT thread 10% extra on list price.

2/2 Way Direct Acting Solenoid Valve (NC) 10MM - Miniature Series

Model No.	Port Size (in)	Body Material	Pressure (Bar)	Orifice (mm)		Price Per Unit	
				NC	NO	Price Per Unit Rs. (NC)	Price Per Unit Rs. (NO)
D4N004BNCW020V0	1/8"	SS304	0-10	2	NA	1034.00	-
D4N005BNCW020V0	1/8"	SS304	0-16	2	NA	1034.00	-
DCN102BNCW020V0	1/4"	SS304	0-2	2	NA	1122.00	-
DCN103BNCW025V0	1/4"	SS304	0-7	2.5	NA	1122.00	-
DCN104BNCW020V0	1/4"	SS304	0-10	2	NA	1122.00	-
DCN105BNCW020V0	1/4"	SS304	0-16	2	NA	1122.00	-

Note:

- ☑ For Steam Application Special Viton Available in Above All Sizes - Prices 35% Extra on Above List Price
- ☑ For EPDM Seal - 25% Extra, Viton Seal - 35% Extra Price on Above List Price
- ☑ Manual Override Available On Request.
- ☑ For SS316 - 40% Extra on Above List Price.
- ☑ For NPT Thread 10% Extra on List Price

3/2 WAY DIRECT ACTING SOLENOID VALVE (NC)(Aluminum)

Size	1/8", 1/4", 3/8" & 1/2"
Body Material	Aluminum
Seal	Nitrile, Optional: EPDM, VITON
Pressure Range	0 to 5 bar, 0 to 10 bar, 0 to 16 bar, 0 to 40 bar
Temperature	Nitrile 90°C, EPDM 140°C, VITON 180°C
Operating Voltage	AC: 24V, 110V, 230V DC: 12V, 24V
Media	Air, Gas Water, Steam, Oil



1/8" - 3/2 Way Direct Acting Solenoid Valve (NC/NO) 14 MM

Model No.	Port Size (in)	Body Material	Pressure (Bar)	Orifice (mm)		Price Per Unit	
				NC	NO	Price Per Unit Rs. (NC)	Price Per Unit Rs. (NO)
TAN019BNEW025V0	1/8"	Aluminum	0-5	2.5	2	1067.00	1441.00
TAN004BNEW015V0	1/8"	Aluminum	0-10	1.5	1.5	1067.00	1441.00
TAN005BNEW009V0	1/8"	Aluminum	0-16	0.9	0.9	1194.00	1568.00
TAN011BNEW009V0	1/8"	Aluminum	0-25	0.9	0.9	1194.00	1568.00
TAN018BNEW009V0	1/8"	Aluminum	0-40	0.9	0.8	1568.00	1689.00

1/4" - 3/2 Way Direct Acting Solenoid Valve (NC/NO) 14 MM

Model No.	Port Size (in)	Body Material	Pressure (Bar)	Orifice (mm)		Price Per Unit	
				NC	NO	Price Per Unit Rs. (NC)	Price Per Unit Rs. (NO)
TAN119BNEW025V0	1/4"	Aluminum	0-5	2.5	2	1067.00	1441.00
TAN104BNEW015V0	1/4"	Aluminum	0-10	1.5	1.5	1067.00	1441.00
TAN105BNEW009V0	1/4"	Aluminum	0-16	0.9	0.9	1194.00	1568.00
TAN111BNEW009V0	1/4"	Aluminum	0-25	0.9	0.9	1194.00	1568.00
TAN118BNEW009V0	1/4"	Aluminum	0-40	0.9	0.8	1568.00	1689.00

3/8" - 3/2 Way Direct Acting Solenoid Valve (NC/NO) 14 MM

Model No.	Port Size (in)	Body Material	Pressure (Bar)	Orifice (mm)		Price Per Unit	
				NC	NO	Price Per Unit Rs. (NC)	Price Per Unit Rs. (NO)
TAN719BNEW025V0	3/8"	Aluminum	0-5	2.5	2	1350.00	1724.00
TAN704BNEW015V0	3/8"	Aluminum	0-10	1.5	1.5	1150.00	1524.00
TAN705BNEW009V0	3/8"	Aluminum	0-16	0.9	0.9	1150.00	1609.00
TAN711BNEW009V0	3/8"	Aluminum	0-25	0.9	0.9	1250.00	1550.00
TAN718BNEW009V0	3/8"	Aluminum	0-40	0.9	0.8	1390.00	1690.00

1/2" - 3/2 Way Direct Acting Solenoid Valve (NC/NO) 14 MM

Model No.	Port Size (in)	Body Material	Pressure (Bar)	Orifice (mm)		Price Per Unit	
				NC	NO	Price Per Unit Rs. (NC)	Price Per Unit Rs. (NO)
TAN219BNEW025V0	1/2"	Aluminum	0-5	2.5	2	1350.00	1724.00
TAN204BNEW015V0	1/2"	Aluminum	0-10	1.5	1.5	1150.00	1524.00
TAN205BNEW009V0	1/2"	Aluminum	0-16	0.9	0.9	1265.00	1639.00
TAN211BNEW009V0	1/2"	Aluminum	0-25	0.9	0.9	1250.00	1550.00
TAN218BNEW009V0	1/2"	Aluminum	0-40	0.9	0.8	1390.00	1690.00

Note:

- ☑ For EPDM Seal - 25% extra, Viton Seal - 35% extra price on above List price.
- ☑ For SS316 - 40% Extra on Above SS304 List Price.
- ☑ For NPT thread 10% extra on list price.

3/2 Way Direct Acting Solenoid Valve (NC) 10MM - Miniature Series


Model No.	Port Size (in)	Body Material	Pressure (Bar)	Orifice (mm)		Price Per Unit	
				NC	NO	Price Per Unit Rs. (NC)	Price Per Unit Rs. (NO)
TAN104BNCW012V0	1/4"	Aluminum	0-10	1.2	NA	895.00	-

Note:

- ☑ High pressure series available on Request.
- ☑ For EPDM Seal - 25% extra, Viton Seal - 35% extra price on above List price.
- ☑ For SS316 - 40% Extra on Above SS304 List Price.
- ☑ For NPT thread 10% extra on list price.

3/2 WAY DIRECT ACTING SOLENOID VALVE (NC) (Brass)

Size	1/8", 1/4", 3/8" & 1/2"
Body Material	Brass
Seal	Nitrile, Optional: EPDM, VITON
Pressure Range	0 to 5 bar, 0 to 10 bar, 0 to 16 bar, 0 to 40 bar
Temperature	Nitrile 90°C, EPDM 140°C, VITON 180°C
Operating Voltage	AC: 24V, 110V, 230V DC: 12V, 24V
Media	Air, Gas Water, Steam, Oil



1/8" - 3/2 Way Direct Acting Solenoid Valve (NC/NO) 14 MM

Model No.	Port Size (in)	Body Material	Pressure (Bar)	Orifice (mm)		Price Per Unit	
				NC	NO	Price Per Unit Rs. (NC)	Price Per Unit Rs. (NO)
TBN019BNEW025V0	1/8"	Brass	0-5	2.5	2	1221.00	1595.00
TBN004BNEW015V0	1/8"	Brass	0-10	1.5	1.5	1221.00	1595.00
TBN005BNEW009V0	1/8"	Brass	0-16	0.9	0.9	1344.00	1718.00
TBN011BNEW009V0	1/8"	Brass	0-25	0.9	0.9	1546.00	1843.00
TBN018BNEW009V0	1/8"	Brass	0-40	0.9	0.8	1705.00	1870.00

1/4" - 3/2 Way Direct Acting Solenoid Valve (NC/NO) 14 MM

Model No.	Port Size (in)	Body Material	Pressure (Bar)	Orifice (mm)		Price Per Unit	
				NC	NO	Price Per Unit Rs. (NC)	Price Per Unit Rs. (NO)
TBN119BNEW025V0	1/4"	Brass	0-5	2.5	2	1221.00	1595.00
TBN104BNEW015V0	1/4"	Brass	0-10	1.5	1.5	1221.00	1595.00
TBN105BNEW009V0	1/4"	Brass	0-16	0.9	0.9	1344.00	1718.00
TBN111BNEW009V0	1/4"	Brass	0-25	0.9	0.9	1469.00	1843.00
TBN118BNEW009V0	1/4"	Brass	0-40	0.9	0.8	1705.00	1870.00

3/8" - 3/2 Way Direct Acting Solenoid Valve (NC/NO) 14 MM

Model No.	Port Size (in)	Body Material	Pressure (Bar)	Orifice (mm)		Price Per Unit	
				NC	NO	Price Per Unit Rs. (NC)	Price Per Unit Rs. (NO)
TBN719BNEW025V0	3/8"	Brass	0-5	2.5	2	1260.00	1634.00
TBN704BNEW015V0	3/8"	Brass	0-10	1.5	1.5	1260.00	1634.00
TBN705BNEW009V0	3/8"	Brass	0-16	0.9	0.9	1383.00	1757.00
TBN711BNEW009V0	3/8"	Brass	0-25	0.9	0.9	1507.00	1881.00
TBN718BNEW009V0	3/8"	Brass	0-40	0.9	0.8	2035.00	2118.00

1/2" - 3/2 Way Direct Acting Solenoid Valve (NC/NO) 14 MM

Model No.	Port Size (in)	Body Material	Pressure (Bar)	Orifice (mm)		Price Per Unit	
				NC	NO	Price Per Unit Rs. (NC)	Price Per Unit Rs. (NO)
TBN219BNEW025V0	1/2"	Brass	0-5	2.5	2	1260.00	1634.00
TBN204BNEW015V0	1/2"	Brass	0-10	1.5	1.5	1260.00	1634.00
TBN205BNEW009V0	1/2"	Brass	0-16	0.9	0.9	1383.00	1757.00
TBN211BNEW009V0	1/2"	Brass	0-25	0.9	0.9	1507.00	1881.00
TBN218BNEW009V0	1/2"	Brass	0-40	0.9	0.9	2035.00	2118.00

Note:

- ☑ For EPDM Seal - 25% extra, Viton Seal - 35% extra price on above List price.
- ☑ For SS316 - 40% Extra on Above SS304 List Price.
- ☑ For NPT thread 10% extra on list price.

3/2 WAY DIRECT ACTING SOLENOID VALVE (NC) (Brass)

3/2 Way Direct Acting Solenoid Valve (NC) 10MM - Miniature Series

Model No.	Port Size (in)	Body Material	Pressure (Bar)	Orifice (mm)		Price Per Unit	
				NC	NO	Price Per Unit Rs. (NC)	Price Per Unit Rs. (NO)
TBN014BNCW025V0	1/8"	Brass	0-3	2.5	NA	1001.00	-
TBN004BNCW012V0	1/8"	Brass	0-10	1.2	NA	1001.00	-
TBN104BNCW012V0	1/4"	Brass	0-10	1.2	NA	1045.00	-
TBN103BNCW012V0	1/4"	Brass	0-7	1.2	NA	1172.00	-
TBN114BNCW025V0	1/4"	Brass	0-3	2.5	NA	1595.00	-

Note:

- ⊙ High pressure series available on Request.
- ⊙ For EPDM Seal - 25% extra, Viton Seal - 35% extra price on above List price.
- ⊙ For SS316 - 40% Extra on Above SS304 List Price.
- ⊙ For NPT thread 10% extra on list price.

3/2 WAY DIRECT ACTING SOLENOID VALVE (NC) (SS304)

Size	1/8", 1/4", 3/8" & 1/2"
Body Material	SS304, Optional: SS316
Seal	Nitrile, Optional: EPDM, VITON
Pressure Range	0 to 5 bar, 0 to 10 bar, 0 to 16 bar, 0 to 40 bar
Temperature	Nitrile 90°C, EPDM 140°C, VITON 180°C
Operating Voltage	AC: 24V, 110V, 230V DC: 12V, 24V
Media	Air, Gas Water, Steam, Oil



1/4" - 3/2 Way Direct Acting Solenoid Valve (NC/NO) 14 MM

Model No.	Port Size (in)	Body Material	Pressure (Bar)	Orifice (mm)		Price Per Unit	
				NC	NO	Price Per Unit Rs. (NC)	Price Per Unit Rs. (NO)
TCN119BNEW025V0	1/4"	SS304	0-5	2.5	2	1419.00	1793.00
TCN104BNEW015V0	1/4"	SS304	0-10	1.5	1.5	1419.00	1793.00
TCN105BNEW009V0	1/4"	SS304	0-16	0.9	0.9	1540.00	1914.00
TCN111BNEW009V0	1/4"	SS304	0-25	0.9	0.9	1540.00	1914.00
TCN118BNEW009V0	1/4"	SS304	0-40	0.9	0.9	1837.00	2211.00

3/8" - 3/2 Way Direct Acting Solenoid Valve (NC/NO) 14 MM

Model No.	Port Size (in)	Body Material	Pressure (Bar)	Orifice (mm)		Price Per Unit	
				NC	NO	Price Per Unit Rs. (NC)	Price Per Unit Rs. (NO)
TCN719BNEW025V0	3/8"	SS304	0-5	2.5	2	1788.00	2118.00
TCN704BNEW015V0	3/8"	SS304	0-10	1.5	1.5	1788.00	2118.00
TCN705BNEW009V0	3/8"	SS304	0-16	0.9	0.9	1909.00	2283.00
TCN711BNEW009V0	3/8"	SS304	0-25	0.9	0.9	1909.00	2283.00
TCN718BNEW009V0	3/8"	SS304	0-40	0.9	0.9	2206.00	2590.00

1/2" - 3/2 Way Direct Acting Solenoid Valve (NC/NO) 14 MM

Model No.	Port Size (in)	Body Material	Pressure (Bar)	Orifice (mm)		Price Per Unit	
				NC	NO	Price Per Unit Rs. (NC)	Price Per Unit Rs. (NO)
TCN219BNEW025V0	1/2"	SS304	0-5	2.5	2	1788.00	2118.00
TCN204BNEW015V0	1/2"	SS304	0-10	1.5	1.5	1788.00	2118.00
TCN205BNEW009V0	1/2"	SS304	0-16	0.9	0.9	1909.00	2283.00
TCN211BNEW009V0	1/2"	SS304	0-25	0.9	0.9	1909.00	2283.00
TCN218BNEW009V0	1/2"	SS304	0-40	0.9	0.9	2206.00	2590.00

Note:

- ☑ For EPDM Seal - 25% extra, Viton Seal - 35% extra price on above List price.
- ☑ For SS316 - 40% Extra on Above SS304 List Price.
- ☑ For NPT thread 10% extra on list price.

3/2 Way Direct Acting Solenoid Valve (NC) 10MM - Miniature Series

Model No.	Port Size (in)	Body Material	Pressure (Bar)	Orifice (mm)		Price Per Unit	
				NC	NO	Price Per Unit Rs. (NC)	Price Per Unit Rs. (NO)
TCN004BNCW012V0	1/8"	SS304	0-10	1.2	NA	1111.00	-
TCN103BNCW012V0	1/4"	SS304	0-7	1.2	NA	1172.00	-

Note:

- ☑ High pressure series available on Request.
- ☑ For EPDM Seal - 25% extra, Viton Seal - 35% extra price on above List price.
- ☑ For SS316 - 40% Extra on Above SS304 List Price.
- ☑ For NPT thread 10% extra on list price.

2/2 EXTERNAL PILOT OPERATED DIAPHRAGM VALVE (NORMALLY CLOSE)

Port	Refer below technical data sheet (Available BSPT / NPT)
End Connection	Screwed
Body Material	Nylon GF
Diaphragm	Nitrile (NBR)
Max Media Temp	60°C
Circumstance Temp	-10°C to 60°C
Media	Water
Main Features	Internal Parts are in superior corrosion resistance steel, Suitable for irrigation.



Model No.	Port Size	Orifice (mm)		Voltage AC/DC	Price Rs.
		Min.	Max.		
ENN822PV0-TNN004PZTM012V0-WAD06LC3-FKENN822PV0	2"	1	10	230V AC	4100.00
ENN822PV0-TNN004PZTM012V0-WBD06LC3-FKENN822PV0	2"	1	10	24V AC	4100.00
ENN822PV0-TNN004PZUM012V0-WFD06LC3-FKENN822PV0	2"	1	10	12V DC	4100.00
ENN822PV0-TNN004PZUM012V0-WGD08LC3-FKENN822PV0	2"	1	10	24V DC	4100.00
ENN822PV0-TNN004PZUM012V0-WGD0404LC3-FKENN822PV0	2"	1	10	24V DC LATCH	4350.00
ENN822PV0-TNN004PZUM012V0-WFD0404L2C3-FKENN822PV0	2"	1	10	12V DC LATCH	4350.00

2 WAY - 3 WAY DIRECT ACTING PILOT SOLENOID VALVE (NORMALLY CLOSE/OPEN)

Valve Type	2 Way - 3 Way
Body Material	Nylon GF
Pipe Size (Inch)	1/8"
End Connection	BSP, NPT, BSPT
Operating Pressure Kg/cm ²	0 to 10
Seal & Diaphragm Material	NITRILE (NBR)



2 Way Direct Acting Pilot Solenoid Valve (Normally Close)

Valve Model No.	Coil Type	Orifice (mm)	Price Rs.
DNN004PNTM016V0-WAD06LC2	230 VAC	1.6	1150.00
DNN004PNTM016V0-WBD04LC2	24 VAC	1.6	1150.00
DNN004PNDM016V0-WFG08LC3	12 VDC	1.6	1042.00
DNN004PNDM016V0-WGG08LC3	24 VDC	1.6	1042.00
DNN004PNDM016V0-WFG0803LC3	12 VDC LATCH	1.6	1313.00
DNN004PNDM016V0-WGG0803LC3	24 VDC LATCH	1.6	1313.00

3 Way Direct Acting Pilot Solenoid Valve (Normally Open)

Valve Model No.	Coil Type	Orifice (mm)	Price Rs.
TNN004PZTM012V0 -WAD06LC3	230 VAC	1.2	1216.00
TNN004PZTM012V0-WBD04LC3V1	24 VAC	1.2	1216.00
TNN004PZDM012V0-WFG08LC3	12 VDC	1.2	1108.00
TNN004PZDM012V0-WGG08LC3	24 VDC	1.2	1108.00
TNN004PZDM012V0-WFG0803LC3	12 VDC LATCH	1.2	1379.00
TNN004PZDM012V0-WGG0803LC3	24 VDC LATCH	1.2	1379.00

ALL TYPES OF SOLENOID COIL

Inner Diameter	5mm, 8mm, 10mm, 12mm, 14mm & 18mm
Coil Type	Epoxy Moulded, Metallic Round, IP 67 Flame proof coil CMRI Certified, IP68 Weather proof coil ERDA Certified, Latching Type coil, Power Saver coil (below 3 watt), Round Metallic LED DIN Connector coil.



ID	Coil Type	Description	Price Rs.
5mm	Metallic Round	Metallic Round Coil With Lead Wire	460.00
10 mm	Metallic Round	Metallic Round Coil With Lead Wire	460.00
14 mm	Metallic Round	Metallic Round Coil With Lead Wire	625.00
14 mm	Metallic Round	Metallic Round Coil With Lead Wire Silicon Dual Core	725.00
18 mm	Metallic Round	Metallic Round Coil With Lead Wire	909.00



ID	Coil Type	Description	Price Rs.
14 mm	Metallic Round	Metallic Round Coil With LED DIN Connector	755.00
18 mm	Metallic Round	Metallic Round Coil with LED DIN Connector	1038.00



ID	Coil Type	Description	Price Rs.
8mm	Epoxy	Epoxy Square Moulded Coil With LED DIN Connector	420.00
10 mm	Epoxy	Epoxy Square Moulded Coil With LED DIN Connector	460.00
14 mm	Epoxy	Epoxy Square Moulded Coil With LED DIN Connector	625.00
18 mm	Epoxy	Epoxy Square Moulded Coil With LED DIN Connector	909.00



ID	Coil Type	Description	Price Rs.
8mm	Weatherproof	IP68 Weatherproof Metallic Round Coil With Lead Wire	602.00
10 mm	Weatherproof	IP68 Weatherproof Metallic Round Coil With Lead Wire	602.00
12 mm	Weatherproof	IP68 Weatherproof Metallic Round Coil With Lead Wire	710.00
12 mm	Weatherproof	IP68 Weatherproof Metallic Round Coil Latching Type Coil	960.00
14 mm	Weatherproof	IP68 Weatherproof Metallic Round Coil With Lead Wire	1038.00
14 mm	Weatherproof	IP67 Weather Proof Coil With Junction Box (ERDA Certified)	1350.00
18 mm	Weatherproof	IP68 Weatherproof Metallic Round Coil With Lead Wire	1168.00



ID	Coil Type	Description	Price Rs.
14 mm	Power Saver	Power Saver Coil (Metallic Round)	956.00
18 mm	Power Saver	Power Saver Coil (Metallic Round)	1239.00



ID	Coil Type	Description	Price Rs.
14 mm	Latch	Latching Type Coil (Metallic Round)	956.00
18 mm	Latch	Latching Type Coil (Metallic Round)	1239.00



ID	Coil Type	Description	Price Rs.
14 mm	FlameProof	IP67 Flame Proof Coil With Junction Box (CMRI Certified)	2183.00
18 mm	FlameProof	IP67 Flame Proof Coil With Junction Box (CMRI Certified)	2850.00



Note:

☑ ATEX Approved Coil Available On Request.

SOLENOID DIN CONNECTOR

Connector type	Solenoid Connector
V/a rating	10A 250V AC
Contact resistance (initial)	20 M Ohms Max.
Insulation resistance at 500v dc	100 M Ohms Min.
Connector Mounting	Screw Mounting
Permissible Temp. With / Without Load	0°C to 90°C
Body Material	Poly Carbonate, Nylon GF (Black)
Rubber Gasket	NBR
Terminals / Contacts	Brass, Tin Plated



Model No.	Description	Price Rs.
C1109FFT	LED DIN Connector 11CD PG9 12 V DC Suitable for 10mm ID Coil	50.00
C1109GFT	LED DIN Connector 11CD PG9 24 V DC Suitable for 10mm ID Coil	50.00
C1109BFT	LED DIN Connector 11CD PG9 24 V AC Suitable for 10mm ID Coil	50.00
C1109EFT	LED DIN Connector 11CD PG9 110 V AC Suitable for 10mm ID Coil	50.00
C1109AFT	LED DIN Connector 11CD PG9 230 V AC Suitable for 10mm ID Coil	50.00
C1809FFT	LED DIN Connector 18CD PG9 12 V DC Suitable for 14mm ID Coil	60.00
C1809GFT	LED DIN Connector 18CD PG9 24 V DC Suitable for 14mm ID Coil	60.00
C1809BFT	LED DIN Connector 18CD PG9 24 V AC Suitable for 14mm ID Coil	60.00
C1809EFT	LED DIN Connector 18CD PG9 110 V AC Suitable for 14mm ID Coil	60.00
C1809AFT	LED DIN Connector 18CD PG9 230 V AC Suitable for 14mm ID Coil	60.00

ROTO SEAL COUPLING (ROTARY UNION)

Size	¼" To 2"
End Connection	BSP, NPT
Body Material	SS304, Optional: SS316
Seal	PTFE Carbon
O'Ring Material	Viton
Temperature	Up To 180°C
Bearing	SKF Standard
Media	Air, Water, Oil & Gas
RPM	1000 RPM



Model No.	Description	Port Size (mm)	Pressure	Thread Type	Price Per Unit
UCV1BLV0	Rotary Coupling LHS	¼"	UP TO 10 BAR	LHS	1490.00
UCV7BLV0	Rotary Coupling LHS	¾"	UP TO 10 BAR	LHS	1790.00
UCV2BLV0	Rotary Coupling LHS	½"	UP TO 10 BAR	LHS	2090.00
UCV3BLV0	Rotary Coupling LHS	¾"	UP TO 10 BAR	LHS	4390.00
UCV4BLV0	Rotary Coupling LHS	1"	UP TO 10 BAR	LHS	4990.00
UCV5BLV0	Rotary Coupling LHS	1¼"	UP TO 10 BAR	LHS	8590.00
UCV6BLV0	Rotary Coupling LHS	1½"	UP TO 10 BAR	LHS	8990.00
UCV8BLV0	Rotary Coupling LHS	2"	UP TO 10 BAR	LHS	16990.00
UCV1BRV0	Rotary Coupling RHS	¼"	UP TO 10 BAR	RHS	1490.00
UCV7BRV0	Rotary Coupling RHS	¾"	UP TO 10 BAR	RHS	1790.00
UCV2BRV0	Rotary Coupling RHS	½"	UP TO 10 BAR	RHS	2090.00
UCV3BRV0	Rotary Coupling RHS	¾"	UP TO 10 BAR	RHS	4390.00
UCV4BRV0	Rotary Coupling RHS	1"	UP TO 10 BAR	RHS	4990.00
UCV5BRV0	Rotary Coupling RHS	1¼"	UP TO 10 BAR	RHS	8590.00
UCV6BRV0	Rotary Coupling RHS	1½"	UP TO 10 BAR	RHS	8990.00
UCV8BRV0	Rotary Coupling RHS	2"	UP TO 10 BAR	RHS	16990.00

Note:

- ☑ For SS316 - 40% Extra on Above List Price
- ☑ For NPT - 10% Extra on Above List Price

MICRO LIMIT SWITCH



Cable Gland	M20 X 1.5 & ½" NPT
Body Material	ALU + Plastic
NO. Of Elements	1 NO & 1 NC And 2NO & 2NC

Model No.	Description	Price Per Unit
GWP11AMV0+LMBR3MV0	Limit Switch 1 NO & 1 NC Weather Proof Aluminium + Plastic-5A Micro Switch-M20 X 1.5-MS Powder Coated, Limit Switch Mounting Bracket For AD32 MS Powder Coated	1790.00
GWP11BMV0+LMBR3MV0	Limit Switch 1 NO & 1 NC Weather Proof Aluminium + Plastic-5A Micro Switch-1/2" NPT-MS Powder Coated, Limit Switch Mounting Bracket For AD32 MS Powder Coated	1969.00
GWP11AMV0+LMBRRMV0	Limit Switch 1 NO & 1 NC Weather Proof Aluminium + Plastic-5A Micro Switch-M20 X 1.5-MS Powder Coated, Limit Switch Mounting Bracket Regular MS Powder Coated	1790.00
GWP11BMV0+LMBRRMV0	Limit Switch 1 NO & 1 NC Weather Proof Aluminium + Plastic-5A Micro Switch-1/2" NPT-MS Powder Coated, Limit Switch Mounting Bracket Regular MS Powder Coated	1969.00
GWP12AMV0+LMBR3MV0	Limit Switch 2 NO & 2 NC Weather Proof Aluminium + Plastic-5A Micro Switch-M20 X 1.5-MS Powder Coated, Limit Switch Mounting Bracket For AD32 MS Powder Coated	1990.00
GWP12BMV0+LMBR3MV0	Limit Switch 2 NO & 2 NC Weather Proof Aluminium + Plastic-5A Micro Switch-1/2" NPT- MS Powder Coated, Limit Switch Mounting Bracket For AD32 MS Powder Coated	2189.00
GWP12AMV0+LMBRRMV0	Limit Switch 2 NO & 2 NC Weather Proof Aluminium + Plastic-5A Micro Switch-M20 X 1.5-MS Powder Coated, Limit Switch Mounting Bracket Regular MS Powder Coated	1990.00
GWP12BMV0+LMBRRMV0	Limit Switch 2 NO & 2 NC Weather Proof Aluminium + Plastic-5A Micro Switch-1/2" NPT-MS Powder Coated, Limit Switch Mounting Bracket Regular MS Powder Coated	2189.00

Bracket Code	Price Per Unit
LMBR3MV0	220.00
LMBRRMV0	220.00
LMBRR4V0	350.00

Note:

- ✔ Weatherproof limit switch.
- ✔ Compact & Light Weight Design.
- ✔ Open / Close Indication show in any direction.
- ✔ No extra attachment require for Indicator Dome inbuilt with Transparent cover.
- ✔ Every adjustable serrated cam for fast & Fine switch adjustment & Also helpful for fine adjusting of feedback setting.
- ✔ Cable entries with various connection availability M20 & 1/2" NPT.
- ✔ Additional mounting available as the UNC series.
- ✔ Temperature range - 20°C to + 80°C.

ROTARY PNEUMATIC ACTUATOR (DOUBLE ACTING)

Size	32, 40, 50, 63, 80, 100, 125, 150
Body Material	Extruded Aluminum Hard Anodizing
Rack	WCB
Pinion	EN8
Seal	Nitrile
Pressure Range	2 Bar to 8 Bar
Actuator Design	ISO 5211
Actuator Degree	Quarter Turn (90 Degree) CW/CCW



Model No.	Piston Inward Stroke ml/bar	Piston Outward Stroke ml/bar	Torque						Price Per Unit Rs.
			3 Bar	4 Bar	5 Bar	6 Bar	7 Bar	8 Bar	
AD32ANBV1	36	40	4.6 NM	6 NM	7.6 NM	9 NM	10.5 NM	28 NM	2150.00
AD40ANBV1	83	104	11 NM	16 NM	18 NM	22 NM	26 NM	12 NM	2950.00
AD50ANBV1	128	137	16 NM	21.5 NM	27 NM	32.5 NM	38 NM	43NM	3490.00
AD63ANBV1	210	280	30 NM	40 NM	50 NM	60 NM	70 NM	80NM	4500.00
AD80ANBV1	360	450	51.5 NM	69 NM	86 NM	103 NM	120.5 NM	138 NM	5800.00
AD100ANBV1	780	1040	110 NM	146 NM	183 NM	220 NM	256 NM	293 NM	8850.00
AD125ANBV1	2800	1810	190 NM	254 NM	317.50 NM	381 NM	444.50 NM	508 NM	15350.00
AD150ANBV1	5460	3150	316NM	421 NM	526 NM	631 NM	737 NM	842 NM	22550.00

ROTARY PNEUMATIC ACTUATOR (SINGLE ACTING)

Size	32, 50, 63, 80, 100, 125, 150
Body Material	Extruded Aluminum Hard Anodizing
Rack	WCB
Pinion	EN8
Seal	Nitrile
Pressure Range	3 Bar to 6 Bar
Actuator Design	ISO 5211
Actuator Degree	Quarter Turn (90 Degree) CW/CCW



Series	Model No.	Spring Set	Spring Torque		CH 90°	5 Bar		Piston Outward Stroke	Price Per Unit Rs.
			0° (Min)	90° (Min)		90° (Min)	0° (Max)		
AS32	AS32ANB21V1	21	2	3	09	5	6	40	2470.00
	AS32ANB12V1	12	3	5		3	5		
	AS32ANB22V1	22	4	6		2	4		
AS50	AS50ANB02V1	02	6	13	11	14	21	137	3790.00
	AS50ANB21V1	21	8	14		13	19		
	AS50ANB12V1	12	9	16		11	18		
	AS50ANB22V1	22	12	18		9	15		
AS63	AS63ANB02V1	02	11	22	14	28	39	280	4990.00
	AS63ANB21V1	21	15	24		26	35		
	AS63ANB12V1	12	16	29		21	35		
	AS63ANB22V1	22	21	35		15	29		
AS80	AS80ANB201V1	201	13	23	17	63	73	450	6990.00
	AS80ANB211V1	211	19	34		52	67		
	AS80ANB121V1	121	23	40		46	63		
	AS80ANB112V1	112	23	43		43	63		
	AS80ANB212V1	212	26	47		39	60		
	AS80ANB222V1	222	36	61		25	50		
AS100	AS100ANB6UV1	6U	40	61	22	124	143	1040	11990.00
	AS100ANB7U2V1	7U2	51	77		106	132		
	AS100ANB06V1	6	53	82		102	130		
	AS100ANB10UV1	10U	61	97		87	122		
	AS100ANB12V1	12	71	109		74	112		
	AS100ANB14V1	14	83	127		56	100		
AS125	AS125ANB6UV1	6U	62	99	22	219	256	1810	15990.00
	AS125ANB8UV1	8U	81	129		188	236		
	AS125ANB09V1	9	86	137		181	231		
	AS125ANB11V1	11	105	167		151	212		
	AS125ANB12UV1	12U	119	190		128	198		
	AS125ANB13UV1	13U	129	205		113	189		
AS150	AS150ANB6UV1	6U	105	170	27	356	421	3150	24990.00
	AS150ANB8UV1	8U	137	222		304	389		
	AS150ANB09V1	9	144	234		294	382		
	AS150ANB11V1	11	176	285		240	350		
	AS150ANB12UV1	12U	201	326		200	325		
	AS150ANB13UV1	13U	217	352		174	309		

3 PIECE DESIGN BALL VALVE (ISO PAD)

Size	½" to 4"
Body Material	CF8 / CF8M / WCB
Rotation	90 Degree
Mounting Pad	ISO 5211
Manufacturing Standard	BS EN ISO 17292
End Connection	Screwed BSP(F) / NPT(F) / Flange End / Socket Weld
Temperature	Up to 180°C
Seat & Seals	PTFE



Model No.	Port Size (in/mm)	Screwed End			Flange End		
		Price Per Unit Rs. (CF8)	Price Per Unit Rs. (CF8M)	Price Per Unit Rs. (WCB + CF8)	Price Per Unit Rs. (CF8)	Price Per Unit Rs. (CF8M)	Price Per Unit Rs. (WCB + CF8)
BCPC2ABFBV0	15MM	1221.00	1557.00	1109.00	2565.00	2789.00	2453.00
BCPC3ABFBV0	20MM	1445.00	1781.00	1333.00	3084.00	3420.00	2972.00
BCPC4ABFBV0	25MM	2005.00	2677.00	1893.00	3522.00	4174.00	3410.00
BCPC5ABFBV0	32MM	2845.00	3853.00	2733.00	5360.00	6144.00	5248.00
BCPC6ABFBV0	40MM	3685.00	5029.00	3461.00	7198.00	8114.00	6974.00
BCPC8ABFBV0	50MM	5320.00	6805.00	5096.00	9856.00	11984.00	9632.00
BCPC9ABFBV0	65MM	8613.00	10394.00	8266.00	14112.00	17573.00	12309.00
BCPCAABFBV0	80MM	11525.00	13989.00	10853.00	18682.00	22490.00	15333.00
BCPCBABFBV0	100 MM	21045.00	25301.00	19085.00	26533.00	31898.00	23845.00

Note:

- ☑ For Seal RPTFE / GFT Price On Request.
- ☑ For NPT thread 10% extra on list price.
- ☑ For Socket Weld ball valve Price Available On Request.

3 PIECE DESIGN BALL VALVE (MANUAL)

Size	½" to 4"
Body Material	CF8 / CF8M / WCB
Rotation	90 Degree
Mounting Pad	ISO 5211
Manufacturing Standard	BS EN ISO 17292
End Connection	Screwed BSP(F) / NPT(F) / Flange End / Socket Weld
Temperature	Up to 180°C
Seat & Seals	PTFE



Model No.	Port Size (in/mm)	Screwed End			Flange End		
		Price Per Unit Rs. (CF8)	Price Per Unit Rs. (CF8M)	Price Per Unit Rs. (WCB + CF8)	Price Per Unit Rs. (CF8)	Price Per Unit Rs. (CF8M)	Price Per Unit Rs. (WCB + CF8)
BCPC2ABFMV0	15MM	1389.00	1725.00	1277.00	2733.00	2957.00	2621.00
BCPC3ABFMV0	20MM	1613.00	1949.00	1501.00	3252.00	3588.00	3140.00
BCPC4ABFMV0	25MM	2229.00	2901.00	2117.00	3746.00	4398.00	3634.00
BCPC5ABFMV0	32MM	3069.00	4077.00	2957.00	5584.00	6368.00	5472.00
BCPC6ABFMV0	40MM	3909.00	5253.00	3685.00	7422.00	8338.00	7198.00
BCPC8ABFMV0	50MM	5544.00	7029.00	5320.00	10080.00	12208.00	9856.00
BCPC9ABFMV0	65MM	8949.00	10730.00	8602.00	14448.00	17909.00	12645.00
BCPCAABFMV0	80MM	11861.00	14325.00	11189.00	19018.00	22826.00	15669.00
BCPCBABFMV0	100 MM	21269.00	25525.00	19421.00	26869.00	32234.00	24181.00

Note:

- ☑ For Seal RPTFE / GFT Price On Request.
- ☑ For NPT thread 10% extra on list price.
- ☑ For Socket Weld ball valve Price Available On Request.

3 PIECE BALL VALVE WITH ROTARY PNEUMATIC ACTUATOR (DOUBLE ACTING)

Size	½" to 4"
Body Material	CF8 / CF8M / WCB
Rotation	90 Degree
Mounting Pad	ISO 5211
Manufacturing Standard	BS EN ISO 17292
End Connection	Screwed BSP(F) / NPT(F) / Flange End / Socket Weld
Temperature	Up to 180°C
Seat & Seals	PTFE



Model No.	Port Size (in/mm)	Screwed End				Flange End			
		Coupler	Price Per Unit Rs. (CF8)	Price Per Unit Rs. (CF8M)	Price Per Unit Rs. (WCB + CF8)	Coupler	Price Per Unit Rs. (CF8)	Price Per Unit Rs. (CF8M)	Price Per Unit Rs. (WCB + CF8)
BCPC2ABFIV0-AD32ANBV1	15MM	NA	3371.00	3707.00	3259.00	NA	4715.00	4939.00	4603.00
BCPC3ABFIV0-AD32ANBV1	20MM	NA	3595.00	3931.00	3483.00	NA	5234.00	5570.00	5122.00
BCPC4ABFIV0-AD40ANBV1	25MM	NA	4955.00	5627.00	4843.00	C1155V0	6875.00	7527.00	6763.00
BCPC4ABFIV0-AD50ANBV1	25MM	NA	5495.00	6167.00	5383.00	C1155V0	7415.00	8067.00	7303.00
BCPC5ABFIV0-AD40ANBV1	32MM	NA	5795.00	6803.00	5683.00	NA	8310.00	9094.00	8198.00
BCPC5ABFIV0-AD50ANBV1	32MM	NA	6335.00	7343.00	6223.00	NA	8850.00	9634.00	8738.00
BCPC6ABFIV0-AD50ANBV1	40MM	NA	7175.00	8519.00	6951.00	NA	10688.00	11604.00	10464.00
BCPC8ABFIV0-AD63ANBV1	50MM	NA	9820.00	11305.00	9596.00	NA	14356.00	16484.00	14132.00
BCPC9ABFIV0-AD80ANBV1	65MM	C4777V0	15191.00	16972.00	14844.00	C4777V0	20690.00	24151.00	18887.00
BCPCAABFIV0-AD80ANBV1	80MM	NA	17325.00	19789.00	16653.00	NA	24482.00	28290.00	21133.00
BCPCBABFIV0-AD100ANBV1	100 MM	NA	29895.00	34151.00	27935.00	NA	35383.00	40748.00	32695.00

Note:

- ☑ For Seal RPTFE / GFT Price On Request.
- ☑ For NPT thread 10% extra on list price.
- ☑ For Socket Weld ball valve Price Available On Request.

3 PIECE BALL VALVE WITH ROTARY PNEUMATIC ACTUATOR (SINGLE ACTING)

Size	½" to 4"
Body Material	CF8 / CF8M / WCB
Rotation	90 Degree
Mounting Pad	ISO 5211
Manufacturing Standard	BS EN ISO 17292
End Connection	Screwed BSP(F) / NPT(F) / Flange End / Socket Weld
Temperature	Up to 180°C
Seat & Seals	PTFE



Model No.	Port Size (in/mm)	Screwed End				Flange End			
		Coupler	Price Per Unit Rs. (CF8)	Price Per Unit Rs. (CF8M)	Price Per Unit Rs. (WCB + CF8)	Coupler	Price Per Unit Rs. (CF8)	Price Per Unit Rs. (CF8M)	Price Per Unit Rs. (WCB + CF8)
BCPC2ABFIV0-AS32ANB22V1	15MM	NA	3691.00	4027.00	3579.00	NA	5035.00	5259.00	4923.00
BCPC3ABFIV0-AS50ANB22V1	20MM	C9133V0	5545.00	5881.00	5433.00	C9133V0	7184.00	7520.00	7072.00
BCPC4ABFIV0-AS63ANB22V1	25MM	C1455V0	7455.00	8127.00	7343.00	C1455V0	8972.00	9624.00	8860.00
BCPC5ABFIV0-AS63ANB22V1	32MM	C1455V0	8295.00	9303.00	8183.00	C1455V0	10810.00	11594.00	10698.00
BCPC6ABFIV0-AS80ANB22V1	40MM	C1755V0	11207.00	12551.00	10983.00	C1755V0	14720.00	15636.00	14496.00
BCPC8ABFIV0-AS80ANB22V1	50MM	C4755V0	13276.00	14761.00	13052.00	C4755V0	17812.00	19940.00	17588.00
BCPC9ABFIV0-AS100ANB14V1	65MM	C4277V0	21461.00	23242.00	21114.00	C4277V0	26960.00	30421.00	25157.00
BCPCAABFIV0-AS125ANB13UV1	80MM	C7270V0	28647.00	31111.00	27975.00	C7270V0	35804.00	39612.00	32455.00
BCPCBABFIV0-AS150ANB12UV1	100MM	C2870V0	47515.00	51771.00	45555.00	C2870V0	53003.00	58368.00	50315.00

Note:

- ☑ For Seal RPTFE / GFT Price On Request.
- ☑ For NPT thread 10% extra on list price.
- ☑ For Socket Weld ball valve Price Available On Request.

CI BODY WAFER TYPE BUTTERFLY VALVE (LEVER OPERATED)

Body	CI (FG210)
Seat Material	EPDM Replaceable Optional: NBR
Stem	ASTM A 276 Type SS410 Optional: SS304 & SS316
Operating	Hand Lever
Stem Design	Single Shaft
Rating	PN10, PN16
Design Standard	IS 13095
Mounting Standard	ISO 5211



Port Size (MM)	Hand Lever Operated PN10 - Price Per Unit Rs.				Hand Lever Operated PN16 - Price Per Unit Rs.			
	SG IRON DISC	WCB DISC	CF8 DISC	CF8M DISC	SG IRON DISC	WCB DISC	CF8 DISC	CF8M DISC
40MM	1370.00	1420.00	1440.00	1490.00	1507.00	1562.00	1584.00	1639.00
50MM	1440.00	1580.00	1620.00	1670.00	1584.00	1738.00	1782.00	1837.00
65MM	1630.00	1810.00	1850.00	1900.00	1793.00	1991.00	2035.00	2090.00
80MM	1840.00	2220.00	2250.00	2360.00	2024.00	2442.00	2475.00	2596.00
100MM	2670.00	3360.00	3400.00	3510.00	2937.00	3696.00	3740.00	3861.00
125MM	3300.00	3890.00	3950.00	4090.00	3630.00	4279.00	4345.00	4499.00
150MM	4010.00	5180.00	5360.00	6570.00	4411.00	5698.00	5896.00	7227.00
200 MM	9320.00	10780.00	10930.00	16960.00	10252.00	11858.00	12023.00	18656.00
250MM	10840.00	13380.00	13750.00	19250.00	11924.00	14718.00	15125.00	21175.00
300MM	13710.00	17830.00	18020.00	25090.00	15081.00	19613.00	19822.00	27599.00
350MM	35760.00	40320.00	46900.00	53860.00	39336.00	44352.00	51590.00	59246.00
400MM	46220.00	53650.00	64650.00	76170.00	50842.00	59015.00	71115.00	83787.00
450MM	58130.00	66890.00	80400.00	94320.00	63943.00	73579.00	88440.00	103752.00
500MM	68560.00	79790.00	96970.00	114730.00	75416.00	87769.00	106667.00	126203.00
550MM	75920.00	88540.00	107410.00	127090.00	83512.00	97394.00	118151.00	139799.00
600MM	103100.00	124370.00	155330.00	187970.00	113410.00	136807.00	170863.00	206767.00

Note:

- ☑ For SS304 Stem 10% Extra
- ☑ For SS316 Stem 15% Extra
- ☑ For EPDM / NBR Seat Price Remain Same
- ☑ For Gear Box Please Add (1.5" to 6" Rs. 3300.00), (8" to 12" Rs. 4010.00), (14" to 16" Rs. 6500.00), (18" to 20" Rs. 8700.00), (22" to 24" Rs. 12400.00)
- ☑ For Hand Lever & Bare Stem Valve Price Are Remain Same. ☑ For Viton Seal Available on request.

Features:

- ☑ 360° Rotation
- ☑ Bi-directional Zero Leakage Butterfly Valve.
- ☑ Face To Face Dimension: API 609 (CAT A)
- ☑ Nominal Diameter: DN40 - DN600.
- ☑ ISO Pad For Mounting, Gear Operator / Actuator.
- ☑ 100% Tested Under Water And Pneumatic.
- ☑ Pressure Range (bar): PN10, PN16.

CI BODY WAFER TYPE BUTTERFLY VALVE (DOUBLE ACTING ACTUATOR OPERATED)

Body	CI (FG210)
Seat Material	EPDM Replaceable Optional: NBR
Stem	ASTM A 276 Type SS410 Optional: SS304 & SS316
Operating	Pneumatic Actuator
Stem Design	Single Shaft
Rating	PN10, PN16
Design Standard	IS 13095
Mounting Standard	ISO 5211



Port Size (MM)	Double Acting Actuator PN10 - Price Per Unit Rs.					Double Acting Actuator PN16 - Price Per Unit Rs.					
	Actuator	SG Iron Disc	WCB Disc	CF8 Disc	CF8M Disc	Actuator	Coupler	SG Iron Disc	WCB Disc	CF8 Disc	CF8M Disc
40MM	AD40ANBV1	4320.00	4370.00	4390.00	4440.00	-	-	-	-	-	-
40MM	AD50ANBV1	4860.00	4910.00	4930.00	4980.00	AD50ANBV1	NA	4997.00	5052.00	5074.00	5129.00
50MM	AD40ANBV1	4390.00	4530.00	4570.00	4620.00	-	-	-	-	-	-
50MM	AD50ANBV1	4930.00	5070.00	5110.00	5160.00	AD50ANBV1	NA	5074.00	5228.00	5272.00	5327.00
65MM	AD50ANBV1	5120.00	5300.00	5340.00	5390.00	AD50ANBV1	NA	5283.00	5481.00	5525.00	5580.00
80MM	AD50ANBV1	5330.00	5710.00	5740.00	5850.00	AD63ANBV1	C1455V0	6984.00	7402.00	7435.00	7556.00
100MM	AD63ANBV1	7170.00	7860.00	7900.00	8010.00	AD80ANBV1	C4777V0	9515.00	10274.00	10318.00	10439.00
125MM	AD80ANBV1	9100.00	9690.00	9750.00	9890.00	AD80ANBV1	NA	9430.00	10079.00	10145.00	10299.00
150MM	AD80ANBV1	9810.00	10980.00	11160.00	12370.00	AD100ANBV1	C7277V0	14083.00	15370.00	15568.00	16899.00
200MM	AD100ANBV1	18170.00	19630.00	19780.00	25810.00	AD125ANBV1	NA	25602.00	27208.00	27373.00	34006.00
250MM	AD125ANBV1	26190.00	28730.00	29100.00	34600.00	AD150ANBV1	NA	34474.00	37268.00	37675.00	43725.00
300MM	AD150ANBV1	36260.00	40380.00	40570.00	47640.00	-	-	-	-	-	-

Note:

- For SS304 Stem 10% Extra
- For SS316 Stem 15% Extra
- For EPDM / NBR Seat Price Remain Same
- For Viton Seal Available on request.

Features:

- 360° Rotation
- Bi-directional Zero Leakage Butterfly Valve.
- Face To Face Dimension: API 609 (CAT A)
- Nominal Diameter: DN40 - DN600.
- ISO Pad For Mounting, Gear Operator / Actuator.
- 100% Tested Under Water And Pneumatic.
- Pressure Range (bar): PN10, PN16.

CI BODY WAFER TYPE BUTTERFLY VALVE (SINGLE ACTING ACTUATOR OPERATED)

Body	CI (FG210)
Seat Material	EPDM Replaceable Optional: NBR
Stem	ASTM A 276 Type SS410 Optional: SS304 & SS316
Operating	Pneumatic Actuator
Stem Design	Single Shaft
Rating	PN10, PN16
Design Standard	IS 13095
Mounting Standard	ISO 5211



Port Size (MM)	Single Acting Actuator PN10 - Price Per Unit Rs.						Single Acting Actuator PN16 - Price Per Unit Rs.					
	Actuator	Coupler	SG Iron Disc	WCB Disc	CF8 Disc	CF8M Disc	Actuator	Coupler	SG Iron Disc	WCB Disc	CF8 Disc	CF8M Disc
40MM	AS50ANB22V1	NA	5160.00	5210.00	5230.00	5280.00	AS63ANB22V1	C1455V0	6957.00	7012.00	7034.00	7089.00
50MM	AS50ANB22V1	NA	5230.00	5370.00	5410.00	5460.00	AS80ANB222V1	C1755V0	9106.00	9260.00	9304.00	9359.00
65MM	AS63ANB22V1	C1455V0	7080.00	7260.00	7300.00	7350.00	AS80ANB222V1	C1755V0	9315.00	9513.00	9557.00	9612.00
80MM	AS80ANB222V1	C1755V0	9362.00	9742.00	9772.00	9882.00	AS100ANB09V1	C1257V0	14771.00	15189.00	15222.00	15343.00
100MM	AS100ANB7U2V1	C4277V0	15518.00	16208.00	16248.00	16358.00	AS100ANB12V1	C4277V0	15785.00	16544.00	16588.00	16709.00
125MM	AS100ANB14V1	C7277V0	16112.00	16702.00	16762.00	16902.00	AS125ANB12UV1	C7270V0	20442.00	21091.00	21157.00	21311.00
150MM	AS125ANB12UV1	C7270V0	21132.00	22302.00	22482.00	23692.00	AS150ANB11V1	C7870V0	30651.00	31938.00	32136.00	33467.00

Note:

- For SS304 Stem 10% Extra
- For SS316 Stem 15% Extra
- For EPDM / NBR Seat Price Remain Same
- For Viton Seal Available on request.

Features:

- 360° Rotation
- Bi-directional Zero Leakage Butterfly Valve.
- Face To Face Dimension: API 609 (CAT A)
- Nominal Diameter: DN40 - DN600.
- ISO Pad For Mounting, Gear Operator / Actuator.
- 100% Tested Under Water And Pneumatic.
- Pressure Range (bar): PN10, PN16.

CS BODY WAFER TYPE BUTTERFLY VALVE (LEVER OPERATED)



Body	CS (Cast Steel)
Seat Material	EPDM Replaceable Optional: NBR
Stem	ASTM A 276 Type SS410 Optional: SS304 & SS316
Operating	Hand Lever
Stem Design	Single Shaft
Rating	PN10, PN16
Design Standard	IS 13095
Mounting Standard	ISO 5211

Port Size (MM)	Hand Lever Operated PN10 - Price Per Unit Rs.				Hand Lever Operated PN16 - Price Per Unit Rs.			
	SG IRON DISC	WCB DISC	CF8 DISC	CF8M DISC	SG IRON DISC	WCB DISC	CF8 DISC	CF8M DISC
40MM	2400.00	2540.00	2560.00	2590.00	2640.00	2794.00	2816.00	2849.00
50MM	2910.00	3080.00	3110.00	3150.00	3201.00	3388.00	3421.00	3465.00
65MM	2980.00	3220.00	3260.00	3310.00	3278.00	3542.00	3586.00	3641.00
80MM	3490.00	3930.00	3960.00	4060.00	3839.00	4323.00	4356.00	4466.00
100MM	5150.00	5816.00	5860.00	6010.00	5665.00	6398.00	6446.00	6611.00
125MM	6810.00	7870.00	7920.00	8140.00	7491.00	8657.00	8712.00	8954.00
150MM	8010.00	9380.00	9560.00	9860.00	8811.00	10318.00	10516.00	10846.00
200 MM	13640.00	16260.00	16410.00	16970.00	15004.00	17886.00	18051.00	18667.00
250MM	16570.00	20800.00	21170.00	22080.00	18227.00	22880.00	23287.00	24288.00
300MM	21950.00	28580.00	28770.00	30130.00	24145.00	31438.00	31647.00	33143.00
350MM	46670.00	51540.00	58500.00	64420.00	51337.00	56694.00	64350.00	70862.00
400MM	66190.00	74250.00	85770.00	95560.00	72809.00	81675.00	94347.00	105116.00
450MM	85710.00	95450.00	109370.00	121200.00	94281.00	104995.00	120307.00	133320.00
500MM	102850.00	115290.00	133050.00	148140.00	113135.00	126819.00	146355.00	162954.00
550MM	111080.00	124860.00	144540.00	161260.00	122188.00	137346.00	158994.00	177386.00
600MM	156190.00	179040.00	211680.00	239420.00	171809.00	196944.00	232848.00	263362.00

Note:

- ☑ For SS304 Stem 10% Extra ☑ For SS316 Stem 15% Extra ☑ For EPDM / NBR Seat Price Remain Same ☑ For Viton Seal Available on request.
- ☑ For Gear Box Please Add (1.5" to 6" Rs. 3300.00), (8" to 12" Rs. 4010.00), (14" to 16" Rs. 6500.00), (18" to 20" Rs. 8700.00), (22" to 24" Rs. 12400.00)
- ☑ For Hand Lever & Bare Stem Valve Price Are Remain Same.

Features:

- ☑ 360° Rotation
- ☑ Nominal Diameter: DN40 - DN600.
- ☑ Pressure Range (bar): PN10, PN16.
- ☑ Bi-directional Zero Leakage Butterfly Valve.
- ☑ ISO Pad For Mounting, Gear Operator / Actuator.
- ☑ Face To Face Dimension: API 609 (CAT A)
- ☑ 100% Tested Under Water And Pneumatic.

CS BODY WAFER TYPE BUTTERFLY VALVE (DOUBLE ACTING ACTUATOR OPERATED)

Body	CS (Cast Steel)
Seat Material	EPDM Replaceable Optional: NBR
Stem	ASTM A 276 Type SS410 Optional: SS304 & SS316
Operating	Pneumatic Actuator
Stem Design	Single Shaft
Rating	PN10, PN16
Design Standard	IS 13095
Mounting Standard	ISO 5211



Port Size (MM)	Double Acting Actuator PN10 - Price Per Unit Rs.					Double Acting Actuator PN16 - Price Per Unit Rs.					
	Actuator	SG Iron Disc	WCB Disc	CF8 Disc	CF8M Disc	Actuator	Coupler	SG Iron Disc	WCB Disc	CF8 Disc	CF8M Disc
40MM	AD40ANBV1	5350.00	5490.00	5510.00	5540.00	-	-	-	-	-	-
40MM	AD50ANBV1	5890.00	6030.00	6050.00	6080.00	AD50ANBV1	NA	6130.00	6284.00	6306.00	6339.00
50MM	AD40ANBV1	5860.00	6030.00	6060.00	6100.00	-	-	-	-	-	-
50MM	AD50ANBV1	6400.00	6570.00	6600.00	6640.00	AD50ANBV1	NA	6691.00	6878.00	6911.00	6955.00
65MM	AD50ANBV1	6470.00	6710.00	6750.00	6800.00	AD50ANBV1	NA	6768.00	7032.00	7076.00	7131.00
80MM	AD50ANBV1	6980.00	7420.00	7450.00	7550.00	AD63ANBV1	C1455V0	8799.00	9283.00	9316.00	9426.00
100MM	AD63ANBV1	9650.00	10316.00	10360.00	10510.00	AD80ANBV1	C4777V0	12243.00	12976.00	13024.00	13189.00
125MM	AD80ANBV1	12610.00	13670.00	13720.00	13940.00	AD80ANBV1	NA	13291.00	14457.00	14512.00	14754.00
150MM	AD80ANBV1	13810.00	15180.00	15360.00	15660.00	AD100ANBV1	C7277V0	18483.00	19990.00	20188.00	20518.00
200MM	AD100ANBV1	22490.00	25110.00	25260.00	25820.00	AD125ANBV1	NA	30354.00	33236.00	33401.00	34017.00
250MM	AD125ANBV1	31920.00	36150.00	36520.00	37430.00	AD150ANBV1	NA	40777.00	45430.00	45837.00	46838.00
300MM	AD150ANBV1	44500.00	51130.00	51320.00	52680.00	-	-	-	-	-	-

Note:

- For SS304 Stem 10% Extra
- For SS316 Stem 15% Extra
- For EPDM / NBR Seat Price Remain Same
- For Viton Seal Available on request.

Features:

- 360° Rotation
- Nominal Diameter: DN40 - DN600.
- Pressure Range (bar): PN10, PN16.
- Bi-directional Zero Leakage Butterfly Valve.
- ISO Pad For Mounting, Gear Operator / Actuator.
- Face To Face Dimension: API 609 (CAT A)
- 100% Tested Under Water And Pneumatic.

CS BODY WAFER TYPE BUTTERFLY VALVE (SINGLE ACTING ACTUATOR OPERATED)

Body	CS (Cast Steel)
Seat Material	EPDM Replaceable Optional: NBR
Stem	ASTM A 276 Type SS410 Optional: SS304 & SS316
Operating	Pneumatic Actuator
Stem Design	Single Shaft
Rating	PN10, PN16
Design Standard	IS 13095
Mounting Standard	ISO 5211



Port Size (MM)	Single Acting Actuator PN10 - Price Per Unit Rs.						Single Acting Actuator PN16 - Price Per Unit Rs.					
	Actuator	Coupler	SG Iron Disc	WCB Disc	CF8 Disc	CF8M Disc	Actuator	Coupler	SG Iron Disc	WCB Disc	CF8 Disc	CF8M Disc
40MM	AS50ANB22V1	NA	6190.00	6330.00	6350.00	6380.00	AS63ANB22V1	C1455V0	8090.00	8244.00	8266.00	8299.00
50MM	AS50ANB22V1	NA	6700.00	6870.00	6900.00	6940.00	AS80ANB222V1	C1755V0	10723.00	10910.00	10943.00	10987.00
65MM	AS63ANB22V1	C1455V0	8430.00	8670.00	8710.00	8760.00	AS80ANB222V1	C1755V0	10800.00	11064.00	11108.00	11163.00
80MM	AS80ANB222V1	C1755V0	11012.00	11452.00	11482.00	11582.00	AS100ANB09V1	C1257V0	16586.00	17070.00	17103.00	17213.00
100MM	AS100ANB7U2V1	C4277V0	17998.00	18664.00	18708.00	18858.00	AS100ANB12V1	C4277V0	18513.00	19246.00	19294.00	19459.00
125MM	AS100ANB14V1	C7277V0	19622.00	20682.00	20732.00	20952.00	AS125ANB12UV1	C7270V0	24303.00	25469.00	25524.00	25766.00
150MM	AS125ANB12UV1	C7270V0	25132.00	26502.00	26682.00	26982.00	AS150ANB11V1	C7870V0	35051.00	36558.00	36756.00	37086.00

Note:

- For SS304 Stem 10% Extra
- For SS316 Stem 15% Extra
- For EPDM / NBR Seat Price Remain Same
- For Viton Seal Available on request.

Features:

- 360° Rotation
- Nominal Diameter: DN40 - DN600.
- Pressure Range (bar): PN10, PN16.
- Bi-directional Zero Leakage Butterfly Valve.
- ISO Pad For Mounting, Gear Operator / Actuator.
- Face To Face Dimension: API 609 (CAT A)
- 100% Tested Under Water And Pneumatic.

CF8 BODY WAFER TYPE BUTTERFLY VALVE (LEVER OPERATED)

Body	CF8 (SS304)
Seat Material	EPDM Replaceable Optional: NBR
Stem	ASTM A 276 Type SS410 Optional: SS304 & SS316
Operating	Hand Lever
Stem Design	Single Shaft
Rating	PN10, PN16
Design Standard	IS 13095
Mounting Standard	ISO 5211



Port Size (MM)	Hand Lever Operated PN10 - Price Per Unit Rs.				Hand Lever Operated PN16 - Price Per Unit Rs.			
	SG IRON DISC	WCB DISC	CF8 DISC	CF8M DISC	SG IRON DISC	WCB DISC	CF8 DISC	CF8M DISC
40MM	3110.00	3260.00	3270.00	3300.00	3421.00	3586.00	3597.00	3630.00
50MM	3620.00	3780.00	3810.00	3850.00	3982.00	4158.00	4191.00	4235.00
65MM	3780.00	4010.00	4040.00	4100.00	4158.00	4411.00	4444.00	4510.00
80MM	4480.00	4910.00	4940.00	5030.00	4928.00	5401.00	5434.00	5533.00
100MM	6740.00	7380.00	7420.00	7560.00	7414.00	8118.00	8162.00	8316.00
125MM	8810.00	9820.00	9870.00	10090.00	9691.00	10802.00	10857.00	11099.00
150MM	10520.00	11830.00	12000.00	12310.00	11572.00	13013.00	13200.00	13541.00
200 MM	17020.00	19530.00	19680.00	20230.00	18722.00	21483.00	21648.00	22253.00
250MM	22100.00	26150.00	26520.00	27440.00	24310.00	28765.00	29172.00	30184.00
300MM	29100.00	35450.00	35640.00	37010.00	32010.00	38995.00	39204.00	40711.00
350MM	59870.00	64740.00	71700.00	77620.00	65857.00	71214.00	78870.00	85382.00
400MM	90430.00	98490.00	110010.00	119800.00	99473.00	108339.00	121011.00	131780.00
450MM	119310.00	129050.00	142970.00	154800.00	131241.00	141955.00	157267.00	170280.00
500MM	144610.00	157050.00	174810.00	189900.00	159071.00	172755.00	192291.00	208890.00
550MM	153800.00	167580.00	187260.00	203980.00	169180.00	184338.00	205986.00	224378.00
600MM	220510.00	243360.00	276000.00	303740.00	242561.00	267696.00	303600.00	334114.00

Note:

- ☑ For SS304 Stem 10% Extra ☑ For SS316 Stem 15% Extra ☑ For EPDM / NBR Seat Price Remain Same
- ☑ For Gear Box Please Add (1.5" to 6" Rs. 3300.00), (8" to 12" Rs. 4010.00), (14" to 16" Rs. 6500.00), (18" to 20" Rs. 8700.00), (22" to 24" Rs. 12400.00)
- ☑ For Hand Lever & Bare Stem Valve Price Are Remain Same. ☑ For Viton Seal Available on request.

Features:

- ☑ 360° Rotation
- ☑ Nominal Diameter: DN40 - DN600.
- ☑ Pressure Range (bar): PN10, PN16.
- ☑ Bi-directional Zero Leakage Butterfly Valve.
- ☑ ISO Pad For Mounting, Gear Operator / Actuator.
- ☑ Face To Face Dimension: API 609 (CAT A)
- ☑ 100% Tested Under Water And Pneumatic.

CF8 BODY WAFER TYPE BUTTERFLY VALVE (DOUBLE ACTING ACTUATOR OPERATED)

Body	CF8 (SS304)
Seat Material	EPDM Replaceable Optional: NBR
Stem	ASTM A 276 Type SS410 Optional: SS304 & SS316
Operating	Pneumatic Actuator
Stem Design	Single Shaft
Rating	PN10, PN16
Design Standard	IS 13095
Mounting Standard	ISO 5211



Port Size (MM)	Double Acting Actuator PN10 - Price Per Unit Rs.					Double Acting Actuator PN16 - Price Per Unit Rs.					
	Actuator	SG Iron Disc	WCB Disc	CF8 Disc	CF8M Disc	Actuator	Coupler	SG Iron Disc	WCB Disc	CF8 Disc	CF8M Disc
40MM	AD40ANBV1	6060.00	6210.00	6220.00	6250.00	-	-	-	-	-	-
40MM	AD50ANBV1	6600.00	6750.00	6760.00	6790.00	AD50ANBV1	NA	6911.00	7076.00	7087.00	7120.00
50MM	AD40ANBV1	6570.00	6730.00	6760.00	6800.00	-	-	-	-	-	-
50MM	AD50ANBV1	7110.00	7270.00	7300.00	7340.00	AD50ANBV1	NA	7472.00	7648.00	7681.00	7725.00
65MM	AD50ANBV1	7270.00	7500.00	7530.00	7590.00	AD50ANBV1	NA	7648.00	7901.00	7934.00	8000.00
80MM	AD50ANBV1	7970.00	8400.00	8430.00	8520.00	AD63ANBV1	C1455V0	9888.00	10361.00	10394.00	10493.00
100MM	AD63ANBV1	11240.00	11880.00	11920.00	12060.00	AD80ANBV1	C4777V0	13992.00	14696.00	14740.00	14894.00
125MM	AD80ANBV1	14610.00	15620.00	15670.00	15890.00	AD80ANBV1	NA	15491.00	16602.00	16657.00	16899.00
150MM	AD80ANBV1	16320.00	17630.00	17800.00	18110.00	AD100ANBV1	C7277V0	21244.00	22685.00	22872.00	23213.00
200MM	AD100ANBV1	25870.00	28380.00	28530.00	29080.00	AD125ANBV1	NA	34072.00	36833.00	36998.00	37603.00
250MM	AD125ANBV1	37450.00	41500.00	41870.00	42790.00	AD150ANBV1	NA	46860.00	51315.00	51722.00	52734.00
300MM	AD150ANBV1	51650.00	58000.00	58190.00	59560.00	-	-	-	-	-	-

Note:

- ☑ For SS304 Stem 10% Extra
- ☑ For SS316 Stem 15% Extra
- ☑ For EPDM / NBR Seat Price Remain Same
- ☑ For Viton Seal Available on request.

Features:

- ☑ 360° Rotation
- ☑ Bi-directional Zero Leakage Butterfly Valve.
- ☑ Face To Face Dimension: API 609 (CAT A)
- ☑ Nominal Diameter: DN40 - DN600.
- ☑ ISO Pad For Mounting, Gear Operator / Actuator.
- ☑ 100% Tested Under Water And Pneumatic.
- ☑ Pressure Range (bar): PN10, PN16.

CF8 BODY WAFER TYPE BUTTERFLY VALVE (SINGLE ACTING ACTUATOR OPERATED)

Body	CF8 (SS304)
Seat Material	EPDM Replaceable Optional: NBR
Stem	ASTM A 276 Type SS410 Optional: SS304 & SS316
Operating	Pneumatic Actuator
Stem Design	Single Shaft
Rating	PN10, PN16
Design Standard	IS 13095
Mounting Standard	ISO 5211



Port Size (MM)	Single Acting Actuator PN10 - Price Per Unit Rs.						Single Acting Actuator PN16 - Price Per Unit Rs.					
	Actuator	Coupler	SG Iron Disc	WCB Disc	CF8 Disc	CF8M Disc	Actuator	Coupler	SG Iron Disc	WCB Disc	CF8 Disc	CF8M Disc
40MM	AS50ANB22V1	NA	6900.00	7050.00	7060.00	7090.00	AS63ANB22V1	C1455V0	8871.00	9036.00	9047.00	9080.00
50MM	AS50ANB22V1	NA	7410.00	7570.00	7600.00	7640.00	AS80ANB22V1	C1755V0	11504.00	11680.00	11713.00	11757.00
65MM	AS63ANB22V1	C1455V0	9230.00	9460.00	9490.00	9550.00	AS80ANB22V1	C1755V0	11680.00	11933.00	11966.00	12032.00
80MM	AS80ANB22V1	C1755V0	12002.00	12432.00	12462.00	12552.00	AS100ANB09V1	C1257V0	17675.00	18148.00	18181.00	18280.00
100MM	AS100ANB7U2V1	C4277V0	19588.00	20228.00	20268.00	20408.00	AS100ANB12V1	C4277V0	20262.00	20966.00	21010.00	21164.00
125MM	AS100ANB14V1	C7277V0	21622.00	22632.00	22682.00	22902.00	AS125ANB12UV1	C7270V0	26503.00	27614.00	27669.00	27911.00
150MM	AS125ANB12UV1	C7270V0	27642.00	28952.00	29122.00	29432.00	AS150ANB11V1	C7870V0	37812.00	39253.00	39440.00	39781.00

Note:

- ☑ For SS304 Stem 10% Extra
- ☑ For SS316 Stem 15% Extra
- ☑ For EPDM / NBR Seat Price Remain Same
- ☑ For Viton Seal Available on request.

Features:

- ☑ 360° Rotation
- ☑ Bi-directional Zero Leakage Butterfly Valve.
- ☑ Face To Face Dimension: API 609 (CAT A)
- ☑ Nominal Diameter: DN40 - DN600.
- ☑ ISO Pad For Mounting, Gear Operator / Actuator.
- ☑ 100% Tested Under Water And Pneumatic.
- ☑ Pressure Range (bar): PN10, PN16.

CF8M BODY WAFER TYPE BUTTERFLY VALVE (LEVER OPERATED)

Body	CF8M (SS316)
Seat Material	EPDM Replaceable Optional: NBR
Stem	ASTM A 276 Type SS410 Optional: SS304 & SS316
Operating	Hand Lever
Stem Design	Single Shaft
Rating	PN10, PN16
Design Standard	IS 13095
Mounting Standard	ISO 5211



Port Size (MM)	Hand Lever Operated PN10 - Price Per Unit Rs.				Hand Lever Operated PN16 - Price Per Unit Rs.			
	SG IRON DISC	WCB DISC	CF8 DISC	CF8M DISC	SG IRON DISC	WCB DISC	CF8 DISC	CF8M DISC
40MM	3330.00	3490.00	3500.00	3530.00	3663.00	3839.00	3850.00	3883.00
50MM	3910.00	4760.00	4790.00	4830.00	4301.00	5236.00	5269.00	5313.00
65MM	4060.00	5000.00	5020.00	5080.00	4466.00	5500.00	5522.00	5588.00
80MM	4830.00	5850.00	5880.00	5980.00	5313.00	6435.00	6468.00	6578.00
100MM	7320.00	8050.00	8090.00	8240.00	8052.00	8855.00	8899.00	9064.00
125MM	9560.00	11010.00	11060.00	11280.00	10516.00	12111.00	12166.00	12408.00
150MM	11410.00	12960.00	13140.00	13450.00	12551.00	14256.00	14454.00	14795.00
200 MM	18090.00	20460.00	20610.00	21170.00	19899.00	22506.00	22671.00	23287.00
250MM	23570.00	26450.00	26810.00	27730.00	25927.00	29095.00	29491.00	30503.00
300MM	31050.00	36780.00	36970.00	38340.00	34155.00	40458.00	40667.00	42174.00
350MM	71090.00	75960.00	82920.00	88840.00	78199.00	83556.00	91212.00	97724.00
400MM	111030.00	119090.00	130610.00	140410.00	122133.00	130999.00	143671.00	154451.00
450MM	147870.00	157610.00	171530.00	183360.00	162657.00	173371.00	188683.00	201696.00
500MM	180110.00	192540.00	210300.00	225400.00	198121.00	211794.00	231330.00	247940.00
550MM	190110.00	203890.00	223570.00	240300.00	209121.00	224279.00	245927.00	264330.00
600MM	275180.00	298030.00	330670.00	358420.00	302698.00	327833.00	363737.00	394262.00

Note:

- ☑ For SS304 Stem 10% Extra ☑ For SS316 Stem 15% Extra ☑ For EPDM / NBR Seat Price Remain Same
- ☑ For Gear Box Please Add (1.5" to 6" Rs. 3300.00), (8" to 12" Rs. 4010.00), (14" to 16" Rs. 6500.00), (18" to 20" Rs. 8700.00), (22" to 24" Rs. 12400.00)
- ☑ For Hand Lever & Bare Stem Valve Price Are Remain Same. ☑ For Viton Seal Available on request.

Features:

- ☑ 360° Rotation
- ☑ Nominal Diameter: DN40 - DN600.
- ☑ Pressure Range (bar): PN10, PN16.
- ☑ Bi-directional Zero Leakage Butterfly Valve.
- ☑ ISO Pad For Mounting, Gear Operator / Actuator.
- ☑ Face To Face Dimension: API 609 (CAT A)
- ☑ 100% Tested Under Water And Pneumatic.

CF8M BODY WAFER TYPE BUTTERFLY VALVE (DOUBLE ACTING ACTUATOR OPERATED)

Body	CF8M (SS316)
Seat Material	EPDM Replaceable Optional: NBR
Stem	ASTM A 276 Type SS410 Optional: SS304 & SS316
Operating	Pneumatic Actuator
Stem Design	Single Shaft
Rating	PN10, PN16
Design Standard	IS 13095
Mounting Standard	ISO 5211



Port Size (MM)	Double Acting Actuator PN10 - Price Per Unit Rs.					Double Acting Actuator PN16 - Price Per Unit Rs.					
	Actuator	SG Iron Disc	WCB Disc	CF8 Disc	CF8M Disc	Actuator	Coupler	SG Iron Disc	WCB Disc	CF8 Disc	CF8M Disc
40MM	AD40ANBV1	6280.00	6440.00	6450.00	6480.00	-	-	-	-	-	-
40MM	AD50ANBV1	6820.00	6980.00	6990.00	7020.00	AD50ANBV1	NA	7153.00	7329.00	7340.00	7373.00
50MM	AD40ANBV1	6860.00	7710.00	7740.00	7780.00	-	-	-	-	-	-
50MM	AD50ANBV1	7400.00	8250.00	8280.00	8320.00	AD50ANBV1	NA	7791.00	8726.00	8759.00	8803.00
65MM	AD50ANBV1	7550.00	8490.00	8510.00	8570.00	AD50ANBV1	NA	7956.00	8990.00	9012.00	9078.00
80MM	AD50ANBV1	8320.00	9340.00	9370.00	9470.00	AD63ANBV1	C1455V0	10273.00	11395.00	11428.00	11538.00
100MM	AD63ANBV1	11820.00	12550.00	12590.00	12740.00	AD80ANBV1	C4777V0	14630.00	15433.00	15477.00	15642.00
125MM	AD80ANBV1	15360.00	16810.00	16860.00	17080.00	AD80ANBV1	NA	16316.00	17911.00	17966.00	18208.00
150MM	AD80ANBV1	17210.00	18760.00	18940.00	19250.00	AD100ANBV1	C7277V0	22223.00	23928.00	24126.00	24467.00
200MM	AD100ANBV1	26940.00	29310.00	29460.00	30020.00	AD125ANBV1	NA	35249.00	37856.00	38021.00	38637.00
250MM	AD125ANBV1	38920.00	41800.00	42160.00	43080.00	AD150ANBV1	NA	48477.00	51645.00	52041.00	53053.00
300MM	AD150ANBV1	53600.00	59330.00	59520.00	60890.00	-	-	-	-	-	-

Note:

- ☑ For SS304 Stem 10% Extra
- ☑ For SS316 Stem 15% Extra
- ☑ For EPDM / NBR Seat Price Remain Same
- ☑ For Viton Seal Available on request.

Features:

- ☑ 360° Rotation
- ☑ Nominal Diameter: DN40 - DN600.
- ☑ Pressure Range (bar): PN10, PN16.
- ☑ Bi-directional Zero Leakage Butterfly Valve.
- ☑ ISO Pad For Mounting, Gear Operator / Actuator.
- ☑ Face To Face Dimension: API 609 (CAT A)
- ☑ 100% Tested Under Water And Pneumatic.

CF8M BODY WAFER TYPE BUTTERFLY VALVE (SINGLE ACTING ACTUATOR OPERATED)

Body	CF8M (SS316)
Seat Material	EPDM Replaceable Optional: NBR
Stem	ASTM A 276 Type SS410 Optional: SS304 & SS316
Operating	Pneumatic Actuator
Stem Design	Single Shaft
Rating	PN10, PN16
Design Standard	IS 13095
Mounting Standard	ISO 5211



Port Size (MM)	Single Acting Actuator PN10 - Price Per Unit Rs.						Single Acting Actuator PN16 - Price Per Unit Rs.					
	Actuator	Coupler	SG Iron Disc	WCB Disc	CF8 Disc	CF8M Disc	Actuator	Coupler	SG Iron Disc	WCB Disc	CF8 Disc	CF8M Disc
40MM	AS50ANB22V1	NA	7120.00	7280.00	7290.00	7320.00	AS63ANB22V1	C1455V0	9113.00	9289.00	9300.00	9333.00
50MM	AS50ANB22V1	NA	7700.00	8550.00	8580.00	8620.00	AS80ANB222V1	C1755V0	11823.00	12758.00	12791.00	12835.00
65MM	AS63ANB22V1	C1455V0	9510.00	10450.00	10470.00	10530.00	AS80ANB222V1	C1755V0	11988.00	13022.00	13044.00	13110.00
80MM	AS80ANB222V1	C1755V0	12352.00	13372.00	13402.00	13502.00	AS100ANB09V1	C1257V0	18060.00	19182.00	19215.00	19325.00
100MM	AS100ANB7U2V1	C4277V0	20168.00	20898.00	20938.00	21088.00	AS100ANB12V1	C4277V0	20900.00	21703.00	21747.00	21912.00
125MM	AS100ANB14V1	C7277V0	22372.00	23822.00	23872.00	24092.00	AS125ANB12UV1	C7270V0	27328.00	28923.00	28978.00	29220.00
150MM	AS125ANB12UV1	C7270V0	28532.00	30082.00	30262.00	30572.00	AS150ANB11V1	C7870V0	38791.00	40496.00	40694.00	41035.00

Note:

- ☑ For SS304 Stem 10% Extra
- ☑ For SS316 Stem 15% Extra
- ☑ For EPDM / NBR Seat Price Remain Same
- ☑ For Viton Seal Available on request.

Features:

- ☑ 360° Rotation
- ☑ Nominal Diameter: DN40 - DN600.
- ☑ Pressure Range (bar): PN10, PN16.
- ☑ Bi-directional Zero Leakage Butterfly Valve.
- ☑ ISO Pad For Mounting, Gear Operator / Actuator.
- ☑ Face To Face Dimension: API 609 (CAT A)
- ☑ 100% Tested Under Water And Pneumatic.

CI BODY LUG TYPE BUTTERFLY VALVE (LEVER OPERATED)



Body	CI (FG210)
Seat Material	EPDM Replaceable Optional: NBR
Stem	ASTM A 276 Type SS410 Optional: SS304 & SS316
Operating	Hand Lever
Stem Design	Single Shaft
Rating	PN10, PN16
Design Standard	IS 13095
Mounting Standard	ISO 5211

Port Size (MM)	Hand Lever Operated PN10 - Price Per Unit Rs.				Hand Lever Operated PN16 - Price Per Unit Rs.			
	SG IRON DISC	WCB DISC	CF8 DISC	CF8M DISC	SG IRON DISC	WCB DISC	CF8 DISC	CF8M DISC
40MM	1780.00	1860.00	1940.00	2040.00	1958.00	2046.00	2134.00	2244.00
50MM	2020.00	2130.00	2250.00	2400.00	2222.00	2343.00	2475.00	2640.00
65MM	2270.00	2390.00	2510.00	2650.00	2497.00	2629.00	2761.00	2915.00
80MM	2680.00	2880.00	3110.00	3370.00	2948.00	3168.00	3421.00	3707.00
100MM	3850.00	4200.00	4590.00	5040.00	4235.00	4620.00	5049.00	5544.00
125MM	4530.00	5050.00	5620.00	6300.00	4983.00	5555.00	6182.00	6930.00
150MM	5180.00	5850.00	6590.00	7450.00	5698.00	6435.00	7249.00	8195.00
200 MM	9540.00	10830.00	12240.00	13890.00	10494.00	11913.00	13464.00	15279.00
250MM	12300.00	14270.00	16430.00	18970.00	13530.00	15697.00	18073.00	20867.00
300MM	16900.00	20250.00	23920.00	28240.00	18590.00	22275.00	26312.00	31064.00
350MM	46340.00	51030.00	56950.00	63910.00	50974.00	56133.00	62645.00	70301.00
400MM	62290.00	70060.00	79860.00	91380.00	68519.00	77066.00	87846.00	100518.00
450MM	72690.00	82080.00	93920.00	107840.00	79959.00	90288.00	103312.00	118624.00
500MM	89750.00	101740.00	116840.00	134600.00	98725.00	111914.00	128524.00	148060.00
550MM	101190.00	114470.00	131200.00	150880.00	111309.00	125917.00	144320.00	165968.00
600MM	128190.00	150220.00	177970.00	210610.00	141009.00	165242.00	195767.00	231671.00

Note:

- ☑ For SS304 Stem 10% Extra ☑ For SS316 Stem 15% Extra ☑ For EPDM / NBR Seat Price Remain Same
- ☑ For Gear Box Please Add (1.5" to 6" Rs. 3300.00), (8" to 12" Rs. 4010.00), (14" to 16" Rs. 6500.00), (18" to 20" Rs. 8700.00), (22" to 24" Rs. 12400.00)
- ☑ For Hand Lever & Bare Stem Valve Price Are Remain Same. ☑ For Viton Seal Available on request.

Features:

- ☑ 360° Rotation
- ☑ Nominal Diameter: DN40 - DN600.
- ☑ Pressure Range (bar): PN10, PN16.
- ☑ Bi-directional Zero Leakage Butterfly Valve.
- ☑ ISO Pad For Mounting, Gear Operator / Actuator.
- ☑ Face To Face Dimension: API 609 (CAT A)
- ☑ 100% Tested Under Water And Pneumatic.

CI BODY LUG TYPE BUTTERFLY VALVE (DOUBLE ACTING ACTUATOR OPERATED)

Body	CI (FG210)
Seat Material	EPDM Replaceable Optional: NBR
Stem	ASTM A 276 Type SS410 Optional: SS304 & SS316
Operating	Pneumatic Actuator
Stem Design	Single Shaft
Rating	PN10, PN16
Design Standard	IS 13095
Mounting Standard	ISO 5211



Port Size (MM)	Double Acting Actuator PN10 - Price Per Unit Rs.					Double Acting Actuator PN16 - Price Per Unit Rs.					
	Actuator	SG Iron Disc	WCB Disc	CF8 Disc	CF8M Disc	Actuator	Coupler	SG Iron Disc	WCB Disc	CF8 Disc	CF8M Disc
40MM	AD40ANBV1	4730.00	4810.00	4890.00	4990.00	-	-	-	-	-	-
40MM	AD50ANBV1	5270.00	5350.00	5430.00	5530.00	AD50ANBV1	NA	5448.00	5536.00	5624.00	5734.00
50MM	AD40ANBV1	4970.00	5080.00	5200.00	5350.00	-	-	-	-	-	-
50MM	AD50ANBV1	5510.00	5620.00	5740.00	5890.00	AD50ANBV1	NA	5712.00	5833.00	5965.00	6130.00
65MM	AD50ANBV1	5760.00	5880.00	6000.00	6140.00	AD50ANBV1	NA	5987.00	6119.00	6251.00	6405.00
80MM	AD50ANBV1	6170.00	6370.00	6600.00	6860.00	AD63ANBV1	C1455V0	7908.00	8128.00	8381.00	8667.00
100MM	AD63ANBV1	8350.00	8700.00	9090.00	9540.00	AD80ANBV1	C4777V0	10813.00	11198.00	11627.00	12122.00
125MM	AD80ANBV1	10330.00	10850.00	11420.00	12100.00	AD80ANBV1	NA	10783.00	11355.00	11982.00	12730.00
150MM	AD80ANBV1	10980.00	11650.00	12390.00	13250.00	AD100ANBV1	C7277V0	15370.00	16107.00	16921.00	17867.00
200MM	AD100ANBV1	18390.00	19680.00	21090.00	22740.00	AD125ANBV1	NA	25844.00	27263.00	28814.00	30629.00
250MM	AD125ANBV1	27650.00	29620.00	31780.00	34320.00	AD150ANBV1	NA	36080.00	38247.00	40623.00	43417.00
300MM	AD150ANBV1	39450.00	42800.00	46470.00	50790.00	-	-	-	-	-	-

Note:

- ☑ For SS304 Stem 10% Extra
- ☑ For SS316 Stem 15% Extra
- ☑ For EPDM / NBR Seat Price Remain Same
- ☑ For Viton Seal Available on request.

Features:

- ☑ 360° Rotation
- ☑ Nominal Diameter: DN40 - DN600.
- ☑ Pressure Range (bar): PN10, PN16.
- ☑ Bi-directional Zero Leakage Butterfly Valve.
- ☑ ISO Pad For Mounting, Gear Operator / Actuator.
- ☑ Face To Face Dimension: API 609 (CAT A)
- ☑ 100% Tested Under Water And Pneumatic.

CI BODY LUG TYPE BUTTERFLY VALVE (SINGLE ACTING ACTUATOR OPERATED)

Body	CI (FG210)
Seat Material	EPDM Replaceable
Stem	ASTM A 276 Type SS410 Optional: SS304 & SS316
Operating	Pneumatic Actuator
Stem Design	Single Shaft
Rating	PN10, PN16
Design Standard	IS 13095
Mounting Standard	ISO 5211



Port Size (MM)	Single Acting Actuator PN10 - Price Per Unit Rs.						Single Acting Actuator PN16 - Price Per Unit Rs.					
	Actuator	Coupler	SG Iron Disc	WCB Disc	CF8 Disc	CF8M Disc	Actuator	Coupler	SG Iron Disc	WCB Disc	CF8 Disc	CF8M Disc
40MM	AS50ANB22V1	NA	5570.00	5650.00	5730.00	5830.00	AS63ANB22V1	C1455V0	7408.00	7496.00	7584.00	7694.00
50MM	AS50ANB22V1	NA	5810.00	5920.00	6040.00	6190.00	AS80ANB22V1	C1755V0	9744.00	9865.00	9997.00	10162.00
65MM	AS63ANB22V1	C1455V0	7720.00	7840.00	7960.00	8100.00	AS80ANB22V1	C1755V0	10019.00	10151.00	10283.00	10437.00
80MM	AS80ANB22V1	C1755V0	10202.00	10402.00	10632.00	10892.00	AS100ANB09V1	C1257V0	15695.00	15915.00	16168.00	16454.00
100MM	AS100ANB7U2V1	C4277V0	16698.00	17048.00	17438.00	17888.00	AS100ANB12V1	C4277V0	17083.00	17468.00	17897.00	18392.00
125MM	AS100ANB14V1	C7277V0	17342.00	17862.00	18432.00	19112.00	AS125ANB12UV1	C7277V0	21795.00	22367.00	22994.00	23742.00
150MM	AS125ANB12UV1	C7270V0	22302.00	22972.00	23712.00	24572.00	AS150ANB11V1	C7870V0	31938.00	32675.00	33489.00	34435.00

Note:

- ☑ For SS304 Stem 10% Extra
- ☑ For SS316 Stem 15% Extra
- ☑ For EPDM / NBR Seat Price Remain Same
- ☑ For Viton Seal Available on request.

Features:

- ☑ 360° Rotation
- ☑ Nominal Diameter: DN40 - DN600.
- ☑ Pressure Range (bar): PN10, PN16.
- ☑ Bi-directional Zero Leakage Butterfly Valve.
- ☑ ISO Pad For Mounting, Gear Operator / Actuator.
- ☑ Face To Face Dimension: API 609 (CAT A)
- ☑ 100% Tested Under Water And Pneumatic.

CS BODY LUG TYPE BUTTERFLY VALVE (LEVER OPERATED)



Body	CS (Cast Steel)
Seat Material	EPDM Replaceable Optional: NBR
Stem	ASTM A 276 Type SS410 Optional: SS304 & SS316
Operating	Hand Lever
Stem Design	Single Shaft
Rating	PN10, PN16
Design Standard	IS 13095
Mounting Standard	ISO 5211

Port Size (MM)	Hand Lever Operated PN10 - Price Per Unit Rs.				Hand Lever Operated PN16 - Price Per Unit Rs.			
	SG IRON DISC	WCB DISC	CF8 DISC	CF8M DISC	SG IRON DISC	WCB DISC	CF8 DISC	CF8M DISC
40MM	2800.00	2880.00	2970.00	3050.00	3080.00	3168.00	3267.00	3355.00
50MM	3240.00	3350.00	3500.00	3620.00	3564.00	3685.00	3850.00	3982.00
65MM	3870.00	3980.00	4120.00	4240.00	4257.00	4378.00	4532.00	4664.00
80MM	4760.00	4960.00	5230.00	5450.00	5236.00	5456.00	5753.00	5995.00
100MM	7110.00	7460.00	7920.00	8310.00	7821.00	8206.00	8712.00	9141.00
125MM	8160.00	8680.00	9360.00	9930.00	8976.00	9548.00	10296.00	10923.00
150MM	9590.00	10260.00	11120.00	11860.00	10549.00	11286.00	12232.00	13046.00
200 MM	17380.00	18660.00	20320.00	21720.00	19118.00	20526.00	22352.00	23892.00
250MM	21950.00	23920.00	26470.00	28630.00	24145.00	26312.00	29117.00	31493.00
300MM	30780.00	34120.00	38440.00	42120.00	33858.00	37532.00	42284.00	46332.00
350MM	70910.00	75610.00	82570.00	88490.00	78001.00	83171.00	90827.00	97339.00
400MM	103000.00	110770.00	122290.00	132080.00	113300.00	121847.00	134519.00	145288.00
450MM	118000.00	127400.00	141320.00	153510.00	129800.00	140140.00	155452.00	168861.00
500MM	151190.00	163180.00	180940.00	196040.00	166309.00	179498.00	199034.00	215644.00
550MM	171080.00	184360.00	204040.00	220770.00	188188.00	202796.00	224444.00	242847.00
600MM	212670.00	234700.00	267340.00	295090.00	233937.00	258170.00	294074.00	324599.00

Note:

- ☑ For SS304 Stem 10% Extra ☑ For SS316 Stem 15% Extra ☑ For EPDM / NBR Seat Price Remain Same
- ☑ For Gear Box Please Add (1.5" to 6" Rs. 3300.00), (8" to 12" Rs. 4010.00), (14" to 16" Rs. 6500.00), (18" to 20" Rs. 8700.00), (22" to 24" Rs. 12400.00)
- ☑ For Hand Lever & Bare Stem Valve Price Are Remain Same. ☑ For Viton Seal Available on request.

Features:

- ☑ 360° Rotation
- ☑ Nominal Diameter: DN40 - DN600.
- ☑ Pressure Range (bar): PN10, PN16.
- ☑ Bi-directional Zero Leakage Butterfly Valve.
- ☑ ISO Pad For Mounting, Gear Operator / Actuator.
- ☑ Face To Face Dimension: API 609 (CAT A)
- ☑ 100% Tested Under Water And Pneumatic.

CS BODY LUG TYPE BUTTERFLY VALVE (DOUBLE ACTING ACTUATOR OPERATED)

Body	CS (Cast Steel)
Seat Material	EPDM Replaceable Optional: NBR
Stem	ASTM A 276 Type SS410 Optional: SS304 & SS316
Operating	Pneumatic Actuator
Stem Design	Single Shaft
Rating	PN10, PN16
Design Standard	IS 13095
Mounting Standard	ISO 5211



Port Size (MM)	Double Acting Actuator PN10 - Price Per Unit Rs.					Double Acting Actuator PN16 - Price Per Unit Rs.					
	Actuator	SG Iron Disc	WCB Disc	CF8 Disc	CF8M Disc	Actuator	Coupler	SG Iron Disc	WCB Disc	CF8 Disc	CF8M Disc
40MM	AD40ANBV1	5750.00	5830.00	5920.00	6000.00	-	-	-	-	-	-
40MM	AD50ANBV1	6290.00	6370.00	6460.00	6540.00	AD50ANBV1	NA	6570.00	6658.00	6757.00	6845.00
50MM	AD40ANBV1	6190.00	6300.00	6450.00	6570.00	-	-	-	-	-	-
50MM	AD50ANBV1	6730.00	6840.00	6990.00	7110.00	AD50ANBV1	NA	7054.00	7175.00	7340.00	7472.00
65MM	AD50ANBV1	7360.00	7470.00	7610.00	7730.00	AD50ANBV1	NA	7747.00	7868.00	8022.00	8154.00
80MM	AD50ANBV1	8250.00	8450.00	8720.00	8940.00	AD63ANBV1	C1455V0	10196.00	10416.00	10713.00	10955.00
100MM	AD63ANBV1	11610.00	11960.00	12420.00	12810.00	AD80ANBV1	C4777V0	14399.00	14784.00	15290.00	15719.00
125MM	AD80ANBV1	13960.00	14480.00	15160.00	15730.00	AD80ANBV1	NA	14776.00	15348.00	16096.00	16723.00
150MM	AD80ANBV1	15390.00	16060.00	16920.00	17660.00	AD100ANBV1	C7277V0	20221.00	20958.00	21904.00	22718.00
200MM	AD100ANBV1	26230.00	27510.00	29170.00	30570.00	AD125ANBV1	NA	34468.00	35876.00	37702.00	39242.00
250MM	AD125ANBV1	37300.00	39270.00	41820.00	43980.00	AD150ANBV1	NA	46695.00	48862.00	51667.00	54043.00
300MM	AD150ANBV1	53330.00	56670.00	60990.00	64670.00	-	-	-	-	-	-

Note:

- ☑ For SS304 Stem 10% Extra
- ☑ For SS316 Stem 15% Extra
- ☑ For EPDM / NBR Seat Price Remain Same
- ☑ For Viton Seal Available on request.

Features:

- ☑ 360° Rotation
- ☑ Bi-directional Zero Leakage Butterfly Valve.
- ☑ Face To Face Dimension: API 609 (CAT A)
- ☑ Nominal Diameter: DN40 - DN600.
- ☑ ISO Pad For Mounting, Gear Operator / Actuator.
- ☑ 100% Tested Under Water And Pneumatic.
- ☑ Pressure Range (bar): PN10, PN16.

CS BODY LUG TYPE BUTTERFLY VALVE (SINGLE ACTING ACTUATOR OPERATED)

Body	CS (Cast Steel)
Seat Material	EPDM Replaceable
Stem	ASTM A 276 Type SS410
Operating	Pneumatic Actuator
Stem Design	Single Shaft
Rating	PN10, PN16
Design Standard	IS 13095
Mounting Standard	ISO 5211



Port Size (MM)	Single Acting Actuator PN10 - Price Per Unit Rs.						Single Acting Actuator PN16 - Price Per Unit Rs.					
	Actuator	Coupler	SG Iron Disc	WCB Disc	CF8 Disc	CF8M Disc	Actuator	Coupler	SG Iron Disc	WCB Disc	CF8 Disc	CF8M Disc
40MM	AS50ANB22V1	NA	6590.00	6670.00	6760.00	6840.00	AS63ANB22V1	C1455V0	8530.00	8618.00	8717.00	8805.00
50MM	AS50ANB22V1	NA	7030.00	7140.00	7290.00	7410.00	AS80ANB222V1	C1755V0	11086.00	11207.00	11372.00	11504.00
65MM	AS63ANB22V1	C1455V0	9320.00	9430.00	9570.00	9690.00	AS80ANB222V1	C1755V0	11779.00	11900.00	12054.00	12186.00
80MM	AS80ANB222V1	C1755V0	12282.00	12482.00	12752.00	12972.00	AS100ANB09V1	C1257V0	17983.00	18203.00	18500.00	18742.00
100MM	AS100ANB7U2V1	C4277V0	19958.00	20308.00	20768.00	21158.00	AS100ANB12V1	C4277V0	20669.00	21054.00	21560.00	21989.00
125MM	AS100ANB14V1	C7277V0	20972.00	21492.00	22172.00	22742.00	AS125ANB12UV1	C7277V0	25788.00	26360.00	27108.00	27735.00
150MM	AS125ANB12UV1	C7270V0	26712.00	27382.00	28242.00	28982.00	AS150ANB11V1	C7870V0	36789.00	37526.00	38472.00	39286.00

Note:

- ☑ For SS304 Stem 10% Extra
- ☑ For SS316 Stem 15% Extra
- ☑ For EPDM / NBR Seat Price Remain Same
- ☑ For Viton Seal Available on request.

Features:

- ☑ 360° Rotation
- ☑ Bi-directional Zero Leakage Butterfly Valve.
- ☑ Face To Face Dimension: API 609 (CAT A)
- ☑ Nominal Diameter: DN40 - DN600.
- ☑ ISO Pad For Mounting, Gear Operator / Actuator.
- ☑ 100% Tested Under Water And Pneumatic.
- ☑ Pressure Range (bar): PN10, PN16.

CF8 BODY LUG TYPE BUTTERFLY VALVE (LEVER OPERATED)



Body	CF8 (SS304)
Seat Material	EPDM Replaceable Optional: NBR
Stem	ASTM A 276 Type SS410 Optional: SS304 & SS316
Operating	Hand Lever
Stem Design	Single Shaft
Rating	PN10, PN16
Design Standard	IS 13095
Mounting Standard	ISO 5211

Port Size (MM)	Hand Lever Operated PN10 - Price Per Unit Rs.				Hand Lever Operated PN16 - Price Per Unit Rs.			
	SG IRON DISC	WCB DISC	CF8 DISC	CF8M DISC	SG IRON DISC	WCB DISC	CF8 DISC	CF8M DISC
40MM	4000.00	4080.00	4170.00	4250.00	4400.00	4488.00	4587.00	4675.00
50MM	4680.00	4790.00	4940.00	5060.00	5148.00	5269.00	5434.00	5566.00
65MM	5740.00	5850.00	5990.00	6120.00	6314.00	6435.00	6589.00	6732.00
80MM	7210.00	7410.00	7670.00	7900.00	7931.00	8151.00	8437.00	8690.00
100MM	10950.00	11300.00	11760.00	12150.00	12045.00	12430.00	12936.00	13365.00
125MM	12430.00	12960.00	13630.00	15160.00	13673.00	14256.00	14993.00	16676.00
150MM	14770.00	15440.00	16310.00	17040.00	16247.00	16984.00	17941.00	18744.00
200 MM	26590.00	27880.00	29530.00	30940.00	29249.00	30668.00	32483.00	34034.00
250MM	33310.00	35280.00	37820.00	39980.00	36641.00	38808.00	41602.00	43978.00
300MM	47100.00	50440.00	54760.00	58440.00	51810.00	55484.00	60236.00	64284.00
350MM	101630.00	106330.00	113290.00	119210.00	111793.00	116963.00	124619.00	131131.00
400MM	153870.00	161650.00	173170.00	182960.00	169257.00	177815.00	190487.00	201256.00
450MM	174640.00	184040.00	197960.00	209790.00	192104.00	202444.00	217756.00	230769.00
500MM	227990.00	239980.00	257740.00	272840.00	250789.00	263978.00	283514.00	300124.00
550MM	258440.00	271720.00	291400.00	308130.00	284284.00	298892.00	320540.00	338943.00
600MM	318570.00	340300.00	372940.00	400690.00	350427.00	374330.00	410234.00	440759.00

Note:

- ☑ For SS304 Stem 10% Extra ☑ For SS316 Stem 15% Extra ☑ For EPDM / NBR Seat Price Remain Same
- ☑ For Gear Box Please Add (1.5" to 6" Rs. 3300.00), (8" to 12" Rs. 4010.00), (14" to 16" Rs. 6500.00), (18" to 20" Rs. 8700.00), (22" to 24" Rs. 12400.00)
- ☑ For Hand Lever & Bare Stem Valve Price Are Remain Same. ☑ For Viton Seal Available on request.

Features:

- ☑ 360° Rotation
- ☑ Nominal Diameter: DN40 - DN600.
- ☑ Pressure Range (bar): PN10, PN16.
- ☑ Bi-directional Zero Leakage Butterfly Valve.
- ☑ ISO Pad For Mounting, Gear Operator / Actuator.
- ☑ Face To Face Dimension: API 609 (CAT A)
- ☑ 100% Tested Under Water And Pneumatic.

CF8 BODY LUG TYPE BUTTERFLY VALVE (DOUBLE ACTING ACTUATOR OPERATED)

Body	CF8 (SS304)
Seat Material	EPDM Replaceable Optional: NBR
Stem	ASTM A 276 Type SS410 Optional: SS304 & SS316
Operating	Pneumatic Actuator
Stem Design	Single Shaft
Rating	PN10, PN16
Design Standard	IS 13095
Mounting Standard	ISO 5211



Port Size (MM)	Double Acting Actuator PN10 - Price Per Unit Rs.					Double Acting Actuator PN16 - Price Per Unit Rs.					
	Actuator	SG Iron Disc	WCB Disc	CF8 Disc	CF8M Disc	Actuator	Coupler	SG Iron Disc	WCB Disc	CF8 Disc	CF8M Disc
40MM	AD40ANBV1	6950.00	7030.00	7120.00	7200.00	-	-	-	-	-	-
40MM	AD50ANBV1	7490.00	7570.00	7660.00	7740.00	AD50ANBV1	NA	7890.00	7978.00	8077.00	8165.00
50MM	AD40ANBV1	7630.00	7740.00	7890.00	8010.00	-	-	-	-	-	-
50MM	AD50ANBV1	8170.00	8280.00	8430.00	8550.00	AD50ANBV1	NA	8638.00	8759.00	8924.00	9056.00
65MM	AD50ANBV1	9230.00	9340.00	9480.00	9610.00	AD50ANBV1	NA	9804.00	9925.00	10079.00	10222.00
80MM	AD50ANBV1	10700.00	10900.00	11160.00	11390.00	AD63ANBV1	C1455V0	12891.00	13111.00	13397.00	13650.00
100MM	AD63ANBV1	15450.00	15800.00	16260.00	16650.00	AD80ANBV1	C4777V0	18623.00	19008.00	19514.00	19943.00
125MM	AD80ANBV1	18230.00	18760.00	19430.00	20960.00	AD80ANBV1	NA	19473.00	20056.00	20793.00	22476.00
150MM	AD80ANBV1	20570.00	21240.00	22110.00	22840.00	AD100ANBV1	C7277V0	25919.00	26656.00	27613.00	28416.00
200MM	AD100ANBV1	35440.00	36730.00	38380.00	39790.00	AD125ANBV1	NA	44599.00	46018.00	47833.00	49384.00
250MM	AD125ANBV1	48660.00	50630.00	53170.00	55330.00	AD150ANBV1	NA	59191.00	61358.00	64152.00	66528.00
300MM	AD150ANBV1	69650.00	72990.00	77310.00	80990.00	-	-	-	-	-	-

Note:

- ☑ For SS304 Stem 10% Extra
- ☑ For SS316 Stem 15% Extra
- ☑ For EPDM / NBR Seat Price Remain Same
- ☑ For Viton Seal Available on request.

Features:

- ☑ 360° Rotation
- ☑ Nominal Diameter: DN40 - DN600.
- ☑ Pressure Range (bar): PN10, PN16.
- ☑ Bi-directional Zero Leakage Butterfly Valve.
- ☑ ISO Pad For Mounting, Gear Operator / Actuator.
- ☑ Face To Face Dimension: API 609 (CAT A)
- ☑ 100% Tested Under Water And Pneumatic.

CF8 BODY LUG TYPE BUTTERFLY VALVE (SINGLE ACTING ACTUATOR OPERATED)

Body	CF8 (SS304)
Seat Material	EPDM Replaceable
Stem	ASTM A 276 Type SS410 Optional: SS304 & SS316
Operating	Pneumatic Actuator
Stem Design	Single Shaft
Rating	PN10, PN16
Design Standard	IS 13095
Mounting Standard	ISO 5211



Port Size (MM)	Single Acting Actuator PN10 - Price Per Unit Rs.						Single Acting Actuator PN16 - Price Per Unit Rs.					
	Actuator	Coupler	SG Iron Disc	WCB Disc	CF8 Disc	CF8M Disc	Actuator	Coupler	SG Iron Disc	WCB Disc	CF8 Disc	CF8M Disc
40MM	AS50ANB22V1	NA	7790.00	7870.00	7960.00	8040.00	AS63ANB22V1	C1455V0	9938.00	9938.00	10037.00	10125.00
50MM	AS50ANB22V1	NA	8470.00	8580.00	8730.00	8850.00	AS80ANB222V1	C1755V0	12791.00	12791.00	12956.00	13088.00
65MM	AS63ANB22V1	C1455V0	11190.00	11300.00	11440.00	11570.00	AS80ANB222V1	C1755V0	13957.00	13957.00	14111.00	14254.00
80MM	AS80ANB222V1	C1755V0	14732.00	14932.00	15192.00	15422.00	AS100ANB09V1	C1257V0	20898.00	20898.00	21184.00	21437.00
100MM	AS100ANB7U2V1	C4277V0	23798.00	24148.00	24608.00	24998.00	AS100ANB12V1	C4277V0	25278.00	25278.00	25784.00	26213.00
125MM	AS100ANB14V1	C7277V0	25242.00	25772.00	26442.00	27972.00	AS125ANB12UV1	C7277V0	31068.00	31068.00	31805.00	33488.00
150MM	AS125ANB12UV1	C7270V0	31892.00	32562.00	33432.00	34162.00	AS150ANB11V1	C7870V0	43224.00	43224.00	44181.00	44984.00

Note:

- ☑ For SS304 Stem 10% Extra
- ☑ For SS316 Stem 15% Extra
- ☑ For EPDM / NBR Seat Price Remain Same
- ☑ For Viton Seal Available on request.

Features:

- ☑ 360° Rotation
- ☑ Nominal Diameter: DN40 - DN600.
- ☑ Pressure Range (bar): PN10, PN16.
- ☑ Bi-directional Zero Leakage Butterfly Valve.
- ☑ ISO Pad For Mounting, Gear Operator / Actuator.
- ☑ Face To Face Dimension: API 609 (CAT A)
- ☑ 100% Tested Under Water And Pneumatic.

CF8M BODY LUG TYPE BUTTERFLY VALVE (LEVER OPERATED)



Body	CF8M (SS316)
Seat Material	EPDM Replaceable Optional: NBR
Stem	ASTM A 276 Type SS410 Optional: SS304 & SS316
Operating	Hand Lever
Stem Design	Single Shaft
Rating	PN10, PN16
Design Standard	IS 13095
Mounting Standard	ISO 5211

Port Size (MM)	Hand Lever Operated PN10 - Price Per Unit Rs.				Hand Lever Operated PN16 - Price Per Unit Rs.			
	SG IRON DISC	WCB DISC	CF8 DISC	CF8M DISC	SG IRON DISC	WCB DISC	CF8 DISC	CF8M DISC
40MM	5020.00	5100.00	5190.00	5270.00	5522.00	5610.00	5709.00	5797.00
50MM	5910.00	6020.00	6160.00	6280.00	6501.00	6622.00	6776.00	6908.00
65MM	7330.00	7440.00	7580.00	7710.00	8063.00	8184.00	8338.00	8481.00
80MM	9290.00	9490.00	9750.00	9980.00	10219.00	10439.00	10725.00	10978.00
100MM	14210.00	14570.00	15020.00	15410.00	15631.00	16027.00	16522.00	16951.00
125MM	16070.00	16590.00	17260.00	17830.00	17677.00	18249.00	18986.00	19613.00
150MM	19180.00	19850.00	20710.00	21450.00	21098.00	21835.00	22781.00	23595.00
200 MM	34430.00	35710.00	37370.00	38770.00	37873.00	39281.00	41107.00	42647.00
250MM	42960.00	44930.00	47480.00	49640.00	47256.00	49423.00	52228.00	54604.00
300MM	60970.00	64320.00	68640.00	72310.00	67067.00	70752.00	75504.00	79541.00
350MM	127740.00	132440.00	139400.00	145320.00	140514.00	145684.00	153340.00	159852.00
400MM	197120.00	204900.00	216420.00	226210.00	216832.00	225390.00	238062.00	248831.00
450MM	222780.00	232180.00	246100.00	257930.00	245058.00	255398.00	270710.00	283723.00
500MM	293270.00	305260.00	323020.00	338120.00	322597.00	335786.00	355322.00	371932.00
550MM	332690.00	345800.00	365660.00	382390.00	365959.00	380380.00	402226.00	420629.00
600MM	408210.00	430060.00	462700.00	490450.00	449031.00	473066.00	508970.00	539495.00

Note:

- ☑ For SS304 Stem 10% Extra ☑ For SS316 Stem 15% Extra ☑ For EPDM / NBR Seat Price Remain Same
- ☑ For Gear Box Please Add (1.5" to 6" Rs. 3300.00), (8" to 12" Rs. 4010.00), (14" to 16" Rs. 6500.00), (18" to 20" Rs. 8700.00), (22" to 24" Rs. 12400.00)
- ☑ For Hand Lever & Bare Stem Valve Price Are Same. ☑ For Viton Seal Available on request.

Features:

- ☑ 360° Rotation
- ☑ Nominal Diameter: DN40 - DN600.
- ☑ Pressure Range (bar): PN10, PN16.
- ☑ Bi-directional Zero Leakage Butterfly Valve.
- ☑ ISO Pad For Mounting, Gear Operator / Actuator.
- ☑ Face To Face Dimension: API 609 (CAT A)
- ☑ 100% Tested Under Water And Pneumatic.

CF8M BODY LUG TYPE BUTTERFLY VALVE (DOUBLE ACTING ACTUATOR OPERATED)

Body	CF8M (SS316)
Seat Material	EPDM Replaceable Optional: NBR
Stem	ASTM A 276 Type SS410 Optional: SS304 & SS316
Operating	Pneumatic Actuator
Stem Design	Single Shaft
Rating	PN10, PN16
Design Standard	IS 13095
Mounting Standard	ISO 5211



Port Size (MM)	Double Acting Actuator PN10 - Price Per Unit Rs.					Double Acting Actuator PN16 - Price Per Unit Rs.					
	Actuator	SG Iron Disc	WCB Disc	CF8 Disc	CF8M Disc	Actuator	Coupler	SG Iron Disc	WCB Disc	CF8 Disc	CF8M Disc
40MM	AD40ANBV1	7970.00	8050.00	8140.00	8220.00	-	-	-	-	-	-
40MM	AD50ANBV1	8510.00	8590.00	8680.00	8760.00	AD50ANBV1	NA	9012.00	9100.00	9199.00	9287.00
50MM	AD40ANBV1	8860.00	8970.00	9110.00	9230.00	-	-	-	-	-	-
50MM	AD50ANBV1	9400.00	9510.00	9650.00	9770.00	AD50ANBV1	NA	9991.00	10112.00	10266.00	10398.00
65MM	AD50ANBV1	10820.00	10930.00	11070.00	11200.00	AD50ANBV1	NA	11553.00	11674.00	11828.00	11971.00
80MM	AD50ANBV1	12780.00	12980.00	13240.00	13470.00	AD63ANBV1	C1455V0	15179.00	15399.00	15685.00	15938.00
100MM	AD63ANBV1	18710.00	19070.00	19520.00	19910.00	AD80ANBV1	C4777V0	22209.00	22605.00	23100.00	23529.00
125MM	AD80ANBV1	21870.00	22390.00	23060.00	23630.00	AD80ANBV1	NA	23477.00	24049.00	24786.00	25413.00
150MM	AD80ANBV1	24980.00	25650.00	26510.00	27250.00	AD100ANBV1	C7277V0	30770.00	31507.00	32453.00	33267.00
200MM	AD100ANBV1	43280.00	44560.00	46220.00	47620.00	AD125ANBV1	NA	53223.00	54631.00	56457.00	57997.00
250MM	AD125ANBV1	58310.00	60280.00	62830.00	64990.00	AD150ANBV1	NA	69806.00	71973.00	74778.00	77154.00
300MM	AD150ANBV1	83520.00	86870.00	91190.00	94860.00	-	-	-	-	-	-

Note:

- ☑ For SS304 Stem 10% Extra
- ☑ For SS316 Stem 15% Extra
- ☑ For EPDM / NBR Seat Price Remain Same
- ☑ For Viton Seal Available on request.

Features:

- ☑ 360° Rotation
- ☑ Nominal Diameter: DN40 - DN600.
- ☑ Pressure Range (bar): PN10, PN16.
- ☑ Bi-directional Zero Leakage Butterfly Valve.
- ☑ ISO Pad For Mounting, Gear Operator / Actuator.
- ☑ Face To Face Dimension: API 609 (CAT A)
- ☑ 100% Tested Under Water And Pneumatic.

CF8M BODY LUG TYPE BUTTERFLY VALVE (SINGLE ACTING ACTUATOR OPERATED)

Body	CF8M (SS316)
Seat Material	EPDM Replaceable
Stem	ASTM A 276 Type SS410 Optional: SS304 & SS316
Operating	Pneumatic Actuator
Stem Design	Single Shaft
Rating	PN10, PN16
Design Standard	IS 13095
Mounting Standard	ISO 5211



Port Size (MM)	Single Acting Actuator PN10 - Price Per Unit Rs.						Single Acting Actuator PN16 - Price Per Unit Rs.					
	Actuator	Coupler	SG Iron Disc	WCB Disc	CF8 Disc	CF8M Disc	Actuator	Coupler	SG Iron Disc	WCB Disc	CF8 Disc	CF8M Disc
40MM	AS50ANB22V1	NA	8810.00	8890.00	8980.00	9060.00	AS63ANB22V1	C1455V0	10972.00	11060.00	11159.00	11247.00
50MM	AS50ANB22V1	NA	9700.00	9810.00	9950.00	10070.00	AS80ANB222V1	C1755V0	14023.00	14144.00	14298.00	14430.00
65MM	AS63ANB22V1	C1455V0	12780.00	12890.00	13030.00	13160.00	AS80ANB222V1	C1755V0	15585.00	15706.00	15860.00	16003.00
80MM	AS80ANB222V1	C1755V0	16812.00	17012.00	17272.00	17502.00	AS100ANB09V1	C1257V0	22966.00	23186.00	23472.00	23725.00
100MM	AS100ANB7U2V1	C4277V0	27058.00	27418.00	27868.00	28258.00	AS100ANB12V1	C4277V0	28479.00	28875.00	29370.00	29799.00
125MM	AS100ANB14V1	C7277V0	28882.00	29402.00	30072.00	30642.00	AS125ANB12UV1	C7277V0	34489.00	35061.00	35798.00	36425.00
150MM	AS125ANB12UV1	C7270V0	36302.00	36972.00	37832.00	38572.00	AS150ANB11V1	C7870V0	47338.00	48075.00	49021.00	49835.00

Note:

- ☑ For SS304 Stem 10% Extra
- ☑ For SS316 Stem 15% Extra
- ☑ For EPDM / NBR Seat Price Remain Same
- ☑ For Viton Seal Available on request.

Features:

- ☑ 360° Rotation
- ☑ Nominal Diameter: DN40 - DN600.
- ☑ Pressure Range (bar): PN10, PN16.
- ☑ Bi-directional Zero Leakage Butterfly Valve.
- ☑ ISO Pad For Mounting, Gear Operator / Actuator.
- ☑ Face To Face Dimension: API 609 (CAT A)
- ☑ 100% Tested Under Water And Pneumatic.

COUPLER

Model No.	Description	Price Per Unit
C4257V0	Coupler Kit DN50/65 Blv & DN100 Bfv 14x14 With AD100/125 Actuator 22x22 F05 F07	858.00
C7870V0	Coupler Kit DN80 Blv & DN125/150 Bfv 17x17 With AD150 Actuator 27x27 F07 F10	1250.00
C2870V0	Coupler Kit DN100 Blv & DN200/250 Bfv 22x22 With AD150 Actuator 27x27 F07 F10	1480.00
C4755V0	Coupler Kit DN50/65 Blv & DN100 Bfv 14x14 With AD80 Actuator 17x17 F05 F05	966.00
C1257V0	Coupler Kit DN25/32/40 Blv & DN40/50/65/80 Bfv 11x11 With AD100/125 Actuator 22x22 F05 F07	757.00
C7270V0	Coupler Kit DN80 Blv & Dn125/150 Bfv 17x17 With AD100/125 Actuator 22x22 F07 F10	1132.00
C1250V0	Coupler Kit DN25/32/40 Blv & DN40/50/65/80 Bfv 11x11 With AD100/125 Actuator 22x22 F05 F10	643.00
C7277V0	Coupler Kit DN80 Blv & DN125/150 Bfv 17x17 With AD100/125 Actuator 22x22 F07 F07	822.00
C9133V0	Coupler Kit DN15/20 Blv 9x9 With AD50 Actuator 11x11 F03 F03	310.00
C4777V0	Coupler Kit DN50/65 Blv & Dn100 Bfv 14x14 With AD80 Actuator 17x17 F07 F07	778.00
C9933V0	Coupler Kit DN15/20 Blv 9x9 With AD32 Actuator 9x9 F03 F03	152.00
C1755V0	Coupler Kit DN25/32/40 Blv & DN40/50/65/80 Bfv 11x11 With AD80 Actuator 17x17 F05 F05	532.00
C4277V0	Coupler Kit DN50/65 Blv & DN100 Bfv 14x14 With AD100/125 Actuator 22x22 F07 F07	858.00
C1455V0	Coupler Kit DN25/32/40 Blv & DN40/50/65/80 Bfv 11x11 With AD63 Actuator 14x14 F05 F05	460.00
C1155V0	Coupler Kit DN25/32/40 Blv & DN40/50/65/80 Bfv 11x11 With AD50 Actuator 11x11 F05 F05	403.00

GEAR BOX

Model No.	Description	Price Per Unit
GA1155V0	Gear Box Auto DN25&40 Ball Valve With AD50 F05 - F05	3490.00
GA4477V0	Gear Box Auto DN50&65 Ball Valve With AD63 F07 - F07	3385.00
GA7777V0	Gear Box Auto DN80 Ball Valve With AD80 F07 - F07	4550.00
GA2270V0	Gear Box Auto DN100 Ball Valve With AD100&125 F07 - F10	6650.00
GA2800V0	Gear Box Auto DN100 Ball Valve With AD150 F10 - F10	6650.00
GA7277V0	Gear Box Auto DN80 Ball Valve With AD100&125 F07 - F07	6650.00
GA4777V0	Gear Box Auto DN50&65 Ball Valve With AD80 F07 - F07	4550.00
GA2200V0	Gear Box Auto DN100 Ball Valve With AD100&125 F10 - F10	6650.00

PNEUMATICALLY CONTROLLED Y TYPE VALVE WITH SS ACTUATOR (ANGLE SEATED)

Size	½" to 2"
End Connection	BSP / NPT / Flange End / Tri-Clamp
Body Material	SS304, Optional: SS316
Body sleeve & Shaft	SS304, Optional: SS316
Seat	PTFE Backed by EPDM, VITON, Silicon
Pneumatic Pressure	3.5 to 7 Bar
Temperature	Up to 180°C
Media	Air, Water, Gas, Chemical, Steam



Model No.	Port Size (in)	Orifice (mm)	Screwed Price Per Unit Rs		Flange Price Per Unit		Tri-clamp Price Per Unit		Spare Seal Kit Price In Rs.
			Price Per Unit Rs. (NC)	Price Per Unit Rs. (NO)	Price Per Unit Rs. (NC)	Price Per Unit Rs. (NO)	Price Per Unit Rs. (NC)	Price Per Unit Rs. (NO)	
YCP205BNV0	½"	14.5	2990.00	3331.00	3891.00	4452.00	3490.00	3850.00	743.00
YCP305BNV0	¾"	20	3260.00	3485.00	4645.00	5096.00	3850.00	4150.00	831.00
YCP405BNV0	1"	25	3720.00	4286.00	5304.00	6212.00	4590.00	5291.00	968.00
YCP505BNV0	1¼"	32	4010.00	4978.00	6336.00	7810.00	5750.00	6479.00	1078.00
YCP605BNV0	1½"	40	5150.00	5832.00	8228.00	9812.00	6590.00	7590.00	1078.00
YCP803BNV0	2"	50	6620.00	7296.00	10590.00	11990.00	7890.00	8590.00	1623.00

Note:

- ☑ For NPT Thread 10% Extra.
- ☑ For SS316 40% Extra On List Price.
- ☑ Pneumatic Pressure above 7 Bar is not recommended.
- ☑ For high Pressure Application customized valve available on request.

PNEUMATICALLY CONTROLLED Y TYPE VALVE WITH PLASTIC ACTUATOR (ANGLE SEATED)

Size	½" to 2½"
End Connection	BSP / NPT / Flange End / Tri-Clamp
Body Material	SS304, Optional: SS316
Body sleeve & Shaft	SS304, Optional: SS316
Seat	PTFE Backed by EPDM, VITON, Silicon
Pneumatic Pressure	3.5 to 7 Bar
Temperature	Up to 180°C
Media	Air, Water, Gas, Chemical, Steam



Model No.	Port Size (in)	Orifice (mm)	Pilot Pressure (Bar)	Pressure Range (Bar)	Actuator	Screwed Price Per Unit Rs		Flange Price Per Unit		Tri-clamp Price Per Unit		Spare Seal Kit Price In Rs.
						Price Per Unit Rs. (NC)	Price Per Unit Rs. (NO)	Price Per Unit Rs. (NC)	Price Per Unit Rs. (NO)	Price Per Unit Rs. (NC)	Price Per Unit Rs. (NO)	
ACP2054BNV1	½"	14.5	4.5 to 7	0 to 16	40	2990.00	3331.00	3891.00	4452.00	3490.00	3850.00	743.00
ACP3055BNV1	¾"	20	4.5 to 7	0 to 16	50	3260.00	3485.00	4645.00	5096.00	3850.00	4150.00	831.00
ACP4056BNV1	1"	25	5.5 to 7	0 to 16	63	3720.00	4286.00	5304.00	6212.00	4590.00	5291.00	968.00
ACP5059BNV1	1¼"	32	3.5 to 7	0 to 16	90	4612.00	5580.00	7286.00	8760.00	6613.00	7342.00	1078.00
ACP6059BNV1	1½"	40	4.5 to 7	0 to 16	90	5923.00	6605.00	9001.00	10585.00	7579.00	8363.00	1240.00
ACP8059BNV1	2"	50	5.8 to 7	0 to 16	90	6620.00	7296.00	10590.00	11990.00	7890.00	8590.00	1623.00
ACP9039BNV1	2½"	65	4.5 to 7	0 to 7	90	9890.00	11590.00	15390.00	17190.00	NA	NA	2950.00
ACP2044BNV1	½"	20	3 to 7	0 to 10	40	2990.00	3331.00	3891.00	4452.00	3490.00	3850.00	743.00
ACP3045BNV1	¾"	25	3.5 to 7	0 to 10	50	3260.00	3485.00	4645.00	5096.00	3850.00	4150.00	831.00
ACP4046BNV1	1"	32	4.5 to 7	0 to 10	63	3720.00	4286.00	5304.00	6212.00	4590.00	5291.00	968.00
ACP5046BNV1	1¼"	40	5 to 7	0 to 10	63	4010.00	4978.00	6336.00	7810.00	5750.00	6479.00	1078.00
ACP6049BNV1	1½"	50	3.5 to 7	0 to 10	90	5923.00	6605.00	9001.00	10585.00	7579.00	8363.00	1240.00
ACP8049BNV1	2"	50	4.2 to 7	0 to 10	90	6620.00	7296.00	10590.00	11990.00	7890.00	8590.00	1623.00

Note:

- ☑ For NPT Thread 10% Extra.
- ☑ For SS316 40% Extra On List Price.
- ☑ Pneumatic Pressure above 7 Bar is not recommended.
- ☑ For above / below plug modification available on request.
- ☑ For high Pressure Application customized valve available on request.
- ☑ For Bi-Directional valve 10% Extra on list price.



Made In India



CONTACT US:

✉ sales@uflowvalve.com 📞 +91 85110 98822 📞 +91-2827-254343 🌐 www.uflowvalve.com
📍 Uflow Automation, Ankur Industrial Complex, Survey No: 275/276, Plot No: 31, Nr. Intol Cast Pvt. Ltd. Shapar(Veraval) Dist.: Gujarat (India) - 360 024.