



Empowering SMEs & MSMEs, Empowering Growth

sme@sme.supply

+91 7506991063

SNAP-FIT SPACERS


Material : Nylon 66 Natural UL94-V2

H	PART CODE
15	SME15SR
25	SME25SR



Material : Nylon 66 Natural UL94-V2

H	PART CODE
12	SME12SS
15	SME15SS



Snap - Fit Spacers


Material : Nylon 66 Natural UL94-V2

H	PART CODE
10	SME103SS
12	SME123SS



Material : Nylon 66 Natural UL94-V2


H	PART CODE
8	SMESSN8
10	SMESSN10
12	SMESSN12
14	SMESSN14
15	SMESSN15



Snap - Fit Spacers (LCD Board Mounting)

Material : Nylon 66 Natural UL 94 - V2

H	PART CODE
4	SME3NN4
5	SME3NN5
7	SME3NN7



Snap - Fit Spacers

Material : Nylon 66 Natural UL 94 - V2

H	PART CODE
10	SMERS10
12	SMERS12



MOUNTING:


4MM HOLE IN PCB
PCB THK. 1.6MM

MATERIAL:

NYLON 66 NATURAL

AVAILABLE SIZES:


H	PART CODE
15	SME15SR
25	SME25SR



		TOLERANCE UNLESS OTHERWISE STATED	+0.2 ANGLE ±0°10'
HEAT TREATMENT	NA		UNIT MM
MATERIAL	NYLON66	DATE 16/6/10	QTY.
TITLE SNAP FIT SPACER		DRG.NO. 025	
		SCALE 5:1	SHEET 1 OF 1

MOUNTING:


4MM HOLE IN PCB
PCB THK. 1.6MM




AVAILABLE SIZES:

H	PART CODE
12	SME12SS
15	SME15SS

		TOLERANCE UNLESS OTHERWISE STATED	± 0.2 ANGLE $\pm 0'10''$
HEAT TREATMENT	NA		UNIT MM
MATERIAL	NYLON66 NATURAL	DATE 16/6/10	QTY.
TITLE SNAP FIT SPACER		DRG.NO. 026	
		SCALE 5:1	SHEET 1 OF 1




H (mm)	PART CODE
10	SME103SS
12	SME123SS



		TOLERANCE UNLESS OTHERWISE STATED	±0.2 ANGLE +0°10'
HEAT TREATMENT	NA		UNIT MM
MATERIAL	NYLON66 NATURAL	DATE 14.5.19	QTY.
TITLE	DRG.NO. 203		
SNAP FIT SPACER		SCALE 5:1	SHEET 1 OF 1

MOUNTING:

4MM HOLE IN PCB
PCB THK. 1.6MM



AVAILABLE SIZES

H	PART CODE
8	SMESSN8
10	SMESSN10
12	SMESSN12
14	SMESSN14
15	SMESSN15

		TOLERANCE UNLESS OTHERWISE STATED	± 0.2 ANGLE $\pm 0^{\circ}10'$
HEAT TREATMENT	NA		UNIT MM
MATERIAL	NYLON66 NATURAL	DATE 16/6/10	QTY.
TITLE SNAP FIT SPACER		DRG.NO. 026	
		SCALE 5:1	SHEET 1 OF 1


MOUNTING:

3.0MM HOLE IN PCB

PCB THK. 1.6MM

To Snap Lock in a 3.0mm
Hole of pcb thk.1.60mm


To Snap Lock in a 3.0mm
Hole of pcb thk.1.60mm



AVAILABLE SIZES:


H	PART CODE
4	SME3NN4
5	SME3NN5
7	SME3NN7

		TOLERANCE UNLESS OTHERWISE STAT ED	± 0.2 ANGLE $\pm 0'10'$
HEAT TREATMENT	N.A		UNIT MM
MATERIAL	NYLON 66 NATURAL	DATE 10.10.13	QTY.
TITLE SNAP FIT SPACER		DRG.NO. 075	
		SCALE 1:1	SHEET 1 OF 1



H (mm)	PART CODE
10	SMERS10
12	SMERS12

TO SNAP LOCK
IN 5.4MM DIA HOLE
IN A 1.2 TO 1.8 THK CHASI

		TOLERANCE UNLESS OTHERWISE STATED	± 0.2 ANGLE $\pm 0'10'$
HEAT TREATMENT	NA		UNIT MM
MATERIAL	NYLON66 NATURAL	DATE 14.5.19	QTY.
TITLE	DRG.NO. 204		
SNAP FIT SPACER	SCALE 5:1	SHEET 1 OF 1	