



THROUGH HOLE SPACERS HEAVY DUTY

Material : 30% Glassfilled Nylon 6


A/F	L	ID	PART CODE
12	20	6.5	SME12206.5
12	25	6.5	SME12256.5
12	30	6.5	SME12306.5
12	35	6.5	SME12356.5
12	40	6.5	SME12406.5
12	50	6.5	SME12506.5
20	20	6.5	SME20206.5
20	25	6.5	SME20256.5
20	30	6.5	SME20306.5
20	35	6.5	SME20356.5
20	40	6.5	SME20406.5
20	50	6.5	SME20506.5







AVAILABLE SIZES

A/F	L	ID	PART CODE
12	20	6.5	SME12206.5
12	25	6.5	SME12256.5
12	30	6.5	SME12306.5
12	35	6.5	SME12356.5
12	40	6.5	SME12406.5
12	50	6.5	SME12506.5

		TOLERANCE UNLESS OTHERWISE STATED		± 0.2 ANGLE $\pm 0'10'$
HEAT TREATMENT N.A				UNIT MM
MATERIAL GLASSFILLED NYLON 6		DATE 17.8.2011		QTY.
TITLE HEAVY DUTY THROUGH HOLE SPACERS		DRG.NO. 207		
		SCALE 1:1		SHEET 1 OF 1



AVAILABLE SIZES

A/F	L	ID	PART CODE
20	20	6.5	SME20206.5
20	25	6.5	SME20256.5
20	30	6.5	SME20306.5
20	35	6.5	SME20356.5
20	40	6.5	SME20406.5
20	50	6.5	SME20506.5

		TOLERANCE UNLESS OTHERWISE STAT ED		±0.2 ANGLE +0°10'
HEAT TREATMENT	N.A		UNIT	MM
MATERIAL	GLASSFILLED NYLON 6	DATE	QTY.	
		17.8.2011		
TITLE	HEAVY DUTY THROUGH HOLE SPACERS		DRG.NO.	207A
		SCALE 1:1	SHEET 1 OF 1	