


Price List With Effect From 01-07-2025



TARGET

Trusted Name in Indication Industry

TARGET



Electronic Hooter

96mm x 96mm (Variable Tone)

Housing : Acrylonitrile Butadiene Styrene (Black)

Audible Range : 100 db Approx. (at 1 Meter)

Mounting : Flush/Base/Wall

Tone : Black Cabinet-Intermittent

Input Voltage : 12V/24/30V/48V / 110V DC,110V/230V AC

Tone : Intermittent

Description	Model No.	Price
Flush Mounting	96-EHS	1255
Base Mounting	96-EHS-B	1330
Wall Mounting	96-EHS-W	1330
Potential Free Contact	96-EHP	1255
With 5mm LED	96-EHL	1340
With Volume Control	96-EHV	1500
With Volume & LED	96-EHVL	1565
With Acceptance	96-EHA	2290
With Volume & Acceptance	96-EHVA	2520

Tone : Musical

Description	Model No.	Price
Flush Mounting	96-EHM	1385
Base Mounting	96-EHM-B	1465
Wall Mounting	96-EHM-W	1465
With Volume Control	96-EHVM	1630

Universal Input Voltage

Tone	Voltage	Model No.	Price
Intermittent	24V to 250V AC/DC	96-EHU	1950

Tone : Intermittent

Description	Voltage	Model No.	Price
With Acceptance	24V to 250V AC/DC	96-EHUA	2980
With Volume Control	24V to 250V AC/DC	96-EHUV	2190



Electronic Hooter

72mm x 72mm (Selectable Tone)

Housing : Acrylonitrile Butadiene Styrene (Black)

Audible range : 90 db Approx. (at 1 Meter)

Mounting : Flush/Base/Wall

Tone : Black Cabinet-Intermittent

Input Voltage :12V/24V DC,110V/230V AC

Tone : Intermittent

Description	Model No.	Price
Flush Mounting	72-EHS	1210
Base Mounting	72-EHS-B	1210
Wall Mounting	72-EHS-W	1210



Electronic Buzzer 48mm X 48mm

Housing : Acrylonitrile Butadiene Styrene (Black)

Audible Range : 80 db Approx. (at 1Feet)

Mounting : Flush/Base/Wall

Tone : Intermittent

Input Voltage : 12V/24V/30V/48V/ 110V DC,110V/230V AC

Tone : Intermittent

Description	Model No.	Price
Flush Mounting	48-EBS	935
Base Mounting	48-EBB	935
Wall Mounting	48-EBW	935



Electronic Hooter 144mm x 144mm (Variable Tone)

Housing : Acrylonitrile Butadiene Styrene (Gray)

Audible range: 107 db Approx. (at 1 Meter)

Mounting : Flush/Base

Tone : Intermittent


Input Voltage : 12V/24V/30V/48/110V DC,110V/230V AC

Tone : Intermittent

Description	Model No.	Price
Electronic Hooter with 10mm LED	144-EHL	4325
With Acceptance	144-EHA	4675
Potential Free Content	144-EHP	4325
Electronic Hooter	144-EHS	4325
With Volume	144-EHV	4325

Universal Input Voltage

Tone	Voltage	Model No.	Price
Intermittent	24V to 250V AC/DC	144-EHU	3810



Electronic Hooter (Hivol)

Housing : M. S. with Powder Coating

Cabinet Size : 213 mm x 137mm

Tone : Intermittent

Audible Rang : 113db Approx. (at 1 Meter)

Input Voltage : 12V/24/30V/48V DC,110V/230V AC

Description	Tone	Model No.	Price
213mm x 137mm	Intermittent	HVH	6945



Electronic Circuit with Detachable Speaker

Housing : Acrylonitrile Butadiene Styrene

Cabinet Size : 113mm X 113mm

Tone : Black Cabinet-Intermittent

Speaker : P.A or Target

Input Voltage : 12V/24V/30V/48V / 110V DC, 110V / 230V AC

Tone : Intermittent

Description	Model No.	Price
Electronic Circuit	DEHV	1495
With Speaker	DEHVS	1595



22.5mm Indicating Lamp with or without Buzzer


Housing : Acrylonitrile Butadiene Styrene

Lens Colour : Red, Amber, Green, Blue, White

Audible Range : 70 db Approx. (at 1 feet)

Input Voltage : 12V/24V DC/110V/220V AC or DC

Description	Model No.	Price
Buzzer	RB	435
Steady Lamp	SR	220
Flasher Lamp	FR	620
Steady Lamp + Buzzer	SRB	695
Flash Lamp + Buzzer	FRB	695
Intermittent Buzzer	IRB	620



Busbar Indication

Housing : M. S. with Powder Coating

Lens Base Housing : Acrylonitrile Butadiene Styrene

Lens : Styrene Acrylonitrile

Lens Colour : Red, Amber, Blue

Input Voltage : 230V AC

Description	Model No.	Price
Busbar Indication	BI	6055



Flasher with or without Buzzer (LED)

Housing : Acrylonitrile Butadiene Styrene

Lens : Styrene Acrylonitrile

Lens Colour : Red, Amber, Green, Blue, White

Audible Range : 70 db Approx. (at 1 feet)

Input Voltage : 12V/24V/48V DC, 110V / 230V AC

Flasher	Model No.	Lens Colour	Price
LED	CFLL	Red, Amber, Green	1900
LED	CFLL	White, Blue	2245
LED	CFLLB	Red, Amber, Green	2285
LED	CFLLB	White, Blue	2630
LED	CSLL	Red, Amber, Green	1900

Revolving Light with or without Buzzer (LED)

Housing : Acrylonitrile Butadiene Styrene

Lens : Polycarbonate

Lens Colour : Red,Amber,Green,White,Blue(Blue LED with Clear Lens)

Audible Range : 70 db Approx.(at 1 feet)

Input Voltage : 12V/24V DC,110V /230V AC

Revolving	Model No.	Lens Colour	Price
LED	LR	Red, Amber, Green	3825
LED	LR	White, Blue	4535
LED	LRB	Red, Amber, Green	4185
LED	LRB	White, Blue	4885

Universal Input Voltage (24V to 250V AC / DC)

Revolving	Model No.	Lens Colour	Price
LED	LRU	Red, Amber, Green	5945
LED	LRU	White, Blue	6300
LED	LRBU	Red, Amber, Green	6400
LED	LRBU	White, Blue	6750

Revolving	Model No.	Lens Colour	Price
LED	LR (V: 110V DC)	Red, Amber, Green	5260
LED	LR (V:63,.5V AC)	Red, Amber, Green	3825
LED	LR (V:63.5V AC)	White, Blue	4535



Electronic Hooter with Revolving Light Hooter/ Revolving

Housing : Acrylonitrile Butadiene Styrene

Audible Range : 100 db Approx. (at 1 Meter)

Mounting : Base/Wall

Tone : Black Cabinet- Intermittent

Lens : Polycarbonate

Lens Colour : Red,Amber,Green,White,Blue(Blue LED with Clear Lens)

Revolving : LED Version

Input Voltage : 12V/24VDC,110V/230V AC

Revolving Tone	Cabinet Colour	Model No.	Price
LED Intermittent	Black	96-EHS-LR	5105
LED Intermittent	Black	96-EHA-LR	6115
LED Intermittent	Black	96-EHV-LR	5315
LED Intermittent	Black	96-EHVA-LR	6410

Tone Intermittent

Revolving	Voltage	Model No.	Price
LED	48V or 110V DC	96-EHS-LR	7205
LED	24V TO 250V AC / DC	96-EHU-LR	7535





Electronic Hooter with Revolving Light Hooter/ Revolving

Housing : Acrylonitrile Butadine Styrene (Gray)

Audible Range : 107 db Approx. (at 1 Meter)

Mounting : Base

Tone : Intermittent

Lens : Polycarbonate

Lens Colour : Red,Amber,Green,White,Blue(Blue LED with Clear Lens)

Revolving : LED Version

Input Voltage : 12V/24V DC,110V/230V AC

Hooter Size : 144mm x 144mm

Flasher	Tone	Model No.	Price
LED	Intrmittent	144-EHS-LR	8125
LED	Intermittent	144-EHA-LR	8800
LED	Intermittent	144-EHS-LR(48V AC or DC)	9225

Universal Input Voltage (24V to 250V AC/DC)

Tone	Model No.	Price
Intermittent	144-EHU-LR	9625



Electronic Hooter with Flasher Hooter/Flasher

Housing : Acrylonitrile Butadine Styrene

Audible Range : 100 db Approx. (at 1 Meter)

Mounting : Base/Wall

Tone : Black Cabinet- Intermittent

Lens : Styrene Acrylonitrile

Lens Colour : Red,Amber,Green,White,Blue

Input Voltage : 12V/24V/30V/48V/ DC,110V/230V AC

Hooter Size : 96MM X 96MM

Flasher	Housing Colour	Model No.	Price
LED	Black	96-EHS-CFLL	3200
LED	Black	96-EHA-CFLL	4235
LED	Black	96-EHV-CFLL	3440
LED	Black	96-EHVA-CFLL	4485



Electronic Hooter with Flasher Hooter/Flasher

Housing : Acrylonitrile Butadine Styrene (Gray)

Audible Range : 107 db Approx. (at 1 Meter)

Mounting : Base

Tone : Intermittent

Lens : Styrene Acrylonitrile

Lens Colour : Red,Amber,Green,White,Blue

Input Voltage : 12V/24V/30V/48V/ DC,110V/230V AC

Hooter Size : 144mm x 144mm

Flasher	Tone	Model No.	Price
LED	Intermittent	144-EHS-CFLL	6055
LED	Intermittent	144-EHV-CFLL	6465
LED	Intermittent	144-EHA-CFLL	6600



Electronic Hooter with Tower Light

Housing : Acrylonitrile Butadiene Styrene
Base Patti : M.S. Powder Coating
Audible Range : 100 db Approx. (at 1 Meter)
Mounting : Base/Wall
Tone : Black Cabinet- Intermittent
Lens : Styrene Acrylonitrile
Lens Colour : Red, Amber, Green, Blue, White
Input Voltage : 12V /24V DC/110V/230V AC

Tone : Intermittent

Model No.	Price
96-EHS-1-LTS	3965
96-EHS-2-LTS	4470
96-EHS-3-LTS	4900

Please specify Hooter with Flasher or Steady

Tower Light (LED) Steady + Flasher + Buzzer

Housing : Acrylonitrile Butadiene Styrene
Lens : Styrene Acrylonitrile
Lens Colour : Red, Amber, Green, Blue, White
Audible Range : 70 db Approx. (at 1 feet)
Input Voltage : 12V/24V DC, 110V /230V AC

Steady

Stock	Model No.	Price
1	1-LTSS	2575
2	2-LTSS	3035
3	3-LTSS	3470
4	4-LTSS	4380
5	5-LTSS	5195

Steady + Buzzer

Stock	Model No.	Price
1	1-LTSSB	3080
2	2-LTSSB	3545
3	3-LTSSB	4005
4	4-LTSSB	4880
5	5-LTSSB	5710

Steady + Flasher

Stock	Model No.	Price
1	1-LTS	2705
2	2-LTS	3215
3	3-LTS	3655
4	4-LTS	4470
5	5-LTS	5280

Steady + Flasher + Buzzer

Stock	Model No.	Price
1	1-LTSB	3215
2	2-LTSB	3720
3	3-LTSB	4160
4	4-LTSB	5020
5	5-LTSB	5800

Input Voltage 48V / 72V DC

Steady

Stock	Model No.	Price
1	1-LTSS	3960
2	2-LTSS	4475
3	3-LTSS	5005

Steady + Buzzer

Stock	Model No.	Price
1	1-LTSSB	4830
2	2-LTSSB	5010
3	3-LTSSB	5885

Steady + Flasher

Stock	Model No.	Price
1	1-LTS	4260
2	2-LTS	4780
3	3-LTS	5310

Steady + Flasher + Buzzer

Stock	Model No.	Price
1	1-LTSB	4830
2	2-LTSB	5010
3	3-LTSB	5885

* For Blue & White Lens Colour Charge will be Rs. 495 Extra.



Mounting Rod(SS)

Description	Price
150mm	660
300mm	825

HSN Code - 72

Standard Voltage	12	24	48	110	230
For AC	A1	A2	A3	A4	A5
For DC	D1	D2	D3	D4	



Marketed by:

TARGET ELECTRICALS

124, Anand Raj Industrial Premises,
Sonapur Lane, Behind Asian Paints,
Bhandup (West), Mumbai - 400 078.

Mobile : 81044 22522

Landline : 022-3189 4063

E-mail : nktarget@gmail.com

Website : www.targetel.net

Terms & Conditions

*This price list Supersedes all previous price list.

*Order once placed shall not cancelled.

*Delivery period: Two weeks after receipts of the your purchase order.

*Delivery: Price are Ex-Mumbai office.

*Packing & forwarding, Freight changes will be extra.

*Insurance shall be buyer's responsibility.

*Goods once sold shall not be taken back or replaced.

*Price & Terms are subject to change without prior notice.

*Payment Terms: 100% against proforma invoice.

*Subject to Mumbai jurisdiction only.

*All rights reserve to change in Design, Model, Dimension & price are with us.

*Warranty: Our products are warranted for one year from billing date for any manufacturing defect.

*The obligation under this warranty is limited to only repairing or replacing the product at our own discretion.

*The warranty shall not be applicable to any other than manufacturing defect, failure, damage, accident, negligence, misapplication, alteration, attempt, to repair, service or modification in any ways.