

## SOLDERLESS TERMINALS

Control Cabinet Essentials

- Insulated Terminals
- Non-insulated Terminals



REACH  
CERTIFIED



## Price list - 2025

w.e.f. - 17/10/2025



| Ring Terminals - Insulated    |             |                 |                    |                       |
|-------------------------------|-------------|-----------------|--------------------|-----------------------|
| Wire Range<br>mm <sup>2</sup> | Article No. | Stud size<br>d2 | Description        | Price List<br>(Rs/Pc) |
| 0.5-1.5 mm <sup>2</sup>       | 01 I7 27051 | 3.20            | TTRVBI-3.2 (7060)  | 2.37                  |
|                               | 01 I7 27055 | 3.20            | TTRVBI-3.25 (7054) | 2.33                  |
|                               | 01 I7 04183 | 3.70            | TTRVBI-3.7         | 2.31                  |
|                               | 01 I7 27052 | 3.70            | TTRVBI-3.75 (7058) | 2.33                  |
|                               | 01 I7 27053 | 4.20            | TTRVBI-4S (7056)   | 2.27                  |
|                               | 01 I7 04184 | 4.30            | TTRVBI-4           | 2.19                  |
|                               | 01 I7 04185 | 5.30            | TTRVBI-5           | 2.52                  |
|                               | 01 I7 06845 | 6.40            | TTRVBI-6           | 3.08                  |
| 1.5-2.5 mm <sup>2</sup>       | 01 I7 27054 | 8.20            | TTRVB 1-8          | 3.18                  |
|                               | 01 I7 27056 | 3.70            | TTRVBL2-3.7 (7070) | 2.57                  |
|                               | 01 I7 04186 | 4.30            | TTRVBL2-4          | 3.00                  |
|                               | 01 I7 27049 | 4.30            | TTRVBL2-4S         | 3.00                  |
|                               | 01 I7 27059 | 5.20            | TTRVBL2-5S (7072)  | 2.86                  |
|                               | 01 I7 04187 | 5.30            | TTRVBL2-5          | 3.49                  |
|                               | 01 I7 04188 | 6.40            | TTRVB2-6           | 4.34                  |
|                               | 01 I7 27057 | 6.40            | TTRVBL2-6S (7074)  | 3.24                  |
|                               | 01 I7 04189 | 8.40            | TTRVB2-8           | 4.04                  |
|                               | 01 I7 06846 | 10.50           | TTRVBL2-10         | 5.59                  |
| 4-6 mm <sup>2</sup>           | 01 I7 27058 | 13.00           | TTRVBL2-12 (7082)  | 6.64                  |
|                               | 01 I7 04190 | 4.30            | TTRVBLS-4 (7085)   | 5.29                  |
|                               | 01 I7 27060 | 5.20            | TTRVB5-5L (7088)   | 5.18                  |
|                               | 01 I7 04191 | 5.30            | TTRVB5-5 (7086)    | 6.27                  |
|                               | 01 I7 04192 | 6.40            | TTRVB5-6           | 6.46                  |
|                               | 01 I7 27061 | 8.20            | TTRVB5-8S (7090)   | 7.84                  |
|                               | 01 I7 04193 | 8.40            | TTRVB5-8           | 6.36                  |
|                               | 01 I7 27062 | 9.00            | TTRVB5-8L (7021)   | 10.47                 |
|                               | 01 I7 06847 | 10.50           | TTRVB5-10          | 9.38                  |



### Ring Terminals - Insulated

| Wire Range<br>mm <sup>2</sup> | Article No. | Stud size<br>d2 | Description        | Price List<br>(Rs/Pc) |
|-------------------------------|-------------|-----------------|--------------------|-----------------------|
| 8-10 mm <sup>2</sup>          | 01 17 27063 | 5.2             | TTRVB8-5 (7025)    | 5.83                  |
|                               | 01 17 04194 | 6.4             | TTRVBL8-6          | 10.37                 |
|                               | 01 17 27064 | 6.4             | TTRVB8-6S (7120)   | 6.16                  |
|                               | 01 17 04195 | 8.4             | TTRVB8-8           | 9.57                  |
|                               | 01 17 27065 | 10.2            | TRVB8-10L (7123)   | 12.18                 |
|                               | 01 17 06848 | 10.5            | TTRVB8-10          | 10.53                 |
|                               | 01 17 27066 | 12.7            | TTRVB8-12L (7028)  | 11.88                 |
|                               | 01 17 06849 | 13              | TTRVB8-12          | 13.11                 |
| (14-16 mm <sup>2</sup> ) 16   | 01 17 04196 | 6.40            | TTRVBS14-6         | 17.70                 |
|                               | 01 17 04197 | 8.40            | TTRVB14-8          | 19.75                 |
|                               | 01 17 27068 | 10.20           | TTRVB14-10L (7128) | 18.84                 |
|                               | 01 17 04198 | 10.50           | TTRVB14-10         | 19.11                 |
|                               | 01 17 06850 | 13.00           | TTRVB14-12         | 22.87                 |
|                               | 01 17 27067 | 13.00           | TTRVB14-12S (7033) | 16.38                 |
|                               | 01 17 06851 | 15.00           | TTRVB14-14         | 30.35                 |



### Ring Terminals - Non-Insulated

| Wire Range<br>mm <sup>2</sup> | Article No. | Stud size<br>d2 | Description        | Price List<br>(Rs/Pc) |
|-------------------------------|-------------|-----------------|--------------------|-----------------------|
| 0.5-1.5 mm <sup>2</sup>       | 01 17 27000 | 3.20            | TTRNB1-3.2 (7104)  | 1.92                  |
|                               | 01 17 27004 | 3.20            | TTRNB1-3.2S        | 1.65                  |
|                               | 01 17 04212 | 3.70            | TTRNB1-3.7         | 1.78                  |
|                               | 01 17 27001 | 3.70            | TTRNB1-3.7S (7048) | 1.62                  |
|                               | 01 17 27002 | 4.20            | TTRNB1-4S (7154)   | 1.50                  |
|                               | 01 17 04213 | 4.30            | TTRNB1-4 (7003)    | 1.71                  |
|                               | 01 17 04214 | 5.30            | TTRNB1-5 (7005)    | 1.91                  |
|                               | 01 17 06852 | 6.40            | TTRNB1-6 (7106)    | 2.70                  |
|                               | 01 17 27003 | 8.20            | TTRNB1-8 (1.5-8)   | 2.62                  |
| 1.5-2.5 mm <sup>2</sup>       | 01 17 27005 | 3.70            | TTRNB2-3.7 (7108)  | 2.41                  |
|                               | 01 17 04215 | 4.30            | TTRNBL2-4 (7009)   | 2.24                  |
|                               | 01 17 27050 | 4.30            | TTRNBL 2-4S        | 2.21                  |
|                               | 01 17 27008 | 5.20            | TTRNBL2-5S (7010)  | 2.23                  |
|                               | 01 17 04216 | 5.30            | TTRNBL2-5 (7109)   | 2.64                  |
|                               | 01 17 04217 | 6.40            | TTRNB2-6 (7012)    | 3.47                  |
|                               | 01 17 27006 | 6.40            | TTRNBL2-6S (7011)  | 2.45                  |
|                               | 01 17 04218 | 8.40            | TTRNB2-8 (7013)    | 3.13                  |
|                               | 01 17 06853 | 10.50           | TTRNBL2-10 (7151)  | 5.21                  |
|                               | 01 17 27007 | 13.00           | TTRNBL2-12 (7047)  | 5.49                  |
| 4-6 mm <sup>2</sup>           | 01 17 04219 | 4.30            | TTRNBL5-4 (7112)   | 3.90                  |
|                               | 01 17 27009 | 5.20            | TTRNB5-5L (7113)   | 4.81                  |
|                               | 01 17 04220 | 5.30            | TTRNB5-5 (7016)    | 3.94                  |
|                               | 01 17 04221 | 6.40            | TTRNB5-6 (7019)    | 4.99                  |
|                               | 01 17 27010 | 8.20            | TTRNB5-8S (7018)   | 4.36                  |
|                               | 01 17 04222 | 8.40            | TTRNB5-8 (7021)    | 6.25                  |
|                               | 01 17 27011 | 9.20            | TTRNB5-8L (7021)   | 5.96                  |
|                               | 01 17 06854 | 10.50           | TTRNB5-10 (7022)   | 7.55                  |
|                               | 01 17 27012 | 5.20            | TTRNB8-5 (7025)    | 6.70                  |
| 8-10 mm <sup>2</sup>          | 01 17 04223 | 6.40            | TTRNBL8-6          | 9.60                  |
|                               | 01 17 27013 | 6.40            | TTRNB8-6S (7120)   | 6.36                  |
|                               | 01 17 04224 | 8.40            | TTRNB8-8 (7121)    | 8.80                  |
|                               | 01 17 27014 | 10.20           | TTRNB8-10L (7123)  | 13.30                 |
|                               | 01 17 06855 | 10.50           | TTRNB8-10 (7027)   | 10.11                 |
|                               | 01 17 27015 | 12.70           | TTRNB8-12L (7028)  | 12.03                 |
|                               | 01 17 06856 | 13.00           | TTRNB8-12          | 10.40                 |



### Ring Terminals - Non-Insulated

| Wire Range<br>mm <sup>2</sup> | Article No. | Stud size<br>d2 | Description            | Price List<br>(Rs/Pc) |
|-------------------------------|-------------|-----------------|------------------------|-----------------------|
| (14-16 mm <sup>2</sup> ) 16   | 01 17 04225 | 6.40            | TTRNBS14-6 (7029)      | 13.11                 |
|                               | 01 17 04226 | 8.40            | TTRNB14-8 (7030)       | 15.29                 |
|                               | 01 17 27017 | 10.20           | TTRNBL14-10 (7128)     | 18.04                 |
|                               | 01 17 04227 | 10.50           | TTRNB14-10 (7032)      | 14.50                 |
|                               | 01 17 06857 | 13.00           | TTRNB14-12             | 18.80                 |
|                               | 01 17 27016 | 13.00           | TTRNB 14-12S (TR-7033) | 16.65                 |
|                               | 01 17 06858 | 15.00           | TTRNB14-14             | 28.38                 |
| (22 mm <sup>2</sup> ) 25      | 01 17 27018 | 6.40            | TTRNB22-6 (7129)       | 25.95                 |
|                               | 01 17 27020 | 8.20            | TTRNB22-8S (7034)      | 24.20                 |
|                               | 01 17 06859 | 8.40            | TTRNB22-8 (7036)       | 24.24                 |
|                               | 01 17 27021 | 10.20           | TTRNB22-10S (7035)     | 24.33                 |
|                               | 01 17 06860 | 10.50           | TTRNB22-10 (7131)      | 24.13                 |
|                               | 01 17 27019 | 13.00           | TTRNB22-12 (7037)      | 36.71                 |
| (38 mm <sup>2</sup> ) 35      | 01 17 06861 | 6.40            | TTRNBL38-6             | 35.93                 |
|                               | 01 17 27022 | 6.40            | TTRNB38-6S (7133)      | 29.67                 |
|                               | 01 17 27023 | 8.20            | TTRNB38-8S (7038)      | 28.66                 |
|                               | 01 17 06862 | 8.40            | TTRNBL38-8             | 36.54                 |
|                               | 01 17 06863 | 10.50           | TTRNBL38-10            | 34.43                 |
|                               | 01 17 27024 | 12.70           | TTRNB38-12S (7040)     | 39.57                 |
| (60 mm <sup>2</sup> ) 50      | 01 17 06864 | 6.40            | TTRNBL60-6             | 56.80                 |
|                               | 01 17 06865 | 8.40            | TTRNBL60-8             | 52.29                 |
|                               | 01 17 06866 | 10.50           | TTRNBL60-10 (7138)     | 50.15                 |
|                               | 01 17 27025 | 13.00           | TTRNBL60-12 (7042)     | 54.11                 |
|                               | 01 17 27026 | 16.00           | TTRNBL60-16 (7139)     | 64.25                 |
| 70 mm <sup>2</sup>            | 01 17 06867 | 8.40            | TTRNBL70-8             | 68.43                 |
|                               | 01 17 27029 | 10.20           | TTRNB70-10S (7140)     | 69.35                 |
|                               | 01 17 06868 | 10.50           | TTRNBL70-10            | 59.33                 |
|                               | 01 17 27027 | 13.00           | TTRNBL70-12 (7043)     | 65.70                 |
|                               | 01 17 27028 | 16.00           | TTRNBL70-16 (7142)     | 81.14                 |



### Spade Terminals - Insulated

| Wire Range<br>mm <sup>2</sup> | Article No. | Stud size<br>d2 | Description         | Price List<br>(Rs/Pc) |
|-------------------------------|-------------|-----------------|---------------------|-----------------------|
| 0.5-1.5 mm <sup>2</sup>       | 01 17 06869 | 3.20            | TTSVB1.5-3.2 (7927) | 2.52                  |
|                               | 01 17 04199 | 3.70            | TTSVBL1-3.7 (7926)  | 2.42                  |
|                               | 01 17 04200 | 4.30            | TTSVBL1-4           | 2.12                  |
|                               | 01 17 04201 | 5.30            | TTSVBS1-5 (7925)    | 2.07                  |
| 1.5-2.5 mm <sup>2</sup>       | 01 17 10059 | 3.60            | TTSVBL2-3.5         | 3.00                  |
|                               | 01 17 04202 | 4.30            | TTSVBL2-4           | 2.24                  |
|                               | 01 17 04203 | 5.30            | TTSVBL2-5           | 4.38                  |
|                               | 01 17 27069 | 5.60            | TTSVBL2-3.2 (7928)  | 2.80                  |
|                               | 01 17 04204 | 6.40            | TTSVBS2-6L          | 3.43                  |
|                               | 01 17 06870 | 8.40            | TTSVB2-8            | 3.66                  |
|                               | 01 17 27071 | 10.00           | TTSVBS2-6           | 2.71                  |
|                               | 01 17 27070 | 10.60           | TTSVBL2-5L (7929)   | 6.06                  |
| 4-6 mm <sup>2</sup>           | 01 17 27074 | 3.60            | TTSVBL5-3 (7931)    | 4.61                  |
|                               | 01 17 04205 | 4.30            | TTSVBL5-4           | 4.03                  |
|                               | 01 17 27072 | 5.10            | TTSVBL 5-5S         | 4.34                  |
|                               | 01 17 04206 | 5.30            | TTSVB5-5            | 3.83                  |
|                               | 01 17 04207 | 6.40            | TTSVBL5-6           | 5.33                  |
|                               | 01 17 27073 | 6.40            | TTSVBL 5-6S         | 4.39                  |
|                               | 01 17 04208 | 8.40            | TTSVB5-8            | 4.88                  |
|                               | 01 17 06871 | 10.5            | TTSVB5-10           | 5.23                  |
| 8-10 mm <sup>2</sup>          | 01 17 06872 | 5.30            | TTSVBL8-5           | 7.29                  |
|                               | 01 17 04209 | 6.40            | TTSVB8-6            | 9.36                  |
|                               | 01 17 27075 | 6.50            | TTSVBL8-6L (7932)   | 12.68                 |
|                               | 01 17 27076 | 8.20            | TTSVBL8-8 (7933)    | 12.15                 |
| 14-16 mm <sup>2</sup>         | 01 17 04210 | 6.40            | TTSVB14-6           | 13.11                 |
|                               | 01 17 04211 | 8.40            | TTSVB14-8           | 15.34                 |



### Spade Terminals - Non-Insulated

| Wire Range<br>mm <sup>2</sup> | Article No. | Stud size<br>d2 | Description         | Price List<br>(Rs/Pc) |
|-------------------------------|-------------|-----------------|---------------------|-----------------------|
| 0.5-1.5 mm <sup>2</sup>       | 01 17 06873 | 3.20            | TTSNB1-3.2          | 1.80                  |
|                               | 01 17 04228 | 3.70            | TTSNBL1-3.7 (7249)  | 1.71                  |
|                               | 01 17 04229 | 4.30            | TTSNBL1-4           | 1.82                  |
|                               | 01 17 04230 | 5.30            | TTSNBS1-5           | 2.81                  |
| 1.5-2.5 mm <sup>2</sup>       | 01 17 27030 | 3.20            | TTSNBL2-3.2 (7251B) | 1.94                  |
|                               | 01 17 10058 | 3.60            | TTSNBL2-3.5 (7251)  | 2.04                  |
|                               | 01 17 04231 | 4.30            | TTSNBL2-4           | 2.27                  |
|                               | 01 17 27031 | 5.00            | TTSNBL2-5L (7280)   | 5.01                  |
|                               | 01 17 04232 | 5.30            | TTSNBL2-5           | 3.71                  |
|                               | 01 17 04233 | 6.40            | TTSNBL2-6           | 3.21                  |
|                               | 01 17 27032 | 6.50            | TTSNBL2-5           | 2.46                  |
|                               | 01 17 06874 | 8.40            | TTSNB2-8            | 3.43                  |
| 4-6 mm <sup>2</sup>           | 01 17 27035 | 3.60            | TTSNBL5-3 (7253)    | 3.65                  |
|                               | 01 17 04234 | 4.30            | TTSNBL5-4           | 3.65                  |
|                               | 01 17 27033 | 5.10            | TTSNBL 5-5S         | 3.95                  |
|                               | 01 17 04235 | 5.30            | TTSNB5-5            | 3.44                  |
|                               | 01 17 27034 | 6.40            | TTSNBL 5-6S         | 4.01                  |
|                               | 01 17 04236 | 6.40            | TTSNBL5-6           | 4.92                  |
|                               | 01 17 04237 | 8.40            | TTSNB5-8            | 4.49                  |
|                               | 01 17 06875 | 10.50           | TTSNB5-10           | 5.44                  |
| 8-10 mm <sup>2</sup>          | 01 17 04238 | 5.30            | TTSNB8-6            | 8.44                  |
|                               | 01 17 06876 | 6.40            | TTSNB8-5            | 6.47                  |
|                               | 01 17 27036 | 6.50            | TTSNBL8-6L (7254)   | 9.88                  |
|                               | 01 17 27037 | 8.20            | TTSNBL8-8 (7255)    | 9.38                  |
| 14-16 mm <sup>2</sup>         | 01 17 04239 | 6.40            | TTSNB14-6           | 11.45                 |
|                               | 01 17 04240 | 8.40            | TTSNB14-8           | 13.75                 |



### Pin Terminals Insulated

| Wire Range<br>mm <sup>2</sup> | Article No. | Stud size<br>d2 | Description | Price List<br>(Rs/Pc) |
|-------------------------------|-------------|-----------------|-------------|-----------------------|
| 0.5-1.5 mm <sup>2</sup>       | 01 17 08985 | 1.90            | TTPTVB1-12  | 2.59                  |
| 2.5 mm <sup>2</sup>           | 01 17 08986 | 1.90            | TTPTVB2-12  | 2.84                  |
| 4 mm <sup>2</sup>             | 01 17 08987 | 2.70            | TTPTVB4-14  | 5.91                  |
| 6 mm <sup>2</sup>             | 01 17 08988 | 2.70            | TTPTVB5-14  | 6.25                  |



### Pin Terminals Non Insulated

| Wire Range<br>mm <sup>2</sup> | Article No. | Stud size<br>d2 | Description  | Price List<br>(Rs/Pc) |
|-------------------------------|-------------|-----------------|--------------|-----------------------|
| 0.5-1.5 mm <sup>2</sup>       | 01 17 08205 | 1.90            | TTPTNB1-12   | 2.06                  |
| 2.5 mm <sup>2</sup>           | 01 17 08206 | 1.90            | TTPTNB2-12   | 2.35                  |
| 4 mm <sup>2</sup>             | 01 17 08207 | 2.70            | TTPTNB4-14   | 4.49                  |
| 6 mm <sup>2</sup>             | 01 17 08208 | 2.70            | TTPTNB5-14   | 4.79                  |
| 10 mm <sup>2</sup>            | 01 17 10060 | 6.70            | TTPTNB10 -14 | 7.12                  |
| 16 mm <sup>2</sup>            | 01 17 10061 | 8.20            | TTPTNB16 -16 | 12.38                 |
| 25 mm <sup>2</sup>            | 01 17 10062 | 11.10           | TTPTNB25 -20 | 29.29                 |
| 35 mm <sup>2</sup>            | 01 17 10063 | 12.60           | TTPTNB35 -23 | 33.72                 |

#### Terms & Conditions:

- This Price List supersedes all previous price lists.
- GST and Govt. levies, if any, are extra as applicable.
- Freight: Inclusive (if the dispatch value is > Rs. 60K).
- Prices are liable to change without any notice, in case the metal prices are increase by 5%.
- Warranty against manufacturing defect – 1 Year from date of invoice.
- Prices are valid for one month.

## Trinity Touch Pvt. Ltd.

[www.trinitytouch.com](http://www.trinitytouch.com)

#### INDIA

Delhi: Corporate Office  
D-10, Defence Colony, New Delhi 110024 INDIA  
Tel: +91.11.71200900  
Fax: +91.11.71200998  
E-mail: [postmaster@trinitytouch.com](mailto:postmaster@trinitytouch.com)

## Trinity Touch (EUROPE) Ltd.

[www.trinitytouch.co.uk](http://www.trinitytouch.co.uk)

#### UK

Unit-L, Tyson Courtyard, Weldon South Industrial Estate,  
Corby, Northants, NN18 8AZ, UK  
Tel: +44 (0) 1536 400 641  
Fax: +44 (0) 1536 268 043  
E-mail: [gbsales@trinitytouch.com](mailto:gbsales@trinitytouch.com)

