

PRICE LIST



KHERAJ ELECTRICAL INDUSTRIES PRIVATE LIMITED

Works : 11 BC, Old Anjirwadi, Dr. Mascarenhas Road, Mazagaon, Mumbai - 400 010 INDIA .

Tel.: 022 - 6171 5600-99 / 2372 0710

SHOW ROOM : Shreeji Bhuvan, 78, Lohar Chawl, Mumbai - 400 002. INDIA

Tel : 022 2208 7890 / 2208 7786

E-mail : info@kheraj.com • kherajoffice@gmail.com • Website : www.kheraj.com

APPROVED BY :




POLICE, FIRE BRIGADES, GOVT. DEPTS, PUBLIC SECTOR UNDERTAKINGS, ORDNANCE FACTORIES, DEPTS. OF ATOMIC ENERGY, ONGC, MINES, RAILWAYS, MUNICIPALITIES, STATE ELECTRICITY BOARDS, STATE ROAD TRANSPORT CORPS., PORTS, DEFENCE, MILLS, ETC.



KHERAJ Sirens are widely used as a very effective announcer for Textile Mills, Factories, Workshops, Masjids, Banks, Ships, Milk Centres etc. Also used as Alarm in Fire Engines, Police Vans, Ambulances and Air Raid Signals during war.

SIRENS

PRICES EFFECTIVE FROM 15-03-2024

	A. ELECTRICALLY OPERATED SIRENS	AUDIBLE RANGE IN KMS.	H.P.	MODEL	PRICE RS.
 HORIZONTAL SINGLE MOUNTING SIREN	(i) Horizontal OR Vertical Single Mounting Siren	0.10	1/80	SS-010	7,570/-
	Single Phase	0.20	1/40	SS-020	8,780/-
	220/250 V	0.50	1/20	SS-050	9,440/-
	6000 RPM	1.00	1/10	SS-100	9,890/-
	50Hz, AC	1.50	1/4	SS-150	14,670/-
		2.00	1/4	SS-200	15,150/-
 HORIZONTAL DOUBLE MOUNTING SIREN	(ii) Horizontal Double Mounting Siren	0.20	1/40	DS-020	10,530/-
	Single Phase	0.50	1/20	DS-050	10,900/-
	220/250 V	1.00	1/10	DS-100	13,160/-
	6000 RPM	1.50	1/4	DS-150	14,730/-
	50Hz, AC	3.25	1/2	DS-325	17,560/-
	(Vertical)	3.25	1/2	VDS-325	18,950/-
 VERTICAL SINGLE MOUNTING SIREN	(iii) Vertical Single Mounting Siren	0.20	1/8	VST-020	33,580/-
	Three Phase	0.50	1/4	VST-050	35,900/-
	400/440 V	1.00	1/2	VST-100	39,330/-
	2800 RPM	1.50	1	VST-150	40,660/-
	50Hz, AC	3.25	2	VST-325	48,500/-
		5.00	3	VST-500	58,260/-
	8.00	5	VST-800	71,410/-	










**KHERAJ SIRENS
LOUD & CLEAR**

SIREN RANGE IS ALWAYS DIAMETRICAL

OVER SIX DECADES OF SERVICE

SIRENS

		A. ELECTRICALLY OPERATED SIRENS	AUDIBLE RANGE IN KMS.	H.P.	MODEL	PRICE RS.
 HORIZONTAL DOUBLE MOUNTING SIREN	(iv)	Horizontal Double Mounting Siren	0.20	1/8	HDT-020	51,690/-
		Three Phase	0.50	1/4	HDT-050	55,190/-
		400/440 V	1.00	1/2	HDT-100	60,340/-
		2800 RPM	1.50	1	HDT-150	58,300/-
		50Hz, AC	3.25	2	HDT-325	63,400/-
			5.00	3	HDT-500	84,630/-
			8.00	5	HDT-800	1,03,060/-
			11.00	7.5	HDT-1100	2,23,270/-
			16.00	10	HDT-1600	2,50,100/-
	 HORIZONTAL SINGLE MOUNTING PURE AC SIREN	(v)	Horizontal Single Mounting Siren	0.20	1/8	HST-020
		Three Phase	0.50	1/4	HST-050	39,400/-
		400/440 V	1.00	1/2	HST-100	40,150/-
		2800 RPM	1.50	1	HST-150	41,530/-
	50Hz, AC	3.25	2	HST-325	45,020/-	
B. PURE AC SIRENS (CARBON BRUSHLESS)						
 HORIZONTAL SINGLE MOUNTING PURE AC SIREN	(i)	Horizontal Single Mounting Siren	1.00	1/2	PS-100	34,740/-
		Single Phase	1.50	1/2	PS-150	38,940/-
		220/250 V	3.25	1	PS-325	49,900/-
		2800 RPM	5.00	1	PS-500	63,470/-
	50Hz, AC					
 HORIZONTAL DOUBLE MOUNTING PURE AC SIREN	(ii)	Horizontal Double Mounting Siren	1.00	1/2	PD-100	39,120/-
		Single Phase	1.50	1/2	PD-150	43,910/-
		220/250 V	3.25	1	PD-325	53,870/-
		2800 RPM	5.00	1	PD-500	81,800/-
	50Hz, AC	8.00	3	PD-800	1,01,940/-	
C. FLAME PROOF SIRENS (GROUP II A & II B)						
 HORIZONTAL SINGLE MOUNTING FLAME PROOF SIREN	(i)	Horizontal Single Mounting Siren	0.50	1/4	FS-050	84,650/-
		Three Phase	1.00	1/2	FS-100	92,020/-
		400/440 V	1.50	1	FS-150	1,01,670/-
		2800 RPM 50Hz, AC	3.25	2	FS-325	1,26,710/-
 HORIZONTAL SINGLE MOUNTING FLAME PROOF SIREN	(ii)	Horizontal Single Phase Siren	0.50	1/4	FSS-050	88,440/-
		220/250 V	1.00	1/2	FSS-100	95,810/-
		2800 RPM	1.50	1	FSS-150	1,06,750/-
		50 Hz, AC	2.00	1	FSS-200	1,12,460/-
 HORIZONTAL DOUBLE MOUNTING FLAME PROOF SIREN	(iii)	Horizontal Double Mounting Siren	0.50	1/4	FD-050	91,400/-
		Three Phase	1.00	1/2	FD-100	97,470/-
		400/440 V	1.50	1	FD-150	1,12,890/-
		2800 RPM	3.25	2	FD-325	1,26,650/-
		50Hz, AC	5.00	3	FD-500	1,60,850/-
			8.00	5	FD-800	2,00,380/-
			11.50	7.5	FD-1150	2,59,760/-
			16.00	10	FD-1600	3,15,630/-
	(iv)	Horizontal Double Mounting Siren	0.50	1/4	FDD-050	1,00,840/-
		Single Phase	1.00	1/2	FDD-100	1,07,190/-
	220/250 V	1.50	1	FDD-150	1,23,310/-	
	2800 RPM	2.00	1	FDD-200	1,28,600/-	
	50Hz, AC					

AUDIO VISUAL SIREN



SINGLE MOUNTING SIREN WITH LIGHT










HORIZONTAL SINGLE MOUNTING WITH LIGHT



HORIZONTAL DOUBLE MOUNTING WITH LIGHT

A. ELECTRICALLY OPERATED SIRENS	AUDIBLE RANGE IN KMS.	H.P.	MODEL	PRICE RS.
HORIZONTAL SINGLE MOUNTING			LED TYPE	
Siren, Single Phase	0.10	1/80	SS-010+FLED-220V	16,550/-
220/250v, 6000 RPM	0.20	1/40	SS-020+FLED-220V	17,760/-
50Hz, AC	0.50	1/20	SS-050+FLED-220V	18,420/-
(Also available 110V)	1.00	1/10	SS-100+FLED-220V	18,870/-
With Flasher Light (LED/Bulb)			BULB TYPE	
(Also available Revolving Type)	0.10	1/80	SS-010+FL-220V	12,320/-
	0.20	1/40	SS-020+FL-220V	13,530/-
	0.50	1/20	SS-050+FL-220V	14,190/-
	1.00	1/10	SS-100+FL-220V	14,640/-
HORIZONTAL SINGLE MOUNTING			LED TYPE	
Siren, Single Phase	1.50	1/4	SS-150+FLED-220V	23,650/-
220/250v, 6000 RPM	2.00	1/4	SS-200+FLED-220V	24,130/-
50Hz, AC			BULB TYPE	
(Also available 110V)	1.50	1/4	SS-150+FL-220V	19,420 /-
With	1.50	1/4	SS-200+FL-220V	19,900/-
Flasher Light (LED/Bulb)				
(Also available Revolving Type)				
HORIZONTAL DOUBLE MOUNTING			LED TYPE	
Siren, Single Phase	0.20	1/40	DS-020+FLED-220V	19,510/-
220/250v, 6000 RPM	0.50	1/20	DS-050+FLED-220V	19,880/-
50Hz, AC	1.00	1/10	DS-100+FLED-220V	22,140/-
(Also available 110V)	1.50	1/4	DS-150+FLED-220V	23,710/-
With	3.25	1/2	DS-325+FLED-220V	26,540/-
Flasher Light (LED/Bulb)			BULB TYPE	
(Also available Revolving Type)	0.20	1/40	DS-020+FL-220V	15,280/-
	0.50	1/20	DS-050+FL-220V	15,650/-
	1.00	1/10	DS-100+FL-220V	17,910/-
	1.50	1/4	DS-150+FL-220V	19,480/-
	3.25	1/2	DS-325+FL-220V	22,310/-

SIRENS

 <p>BATTERY OPERATED SIREN</p>  <p>FLOOR MOUNTING SIREN</p>  <p>WALL MOUNTING SIREN</p>  <p>ELECTRONIC SIREN</p>  <p>PA SYSTEM</p>  <p>WARBLING RELAY</p>  <p>ADVANCED SIREN CONTROLLER</p>	D. BATTERY OPERATED SIRENS	AUDIBLE RANGE IN KMS.	H.P.	MODEL	PRICE RS.	
	Horizontal Single Mounting 6000 RPM DC Available volts (12, 24)	1.00 1.50	1/10 1/4	B-100 B-150	9,890/- 12,760/-	
	Horizontal Double Mounting 6000 RPM DC Available volts (12, 24)	3.25	1/2	BD-325	18,470/-	
	E. HAND OPERATED SIRENS					
	(i) Wall Mounting	0.50		HW-050	8,440/-	
	(ii) Wall Mounting	1.00		HW-100	9,640/-	
	(iv) Floor Mounting	1.50		HF-150	23,980/-	
	F. ELECTRONIC SIREN					
	SINGLE TONE SIREN 6/12/24/48/110/220 Volts AC and/or DC	0.50 1.00 1.50 3.50		ES-050 ES-100 ES-150 ES-350	11,300/- 12,900/- 14,300/- 19,820/-	
	DOUBLE TONE SIREN	0.50 1.00 1.50 3.50		ESDT-050 ESDT-100 ESDT-150 ESDT-350	13,880/- 14,900/- 16,340/- 21,830/-	
TRIPLE TONE SIREN	0.50 1.00 1.50 3.50		ESTT-050 ESTT-100 ESTT-150 ESTT-350	15,940/- 16,930/- 18,360/- 24,310/-		
SIREN FOR AMBULANCE VEHICLES 12V/24V DC ONLY	0.25		AMB-025	7,520/-		
Also available in 110V & 220V AC	0.50 1.00		AMB-050 AMB-100	9,550/- 15,050/-		
DOUBLE TONE PA SYSTEM FOR VEHICLES 12V/24V AC ONLY	1.00		DAMB-100	17,930/-		
Also available in 110V & 220V AC						
G. WARBLING RELAY (SWITCH) VOLTS						
(Howling Tones for Sirens)	12		WRB	14,380/-		
4 Sec ON & 4 Sec OFF	250		WRS	14,380/-		
Automatically	440		WRT	14,380/-		
H. ADVANCED SIREN CONTROLLER						
Single Phase 220/250V AC 50Hz			KEI-ASC-S	95,610/-		
Three Phase 400/440V AC 50Hz			KEI-ASC-T	1,03,900/-		
FEATURES :						
1. Normal Factory Siren 2. Fire Alarm Siren 3. On-Site Heavy Chlorine Leak Emergency 4. Off-Site Heavy Chlorine Leak Emergency 5. All Alarm Conditions Clear Siren						
(Also available in other modes made to order.)						

GONG BELLS ★ HOOTERS ★ BUZZERS



DOUBLE GONG BELL

GONG BELL



ALARM BELL (ROUND)



PANEL HOOTER



SPEAKER HOOTER



DC HOOTER



FLUSH TYPE HOOTER



96X96 HOOTER



BUZZER

A. GONG BELLS	SIZE	MODEL	PRICE RS.
Single Phase 220/250V	7 Cms (3")	GB-07	1,490/-
Also:6/12/24/32/48/110V	10 Cms (4")	GB-10	2,040/-
AC and/or DC	15 Cms (6")	GB-15	2,450/-
	22 Cms (9")	GB-22	3,170/-
	30 Cms (12")	GB-30	3,650/-
(Double)	15 Cms (6")	DGB-15	3,020/-

B. ALARM BELLS (ROUND)	SIZE	MODEL	PRICE RS.
Single Phase 220/250V	5 Cms (2")	RAB-05	700/-
AC 50Hz	7 Cms (3")	RAB-07	1,160/-
	10 Cms (4")	RAB-10	1,580/-
	15 Cms (6")	RAB-15	1,880/-
	20 Cms (8")	RAB-20	2,500/-
	25 Cms (10")	RAB-25	2,710/-
	30 Cms (12")	RAB-30	2,810/-

C. HOOTERS	SIZE	MODEL	PRICE RS.
(i) Panel Hooters	7 Cms (3")	PH-07	1,130/-
Single Phase AC 220/250V	10 Cms (4")	PH-10	1,690/-
Also:6/12/24/32/48/110V	15 Cms (6")	PH-15	1,860/-
(ii) Speaker Hooters			
Single Phase AC 220/250V	10 Cms (4")	SH-10	1,690/-
Also:6/12/24/32/48/110V	20 Cms (8")	SH-20	3,300/-
(iii) Industrial Hooters (DC Only)			
6/12/24/48/110/220V		IH-DC	2,850/-
(iv) Flush Type Hooters			
Single Phase AC 220/250V	10 Cms	FH-10	1,550/-
Also:6/12/24/32/48/110V	13 Cms	FH-13	1,730/-

D. 96 X 96 ELECTRONIC HOOTER	SIZE	MODEL	PRICE RS.
Hooters Working On Single Phase AC 220/250 V			
Also: 6/12/24/48/110 V AC and / or DC			
HOOTER	96 mm X 96 mm	H-96X96	2,420/-
PEIZO	96 mm X 96 mm	PH-96X96	2,420/-
PEIZO With LED	96 mm X 96 mm	PL-96X96	4,010/-
HOOTER (multi tone)	96 mm X 96 mm	HMT-96X96	5,070/-
PEIZO With LED (multi tone)	96 mm X 96 mm	PLMT-96X96	8,260/-

E. BUZZERS	SIZE	MODEL	PRICE RS.
Single Phase 220/250V	10 Cms (4")	BZ-10	1,380/-
Also:6/12/24/48/110V	15 Cms (6")	BZ-15	1,690/-
AC and / or DC			



KHERAJ ELECTRICAL INDUSTRIES PRIVATE LIMITED

PORTABLE RECHARGEABLE SIREN

PORTABLE RECHARGEABLE SIREN

Introduces

Portable Rechargeable Siren

Introduces yet another master piece in the field of Safety & Security.

Portable Rechargeable Siren is carefully designed to suit every emergency situations in today's life. Follow us to know more about the Product.



Features

- Type : Portable, Hand Held
- Enclosure : HD ABS body
- Speaker : Piezo water proof Multiple Tone
- Tone : Multiple Tone
(To Indicate Various Emergency Situation along with All Clear)
- Audibility : 106 db @ 1 meter distance.
- Battery : Sealed Dry Rechargeable
- Volt : 12 V Dc
- Ampere : 7 Ampere per hour
- Battery Charger : SMPS Charger, Input Voltage Range.: 90 V Ac to 265 V Ac.
- Weight : With Battery 3.380 kgs

INDICATORS

- DC FUSE BLOW N
- BATTERY CHARGING
- LOW BATTERY
- FULL CHARGE
- TONE SELECTION SWITCH

APPLICATION :

Police Patrolling Force, Security Guards at Residential Complex, Railways for Disaster Management, Border Security force, Defense, All other areas for Safety & Security Annunciation.

PRICE Rs : 10,680/-

★ DRAGON SEARCH LIGHT

DRAGON SEARCH LIGHT



Salient Features

Operating Range of about 1000 meters. (i.e...1km Approx.)
 Technically Designed Deep Parabolic Reflector for long throw
 Reliable Micro Controller based design.
 Brilliant 55 Watt halogen beam
 Selectable Continuous, timer and flasher functions.
 Approx. 70 minutes (+ 10%) of constant use at Full Load at full Charge.
 Rugged & weather resistant, moulded Super Tough poly carbonate
 Body minimum 2 mm thickness housing .
 Easy - to - carry with moulded handle and shoulder strap.
 Uses internal 12V /7Ah sealed lead - acid Dry - Rechargeable Battery .
 Internal built in SMPS battery charger for 90 to 270 Volt operation
 low battery warning indicates exhausted battery.
 Automatic low - voltage cut - off prevents deep discharge
 High Reliability Mosfet Switching for smooth transitions
 Typical User. paramilitary Forces, Defence forces, police, Airports, Ports,
 Security agencies, Industries fire fighting Vital priority installations,
 Optionally available with panic Siren, Remote Switch Facility

SWITCH SELECTION

- System On./Off
- Mode selection
- * Flasher
- Increment / Decrement
- *Dimmer Increment / Decrement

INDICATORS

- SYSTEM ON : CONTINUOUS GREEN MODE
- TIMER : RED
- CONTINUOUS : GREEN BATTERY LEVEL STATUS
- OK : GREEN LOW : RED
- ADVANCE LOW : AMBER
- BATTERY FULL : BLUE CHARGE : RED
- DC FUSE BROWN : AMBER

PRICE Rs : 10,200/-



KHERAJ ELECTRICAL INDUSTRIES PRIVATE LIMITED

REVOLVING /FLASHER LIGHTS & AUDIO VISUAL ALARMS



REVOLVING LIGHT



FLASHER LIGHT WITH LED

A. REVOLVING / FLASHER LIGHTS		VOLTS	
COLOR:RED/AMBER/BLUE/GREEN	12	RL-12/FL-12	3,750/-
Bulb Type	24	RL-24/FL-24	3,750/-
RL - Revolving Light	110	RL-110/FL-110	3,910/-
FL - Flasher Light	220	RL-220/FL-220	3,750/-
COLOR:RED/AMBER/BLUE/GREEN	12	FLED-12	7,980/-
LED Type	24	FLED-24	7,980/-
FLED - Flasher Light With LED	110	FLED-110	7,980/-
(Fixed type Light also available)	220	FLED-220	7,980/-



AUDIO VISUAL ALARM



B. AUDIO VISUAL ALARM WITH REVOLVING / FLASHER LIGHTS		TYPE	MODEL	PRICE RS.
6/12/24/48/110/220 V	REVOLVING	R-AVA	9,550/-	
AC and/DC	FLASHER	F-AVA	8,980/-	
	FLASHER LED TYPE	FLED-AVA	10,740/-	



AVIATION OBSTRUCTION LIGHT





C. AVIATION OBSTRUCTION LIGHT		TYPE		
Working on single phase AC 220/250V				
Color:Red/Green/Amber				
i). Standard Type	Bulb	AVIN	5,780/-	
	LED	AVIL	8,980/-	
ii). Light Duty Type	LED	AVIL-LD	13,040/-	
iii). Heavy Duty / IP65 (Single Light)	Bulb	AVIN-HD-S	21,700/-	
	LED	AVIL-HD-S	26,560/-	
iv). Heavy Duty / IP65 (Double Light)	Bulb	AVIN-HD-D	24,310/-	
	LED	AVIL-HD-D	32,390/-	
v). Photo cell switch for the above Lights		PTCL	2,060/-	



TELEPHONE LOUD RINGER

E. TELEPHONE LOUD RINGER		
External Interface for Telephone Loud Ringing Working on Telephone Working Voltage with Potential Free Contact.	TLR-6A	4,340/-

EMERGENCY LIGHTS

	A. LED / BULB MODEL EMERGENCY LIGHTS	MODEL	PRICE RS.
 EMERGENCY LIGHT BULB LED MODEL	(I) With Battery	ELBB (LED)	4,270/-
	(ii) Without Battery	ELB (LED)	3,190/-
	(iii) With Battery	ELBB (BULB)	3,610/-
	(iv) Without Battery	ELB (BULB)	2,580/-
	(v) Extension Lamp MINI BULB MODEL	ELX	780/-
 1 FT. EMERGENCY LIGHT SINGLE TUBE / LED	(i) With Battery	ELMB	3,320/-
	(ii) Without Battery	ELM	2,290/-
 2 FT. EMERGENCY LIGHT DOUBLE TUBE / LED	B. FLUORESCENT EMERGENCY LIGHTS		
	(a) 1 Ft. Single Tube		
	(i) With Battery	ELTB-1	5,140/-
	(ii) Without Battery	ELT-1	4,280/-
	1 Ft. Single LED Tube		
	(i) With Battery (LED)	ELTB-1 (LED)	6,640/-
(ii) Without Battery (LED)	ELT-1 (LED)	5,600/-	
 2 FT. EMERGENCY LIGHT SINGLE TUBE / LED	(b) 2 Ft. Single Tube		
	(i) With Battery	ELTB-2	5,540/-
	(ii) Without Battery	ELT-2	4,510/-
	2 Ft. Single LED Tube		
	(i) With Battery (LED)	ELTB-2 (LED)	7,150/-
	(ii) Without Battery (LED)	ELT-2 (LED)	6,120/-
 MAINTENANCE FREE DRY BATTERY	(c) 2 Ft. Double Tube		
	(i) With Battery	ELTB-22	6,150/-
	(ii) Without Battery	ELT-22	5,120/-
	2 Ft. Double LED Tube		
(i) With Battery	ELTB-22 (LED)	8,450/-	
(ii) Without Battery	ELT-22 (LED)	7,420/-	
D. MAINTENANCE FREE DRY BATTERY			
	6V, 10 AH. Size: 115mm(L) x 50mm(W) x 120mm(H)	MFDB (6V)	1,040/-
	12V, 4.5 AH. Size: 90mm(L) x 70mm(W) x 100mm(H)	MFDB (12V)	1,380/-



KHERAJ ELECTRICAL INDUSTRIES PRIVATE LIMITED

BLOWERS



PORTABLE BLOWER



VARIABLE SPEED PORTABLE BLOWER



CENTRIFUGAL BLOWER



CENTRIFUGAL EXHAUST BLOWER

A. PORTABLE BLOWERS

(With Bag Assembly)
(Plastic Body)

	MODEL	PRICE RS.
i) Rated Input Power 600 W Capacity 600 mm ² No Load Speed 13000 rpm Voltage & Frequency 220V-50Hz	KPB 20	4,360/-
ii) Blowing Rate 0-3.8 m ³ /min Voltage & Frequency 220V-50Hz Rate Input Power 550 W No Load Supply 0-16000 rpm	KPB 20 II (Variable Speed)	5,720/-

B. CENTRIFUGAL BLOWER

VOLTAGE C.F.M. W.G.P. H.P. PRICE RS.
RPM :2800

K-101	220 OR 440	350	4"	0.50	14,520/-
K-102	220 OR 440	310	6"	0.50	14,520/-
K-103	220 OR 440	210	8"	0.50	15,360/-
K-104	220 OR 440	350	6"	1.00	22,130/-
K-105	220 OR 440	280	12"	1.00	24,330/-
K-106	220 OR 440	570	12"	2.00	29,410/-
K-107	220 OR 440	390	16"	2.00	33,410/-
K-108	440	850	12"	3.00	36,810/-
K-109	440	600	16"	3.00	42,230/-
K-110	440	380	24"	3.00	43,260/-
K-111	440	1400	12"	5.00	48,130/-
K-112	440	910	16"	5.00	55,260/-
K-113	440	585	26"	5.00	55,260/-
K-114	440	2010	12"	7.50	56,600/-
K-115	440	1410	16"	7.50	64,680/-
K-116	440	490	30"	7.50	64,680/-
K-117	440	2825	12"	10.00	70,280/-
K-118	440	2010	16"	10.00	80,700/-
K-119	440	910	32"	10.00	80,700/-

C. CENTRIFUGAL EXHAUST BLOWER

MODEL	PRESSURE IN WATER GAUGE W.G.P. Inches/mm (Approx)		CAPACITY PER MINUTE C. Feet/C.Meter (Approx)			POWER OF 1440 / 2880 (Nominal) R.P.M. MOTOR		PRICE OF BLOWER 220 V AC ELECTRIC MOTOR		PRICE OF BLOWER 440 V AC ELECTRIC MOTOR		
	1440	2880	1440	2880		H P /WK		1660	3310	1660	3310	
K-50	1	2	51	1000	800	24	0.5	.37	32,160/-	29,250/-	29,180/-	25,380/-
K-100	2	4	102	1600	1000	28	1	.75	41,460/-	37,680/-	36,780/-	31,980/-
K-200	2.5	6	152	2600	1400	46	2	1.5	53,190/-	48,220/-	48,850/-	43,710/-
K-300	3	8	203	3200	1600	45	3	2.2			62,080/-	54,010/-
K-500	4	12	305	4000	2000	56	5	3.7			80,480/-	66,840/-
K-750	5	14	356	4800	3000	81	7.5	5.5			1,02,360/-	89,030/-
K-1000	5	16	405	6400	4000	112	10	7.5			1,28,000/-	1,11,310/-
K-1500	6.5	20	508	7400	4000	112	15	11			2,01,730/-	1,75,440/-
K-2000	7	30	762	9150	6000	168	20	15			2,34,690/-	2,03,670/-

ANY TYPE OF BLOWER / EXHAUSTER / BELT-DRIVE / COUPLE DRIVE MADE TO ORDER



KHERAJ ELECTRICAL INDUSTRIES PRIVATE LIMITED

SPARES

SIRENS Single Phase 220/250 V 6000 RPM 50 C/s AC and or DC	ELECTRICALLY OPERATED SIRENS	AUDIBLE RANGE IN KMS. (PRICE RS.)					
		0.10	0.20	0.50	1.00	1.50	2.00
i) Horizontal Single Mounting	i) Armature ii) Field Coil iii) Carbon Holder with Cap (Pair) iv) Carbon Brush (Pair)	2,220/-	2,220/-	2,220/-	2,220/-	4,210/-	4,210/-
		1,760/-	1,760/-	1,760/-	1,760/-	3,150/-	3,150/-
		240/-	240/-	240/-	240/-	260/-	260/-
		200/-	200/-	200/-	200/-	210/-	210/-
ii) Horizontal Double Mounting	i) Armature ii) Field Coil iii) Carbon Holder with Cap (Pair) iv) Carbon Brush (Pair)	0.20	0.50	1.00	1.50	3.25	
		3,880/-	3,880/-	3,880/-	4,830/-	5,150/-	
		2,130/-	2,130/-	2,130/-	2,740/-	3,320/-	
		250/-	250/-	250/-	260/-	350/-	
		210/-	210/-	210/-	250/-	280/-	
Horizontal 6000 RPM DC (in 12, 24 Volts)	BATTERY OPERATED SIRENS	AUDIBLE RANGE IN KMS. (PRICE RS.)					
		1.00 & 1.50 (Single Mounting)		2,820/-	5,150/-	4,930/-	
		3.25 Double Mounting		2,170/-	3,320/-	3,620/-	
				280/-	350/-	330/-	
				260/-	280/-	280/-	
	HAND OPERATED SIRENS	AUDIBLE RANGE IN KMS. (PRICE RS.)					
		0.50		1.00		1.50	
i) Wall Mounting ii) Floor Mounting	Gear Set	2,860/-		3,890/-		5,750/-	
GONG BELLS	GB-10	GB-15/DGB-15		GB-22		GB-30	
i) Coil	520/-	650/-		790/-		1,030/-	
ii) Hammer	350/-	450/-		620/-		690/-	
iii) Gong	330/-	450/-		450/-		760/-	
HOOTERS	PH-7	PH-10 & SH-10		PH-15		SH-20	
i) Coil	390/-	560/-		730/-		800/-	
ii) Diaphragm	150/-	250/-		260/-		310/-	
BUZZERS	BZ-10			BZ-15			
i) Coil	480/-			590/-			
ii) Hammer	330/-			330/-			
BULB MODEL EMERGENCY LIGHTS	PRICE RS.	2 FT. FLUORESCENT EMERGENCY LIGHTS			PRICE RS.		
i) Transformer	760/-	i) Complete circuit for emergency light			4,590/-		
ii) Relay	650/-	ii) Transformers (2 nos.)			1,440/-		
iii) Socket for Relay	150/-	iii) Relay			620/-		
iv) Glass only for the Lamp	200/-						
v) 6 Volts 18 Watt Bulb	150/-						

TERMS & CONDITION :

- Prices are Ex-godown Mumbai. Packing & Forwarding Charges will be extra.
- GST will be charged extra as applicable at the time of supply.
- Orders must be accompanied with an advance of 25% of the value.
- Payment against delivery/through Bank. (Bank charges to respective accounts)
- Guarantee :
 - Fixtures carry a guarantee of 12 months from the date of supply,
 - Batteries carry a guarantee of 6 months from the date of supply,
 - Bulbs / Tubes (in Emergency Lights) carry no guarantee.
- This price list supersedes all our previous price lists / prices are subjected to change without notice.
- Subject to Mumbai Jurisdiction only.
- Export prices available on request.