

w.e.f. April 01,2025

PRICE LIST 2025



Crompton Greaves Consumer Electricals Limited

05GBD, Godrej Business District, Pirojshanagar,
Vikhroli (West), Mumbai, Maharashtra - 400079, India

Customer Care No. : +91 9228880505 | www.crompton.co.in

Email: consumer.support@crompton.co.in



GOOD LIGHT

based on the right optics

GOOD LUMINAIRE

made technically right as it can be

GOOD LIFE

with happy faces and quality spaces

Always curious, always inventive...
that's how we curate the best solutions.

We are

Crompton Lighting.

We are one of the leading consumer companies in India with a 85+ years old brand legacy. Synonymous with quality, reliability and performance, our products caters to millions of Indians with its robust, beautiful, and meticulous designs.

Our design philosophy reflects our end consumer's personality and lifestyle, relentlessly committed towards creating aesthetically appealing spaces with the highest quality standards.

Once a Crompton consumer,
always a Crompton consumer.

Reliability
is in our DNA

Performance
at its best

Quality
before anything

85+
YEARS

16K+
SKU's

3K+
EMPLOYEES

20K+
TOUCHPOINTS

Enriching life for generations with smart and responsible solutions

50,000+ sq. ft.
Innovation Centre Area

165+
Innovation Centre Employees


For over 85 years, Crompton has been a trusted name in lighting, illuminating industries, streets, and lives across India. But what truly powers this legacy isn't just light — it's our relentless pursuit of innovation through in-house Research & Development.

Our dedicated R&D team lies at the core of every innovation — from engineering smarter LEDs to developing next-gen lighting that adapts to your environment.

Through continuous research, we enhance energy efficiency, improve product durability, and develop connected future-ready solutions.

Every product is shaped by deep consumer insights, rigorous testing, and a strong commitment to safety, sustainability, and evolving technology.

Because at Crompton, R&D isn't just about better lighting — it's about leading the way with meaningful, lasting innovation.





Focus on every aspect of lighting, impact which speaks for itself.

Manufacturing

Our state-of-the-art manufacturing plants use only the latest technology in manufacturing every Crompton product. We work with the most brilliant minds to keep innovating and revolutionizing the lighting industry.


Our manufacturing process is very thorough and detailed; ensuring that every product goes through a strict test before it reaches end customers.




Awards & Certificates



NABL Certificate



Central Institute of Mining and Fuel Research (CIMFR) Flameproof Certificate



Petroleum and Explosives Safety Organization (PESO) Flameproof Certificate



Tunnel Light Certificate



ISO 45001



ISO 14001



ISO 9001

We have a light for every mood, every space, every moment.

A wide range of exceptionally crafted professional lighting

Our experience in the lighting industry is all thanks to our heavy investment in product testing and gathering data on consumer needs. We combine this knowledge with our technological leadership and have emerged as one of the top lighting players in the country. Our products are superior and advanced, which is why we have become one of the most sought-after brands in the lighting space.

Our offering in the B2B luminaire division is vast and varied. We provide tailor-made luminaire for every space. Our luminaires not only provide safety, but also bring the architectural wonder and grandeur of a particular space.





Easy on the eyes...
Enabling for the tasks...
Lighting made for the people,
their places, and their productivity.

INDOOR lighting

Freeline

Linears

Tiles

Downlights

Bespoke Deco Lights

Batten

SensoRange

Wall light



Created for the Creative



Design Flexibility

Perfect for offices with flexible layouts. It creates stunning, flexible lighting patterns



Ease of Installation

Easy press-fit installation, no technicians needed



Effortless Execution

Require no maintenance during or after the installation



Robust Aesthetics

Sleek design and smart engineering give Freeline its 'wow' factor



Higher Savings

Freeline saves up to 50% energy without compromising efficiency

Freeline

Freeline was created where customer needs met design innovation. It's not just another lighting system—it's a flexible, creative playground for architects. Designed to adapt to any ceiling type, Freeline offers versatile shapes, adjustable suspension lengths, and a unique node-and-tube system that brings imaginative, suspended patterns to life. It's about giving architects the freedom to dream big and bring their unique visions to life.



CROMLINE (S)

CROMLINE Suspended Linear Lights offer design flexibility with customizable lengths and patterns for dynamic workspaces. Available in high-efficiency, UGR-compliant, and up-down lighting options, they ensure optimal performance, visual comfort, and modern architectural appeal.



CAT. REF.	LENGTH(mm)	WATTAGE	CASE LOT	MRP(₹)
CCP-157-10-57-SL-NWH	600	10	4	4400
CCP-157-12-57-SL-NWH	750	12	4	4900
CCP-157-15-57-SL-NWH	900	15	4	5850
CCP-157-20-57-SL-NWH	1200	20	4	7750
CCP-157-30-57-SL-NWH	1200	30	4	7950
CCP-157-30-57-SL-NWH	1800	30	4	11650
CCP-157-40-57-SL-NWH	2400	40	4	15500
CCP-157-60-57-SL-NWH	2400	60	4	16400

* Also available in 2ft, 3ft, 6ft & 8ft versions * Also available with black housing
 * Also available in higher efficacy option * Available in 3000K, 4000K, 5700K, 6500K
 * Also available with UGR diffuser & DALI Driver * Suspension & connecting kit included in the box

CROMLINE (R)


CROMLINE Recessed Linear Lights offer flexible, customizable designs for modern workspaces. Available in high-efficiency and UGR-compliant models, they deliver optimal performance, visual comfort, and architectural appeal.



CAT. REF.	LENGTH(mm)	WATTAGE	CASE LOT	MRP(₹)
CCR-158-10-57-SL-NWH	600	10	4	4750
CCR-158-12-57-SL-NWH	750	12	4	5950
CCR-158-15-57-SL-NWH	900	15	4	7150
CCR-158-20-57-SL-NWH	1200	20	4	9500
CCR-158-30-57-SL-NWH	1200	30	4	9950
CCR-158-30-57-SL-NWH	1800	30	4	14250
CCR-158-40-57-SL-NWH	2400	40	4	19000
CCR-158-60-57-SL-NWH	2400	60	4	19900

* Also available in 2ft, 3ft, 6ft & 8ft versions * Also available with black housing
 * Also available in higher efficacy option * Available in 3000K, 4000K, 5700K, 6500K
 * Also available with UGR diffuser & DALI Driver * Connecting kit included in the box

CROMLINE (S) CONNECTORS






CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CONNECTOR-L	10	1	on request
CONNECTOR-V	10	1	on request
CONNECTOR-Y	15	1	on request
CONNECTOR-T	15	1	on request
CONNECTOR-+	20	1	on request

* Also available with black housing * Also available in higher efficacy option
 * Available in 3000K, 4000K, 5700K, 6500K * Also available with UGR diffuser & DALI Driver
 * Suspension & connecting kit included in the box



Linears

Crompton Linear Lights offers the flexibility and freedom to design the lighting of your workplace any way you deem fit. Turn your office into a modern vibrant space that is tuned to your aesthetic senses. Put together patterns to your liking with lengths of lights that you need.

-  **Best-in-class efficiency**
-  **Superior UGR ratings**
-  **Available in multiple lengths & configurations**

CROMLINE (R) CONNECTORS



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CONNECTOR-L	10	1	on request
CONNECTOR-V	10	1	on request
CONNECTOR-Y	15	1	on request
CONNECTOR-T	15	1	on request
CONNECTOR-+	20	1	on request

* Also available with black housing * Also available in higher efficacy option
 * Available in 3000K, 4000K, 5700K, 6500K * Also available with UGR diffuser & DALI Driver
 * Suspension & connecting kit included in the box

TRENDZ+

The TRENDZ+ is a sleek and modern, suspended/surface linear lighting solution with multiple lengths, system efficacy and CCTs. The solution is available in standalone & continuous variants and option of soft soothing prismatic diffuser.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CCP-143-20-57-SL-NWH	20	4	6350
CCP-143-24-57-SL-NWH	24	4	6450
CCP-143-28-57-SL-NWH	28	4	6600
CCP-143-30-57-SL-NWH	30	4	6750
CCP-143-36-57-SL-NWH	36	4	6900
CCP-143-40-57-SL-NWH	40	4	7100

* Also available in 2ft, 6ft & 8ft versions * Also available with black housing
 * Also available in higher efficacy option * Available in 3000K, 4000K, 5700K, 6500K
 * Also available with UGR diffuser & DALI Driver * Suspension & connecting kit included in the box
 *Length of product is 1200mm

TREND

TREND is a sleek recessed linear light designed for modern spaces. Available in various lengths, efficacies, and CCT options, it offers flexibility with standalone or continuous variants and an optional prismatic diffuser for added comfort.



CAT. REF.	LENGTH(mm)	WATTAGE	CASE LOT	MRP(₹)
LCLR66-18-CDL	600	18	6	5300
LCLR66-36-CDL	1200	36	6	8050
LCLR66-54-CDL	1800	54	6	11950
LCLR66-72-CDL	2400	72	6	15950

* Also available in 2ft, 6ft & 8ft versions * Also available with black housing
 * Also available in higher efficacy option * Available in 3000K, 4000K, 5700K, 6500K
 * Also available with UGR diffuser & DALI Driver





Tiles

Our wide range of Tiles adds a classic touch to any office indoors, bringing a clean sophistication to the space with high efficiency light output. Savvy in design and savvy in the technology, Crompton Tile luminaires change the way one think about an office.



Optimum, uniform light distribution



Superior glare control



Wide range of easy installations




Available in multiple wattages & CCTs

SIGNATURE SERIES

The Stellux Series Signature Tiles combine superior performance with distinctive style elements, offering an elegant lighting solution for premium spaces. Designed for LG7 compliance with UGR <19, these luminaires ensure optimal glare control and visual comfort.

STELLUX-S



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
LCTRS-36-CDL	36	1	8250

* Also available in higher efficacy option * Available in 3000K, 4000K, 5700K, 6500K
* Also available with DALI Driver

STELLUX-P



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
LCTRP-36-CDL	36	1	7200

* Also available in higher efficacy option * Available in 3000K, 4000K, 5700K, 6500K
* Also available with DALI Driver

STELLUX-H



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
LCTRH-36-CDL	36	1	12500

* Also available in higher efficacy option * Available in 3000K, 4000K, 5700K, 6500K
* Also available with DALI Driver

STELLUX-I



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
LCTRI-36-CDL	36	1	7050

* Also available in higher efficacy option * Available in 3000K, 4000K, 5700K, 6500K
* Also available with DALI Driver

VECTOR SERIES

Vector Series Tiles transform ceilings into stunning design elements with seamless integration, easy maintenance, and high efficacy. Available in 7 designs and 3 CCT options, they create a visually striking, modern workspace.

VECTOR I



The Vector I Series Tiles feature a multi-angular geometric design, allowing for versatile ceiling patterns. Whether arranged symmetrically for a structured look or abstractly for a dynamic visual effect, these tiles seamlessly integrate into any space.

CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
LCTLRF1-36-CDL	36	2	7050

* Also available in higher efficacy option * Available in 3000K, 4000K, 5700K
* Also available with DALI Driver

VECTOR II

The Vector II Series Tiles with a merged octagon design bring a unique geometric aesthetic to modern ceilings. Precisely aligned for symmetry or adaptable for abstract arrangements, these tiles offer design flexibility to create visually striking patterns.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
LCTLRF2-36-CDL	36	2	7050

* Also available in higher efficacy option * Available in 3000K, 4000K, 5700K
* Also available with DALI Driver

VECTOR III

The Vector Series III Tiles with a tri-angular design offer a bold geometric aesthetic, perfect for modern ceiling layouts. Designed for precise alignment, they can be arranged symmetrically for a structured look or abstractly for a dynamic visual effect.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
LCTLRF3-36-CDL	36	2	7050

* Also available in higher efficacy option * Available in 3000K, 4000K, 5700K
* Also available with DALI Driver

VECTOR IV

The Vector Series IV Tiles with an abstract geometric design bring a modern and artistic touch to ceilings. Designed for precise alignment, they can be arranged symmetrically for a balanced look or abstractly to create a dynamic, unique pattern.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
LCTLRF4-36-CDL	36	2	7050

* Also available in higher efficacy option * Available in 3000K, 4000K, 5700K
* Also available with DALI Driver

VECTOR V

The Vector Series V Tiles with an abstract geometric design offer a unique and modern aesthetic for ceilings. Designed for precise geometric alignment, they can be arranged symmetrically for a structured look or abstractly for a more artistic expression.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
LCTLRF5-36-CDL	36	2	7050

* Also available in higher efficacy option * Available in 3000K, 4000K, 5700K
* Also available with DALI Driver

VECTOR VI

The Vector Series VI Tiles with a rhombus design add a sleek geometric touch to modern ceilings. Precisely aligned for symmetry or adaptable for abstract arrangements, these tiles offer design flexibility to create visually striking patterns.




CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
LCTLRF6-36-CDL	36	2	7050

* Also available in higher efficacy option * Available in 3000K, 4000K, 5700K
* Also available with DALI Driver

VECTOR VII

The Vector Series Tiles with a square design offer a clean and modern geometric aesthetic for ceilings. Designed for precise alignment, they can be arranged symmetrically for a structured look or abstractly for a more dynamic pattern.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
LCTLRF7-36-CDL	36	2	7050

* Also available in higher efficacy option * Available in 3000K, 4000K, 5700K
* Also available with DALI Driver

POLARIS NIO I-II

The Polaris I-II LED Recessed Full-Lit Luminaire offers glare-free, uniform illumination, ensuring visual comfort and a modern aesthetic for various indoor spaces. Designed for longer life with minimal maintenance, it provides reliable performance and efficiency.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
LCTLRNE-18-CDL(1X1)	18	4	2750
LCTLRNE-24-CDL(1X1)	24	4	3900
LCTLRNE-24-FO-CDL	24	2	5300
LCTLRNE-30-FO-CDL	30	2	5650
LCTLRNE-36-FO-CDL	36	2	5900
LCTLRNE-42-FO-CDL	42	2	6500
CCR-126-50-57-SL-NWH	50	2	7050

* Also available in higher efficacy option * Available in 3000K, 4000K, 5700K, 6500K
* Also available with UGR diffuser and DALI Driver

POLARIS NIO - III

Polaris III LED Surface Luminaire offers glare-free, uniform lighting with a sleek design. Built for longevity and efficiency, it's perfect for offices, commercial spaces, and premium interiors.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
LCTLSNE-18-FO-CDL(1X1)	18	4	3550
LCTLSNE-24-FO-CDL(1X1)	24	4	4150
LCTLSNE-24-FO-CDL	24	2	5900
LCTLSNE-30-FO-CDL	30	2	6450
LCTLSNE-36-FO-CDL	36	2	7050
LCTLSNE-42-FO-CDL	42	2	7650

* Also available in higher efficacy option * Available in 3000K, 4000K, 5700K, 6500K
* Also available with UGR diffuser and DALI Driver

POLARIS

The Polaris 2x2 is an ultra-low depth, lightweight, full-lit luminaire designed for uniform illumination and seamless integration into modern interiors. With its sleek profile and efficient performance, it ensures visual comfort while maintaining a minimalist aesthetic.



NEW

CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
TCR-145-24-65-SL-NWH	24	6	3850
TCR-145-30-65-SL-NWH	30	6	4250
TCR-145-36-65-SL-NWH	36	6	4550
TCR-145-40-65-SL-NWH	40	6	5000
TCR-145-50-65-SL-NWH	50	6	5500
CCR-145-60-57-SL-NWH	60	6	6250

* Also available in higher efficacy option * Available in 3000K, 4000K, 5700K, 6500K
* Also available with UGR diffuser and DALI Driver * Surface mounting frame to be ordered separately

POLARIS

The Polaris 1x1 & 1x4 is a recess mounted ultra-low depth, lightweight full-lit luminaire, engineered for uniform illumination and seamless integration into modern interiors. Its sleek profile and efficient performance provide visual comfort, making it an ideal choice for contemporary spaces with a minimalist aesthetic.



NEW

CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
TCR-147-18-57-SL-NWH (1X1)	18	6	2000
TCR-147-24-57-SL-NWH (1X1)	24	6	2200
TCR-146-30-57-SL-NWH (1X4)	30	6	4500
TCR-146-36-57-SL-NWH (1X4)	36	6	4650
TCR-146-40-57-SL-NWH (1X4)	40	6	4950
TCR-146-50-57-SL-NWH (1X4)	50	6	5450

* Also available in higher efficacy option * Available in 3000K, 4000K, 5700K, 6500K
* Also available with UGR diffuser and DALI Driver

POLARIS

The Polaris 1x1 & 1x4 is a surface mounted ultra-low depth, lightweight full-lit luminaire, engineered for uniform illumination and seamless integration into modern interiors. Its sleek profile and efficient performance provide visual comfort, making it an ideal choice for contemporary spaces with a minimalist aesthetic.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
TCS-147-18-57-SL-NWH (1X1)	18	6	2450
TCS-147-24-57-SL-NWH (1X1)	24	6	2750
TCS-146-30-57-SL-NWH (1X4)	30	6	5150
TCS-146-36-57-SL-NWH (1X4)	36	6	5300
TCS-146-40-57-SL-NWH (1X4)	40	6	5750
TCS-146-50-57-SL-NWH (1X4)	50	6	6250

* Also available in higher efficacy option * Available in 3000K, 4000K, 5700K, 6500K
 * Also available with UGR diffuser and DALI Driver

SPAN

SPAN is a versatile 1x4 Ft LED panel light for recessed and surface mounting. Ideal for hospitals, schools, and offices, it delivers uniform, efficient illumination with lasting reliability and minimal maintenance.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
LCTLRNE-36-CDL(1X4)	36	2	6850
LCTLRNE-40-CDL(1X4)	40	2	7050
LCTLSNE-36-CDL(1X4)	36	2	7250
LCTLSNE-40-CDL(1X4)	40	2	7650

* Also available in higher efficacy option * Available in 3000K, 4000K, 5700K, 6500K
 * Also available with UGR diffuser and DALI Driver

TECHZONE

TECHZONE is designed for seamless integration into 150 mm recess Techzone ceilings, delivering uniform illumination with a sleek, modern look. It ensures efficiency, visual comfort, and optimal performance for contemporary offices and commercial spaces.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
LCRTTZN-40-CDL	40	2	9250

* Available in 2ft, 6ft & 8ft versions * Also available in higher efficacy option
 * Available in 3000K, 4000K, 5700K, 6500K * Also available with UGR diffuser and DALI Driver
 * Available in standalone & connecting option *Length of product is 1200mm





Downlights

Our versatile range of Downlights enhances any indoor space with sleek, modern illumination, ensuring a seamless blend of style and functionality. Designed for high efficiency and performance, Crompton Downlights redefine indoor lighting.



Best-in-class efficacy



Longer life



Enhanced glare reduction

ORBIT

ORBIT LED Cylinders ensure uniform illumination with a consistent color point. Combining aesthetics and performance, they offer precise lighting control, ideal for modern interiors, retail, and commercial spaces.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CDS-201-15-57-HL2-NWH	15	1	5300
CDS-201-20-57-HL2-NWH	20	1	5500
CDS-200-25-57-SL-NWH	25	1	8000
CDS-200-30-57-SL-NWH	30	1	8500

* Also available in higher (120+ lms/W) efficacy option * Also available in black housing
 * Available in 3000K, 4000K, 5700K, 6500K

FAME SPOT

The FAME SPOT LED Spotlights offer high-performance illumination with precise beam control for commercial and retail spaces. Designed for efficiency and longevity, they ensure consistent lighting quality with a sleek, modern aesthetic.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CDR-210-03-30-SL-NWH	03	20	850
CDR-211-06-30-SL-NWH	06	20	1150
CDR-211-09-30-SL-NWH	09	12	1700
CDR-212-12-30-SL-NWH	12	12	1800
CDR-212-15-30-SL-NWH	15	12	2700
CDR-213-18-30-SL-NWH	18	12	2800
CDR-213-24-30-SL-NWH	24	12	3400
CDR-214-30-30-SL-NWH	30	12	4400
CDR-215-40-30-SL-NWH	40	8	6000
CDR-215-50-30-SL-NWH	50	8	6500

* Also available in higher efficacy option * Available in 3000K, 4000K, 5700K, 6500K

DLYT

The DLYT Recess downlight combines performance and economy in a lightweight, IP40-rated fixture. Featuring a high-efficiency driver and long-life LED ensuring reliable and energy-efficient illumination for commercial and residential spaces.



NEW

CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CDR-219-06-57-SL-NWH	06	12	1300
CDR-219-09-57-SL-NWH	09	12	1350
CDR-219-12-57-SL-NWH	12	12	1400
CDR-219-15-57-SL-NWH	15	12	1500
CDR-219-18-57-SL-NWH	18	12	1600

* Also available in higher efficacy option * Available in 3000K, 4000K, 5700K, 6500K

DLYT

DLYT Surface Downlight offers optimal performance and cost efficiency in a lightweight, IP40-rated design. With a high-efficiency driver and long-life LED, it ensures reliable, energy-efficient lighting for commercial and residential spaces.



NEW

CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CDS-219-06-57-SL-NWH	06	12	1400
CDS-219-09-57-SL-NWH	09	12	1450
CDS-219-12-57-SL-NWH	12	12	1500
CDS-219-15-57-SL-NWH	15	12	1600
CDS-219-18-57-SL-NWH	18	12	1700

* Also available in higher efficacy option * Available in 3000K, 4000K, 5700K, 6500K

STYLO-R

The Stylo-R features an industry-standard round-in-round design housed in white PDC aluminum, ensuring durability and a sleek aesthetic. Equipped with a high-performance LED and driver, it delivers reliable illumination. Stylo-R is perfect for modern commercial and residential spaces.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
LCDRC-06-CDL	06	12	1350
LCDRC-09-CDL	09	12	1400
LCDRC-12-CDL	12	12	1800
LCDRC-15-CDL	15	12	1900
LCDRC-18-CDL	18	12	2100

* Also available in higher efficacy option * Available in 3000K, 4000K, 5700K, 6500K
* Also available with UGR diffuser & DALI driver

STYLO-O

STYLO-O features a PDC aluminum body with a PC diffuser in a unique round-in-square design. Its bold contrast enhances architectural aesthetics, creating a seamless, modern visual appeal for sophisticated interiors.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
LCDRO-09-CDL	09	12	1550
LCDRO-12-CDL	12	12	1950
LCDRO-15-CDL	15	12	2050
LCDRO-18-CDL	18	12	2300

* Also available in higher efficacy option * Available in 3000K, 4000K, 5700K, 6500K
* Also available with UGR diffuser & DALI driver

STYLO-Q

STYLO-Q features a PDC aluminum body with a PC diffuser in a unique square-in-circle design. Its bold geometric contrast enhances architectural aesthetics, making it perfect for contemporary interiors.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
LCDRQ-09-CDL	09	12	1600
LCDRQ-12-CDL	12	12	2000
LCDRQ-15-CDL	15	12	2100
LCDRQ-18-CDL	18	12	2350

* Also available in higher efficacy option * Available in 3000K, 4000K, 5700K, 6500K
* Also available with UGR diffuser & DALI driver

PROXIMA-R

PROXIMA-R is a high-performance, low-height backlit downlighter with a durable PDC aluminum body. Designed for modern workspaces, it ensures efficiency, longevity, and seamless integration into contemporary interiors.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CDR-204-06-57-SL-NWH	06	20	1400
CDR-204-09-57-SL-NWH	09	20	1750
CDR-205-12-57-SL-NWH	12	20	1900
CDR-205-15-57-SL-NWH	15	20	2100
CDR-206-18-57-SL-NWH	18	20	3000
CDR-206-20-57-SL-NWH	20	20	3300
CDR-206-24-57-SL-NWH	24	20	3600
CDR-216-30-57-SL-NWH	30	20	3750
CDR-216-40-57-SL-NWH	40	20	4750

* Also available in higher efficacy option * Available in 3000K, 4000K, 5700K, 6500K
* Also available with UGR diffuser & DALI driver

PROXIMA-S

PROXIMA-S is a high-performance, low-height square backlit downlighter with a durable PDC aluminum body. Designed for modern workspaces, it ensures efficiency, longevity, and seamless integration into contemporary interiors.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CDR-207-06-57-SL-NWH	06	20	1500
CDR-207-09-57-SL-NWH	09	20	1850
CDR-208-12-57-SL-NWH	12	20	2000
CDR-208-15-57-SL-NWH	15	20	2200
CDR-209-18-57-SL-NWH	18	20	3150

* Also available in higher efficacy option * Available in 3000K, 4000K, 5700K, 6500K
* Also available with UGR diffuser & DALI driver

PEARL ULTIMA

PEARL ULTIMA is a slim, edge-lit LED downlight in round and square designs. With a durable die-cast aluminum body and premium white finish, it offers elegance and efficient illumination for modern interiors.




CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
LSCRM-6W-CDL	06	40	1000
LSCRM-9W-CDL	09	40	1200
LSCRM-12W-CDL	12	30	1300
LSCRM-15W-CDL	15	20	1650
LSCRM-18W-CDL	18	20	1850
LSCRM-24W-CDL	24	20	2250
LSCSM-6W-CDL	06	40	1050
LSCSM-9W-CDL	09	40	1250
LSCSM-12W-CDL	12	30	1350
LSCSM-15W-CDL	15	20	1700
LSCSM-18W-CDL	18	20	1900
LSCSM-24W-CDL	24	20	2300

* Also available in higher efficacy option * Available in 3000K, 4000K, 5700K, 6500K
* Also available with UGR diffuser & DALI driver

PEARL NIOS

PEARL NIOS is a surface-mounted LED panel in round and square designs. With a durable PDC aluminum body and frosted diffuser, it ensures uniform illumination and a sleek, modern aesthetic for various applications.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
LCDSPLN-R-06-CDL	06	20	1200
LCDSPLN-R-09-CDL	09	20	1400
LCDSPLN-R-12-CDL	12	20	1500
LCDSPLN-R-15-CDL	15	20	1850
LCDSPLN-R-18-CDL	18	20	2050
LCDSPLN-R-24-CDL	24	20	2450
LCDSPLN-S-06-CDL	06	20	1250
LCDSPLN-S-09-CDL	09	20	1450
LCDSPLN-S-12-CDL	12	20	1550
LCDSPLN-S-15-CDL	15	20	1900
LCDSPLN-S-18-CDL	18	20	2100
LCDSPLN-S-24-CDL	24	20	2550

* Also available in higher efficacy option * Available in 3000K, 4000K, 5700K, 6500K
* Also available with UGR diffuser & DALI driver

QUARTZ NEO (R)

QUARTZ NEO (R) is a slim LED downlighter for recess and surface mounting. With a durable polycarbonate body, superior light output, and an integral driver, it ensures sleek, efficient illumination for modern interiors.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CDR-222-06-57-SL-NWH	06	20	480
CDR-222-09-57-SL-NWH	09	20	590
CDR-222-12-57-SL-NWH	12	20	840
CDR-222-15-57-SL-NWH	15	20	980
CDR-222-18-57-SL-NWH	18	20	1080
CDS-223-06-57-SL-NWH	06	20	510
CDS-223-09-57-SL-NWH	09	20	620
CDS-223-12-57-SL-NWH	12	20	900
CDS-223-15-57-SL-NWH	15	20	1100
CDS-223-18-57-SL-NWH	18	20	1240

* Available in 3000K, 4000K, 5700K, 6500K

QUARTZ NEO (S)

The QUARTZ NEO square is a slim-design LED recess & surface mounted downlighter with a durable polycarbonate housing. Featuring a superior light output and an integral driver, it ensures efficient performance, making it an ideal choice for modern interiors requiring sleek and reliable illumination.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CDR-224-06-57-SL-NWH	06	20	500
CDR-224-09-57-SL-NWH	09	20	600
CDR-224-12-57-SL-NWH	12	20	850
CDR-224-15-57-SL-NWH	15	20	1020
CDR-224-18-57-SL-NWH	18	20	1120
CDS-225-06-57-SL-NWH	06	20	530
CDS-225-09-57-SL-NWH	09	20	640
CDS-225-12-57-SL-NWH	12	20	910
CDS-225-15-57-SL-NWH	15	20	1130
CDS-225-18-57-SL-NWH	18	20	1300

* Available in 3000K, 4000K, 5700K, 6500K





LUNAR

LUNAR is a timeless large-disk feature light, blending elegance with performance. Available in warm and natural white, it enhances modern interiors with sophisticated, versatile illumination.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
LCSUR3-25-CDL	25	2	9200
LCSUR4-36-CDL	36	2	10350
LCSUR6-40-CDL	40	2	14000

* Available in 3000K, 4000K, 5700K, 6500K * Available with UGR diffuser & DALI driver
* Option of multiple sizes available

EPSILON

The EPSILON features a hexagonal design, creating a uniform and diffused light effect. Its grand-scale illumination enhances spaces with a soft yet impactful glow, making it a perfect statement piece for modern architectural interiors.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CCP-128-36-57-SL-NWH	36	1	11800

* Available in 3000K, 4000K, 5700K, 6500K * Available with UGR diffuser & DALI driver
* Option of multiple sizes available

CAPELLA

The CAPELLA features a triangular design, delivering uniform and diffused illumination. Its grand-scale lighting effect adds a soft yet striking ambiance, making it a perfect fit for modern architectural interiors.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CCP-129-36-57-SL-NWH	36	1	16500


* Available in 3000K, 4000K, 5700K, 6500K * Available with UGR diffuser & DALI driver
* Option of multiple sizes available



Bespoke Deco Lights

Crompton decorative suspended luminaire range redefine elegance, adding a touch of sophistication to any space. Designed to captivate, they blend stylish aesthetics with powerful illumination, creating a visually stunning and well-lit environment. Elevate your interiors with statement lighting that's as functional as beautiful.

 **Sleek, contemporary designs**





 **Soft, uniform light**

We understand that every space is unique. That's why we offer customised lighting solutions, designed to suit your specific requirements and enhance every environment perfectly.



Batten

For dependable, everyday lighting, Crompton Battens provide a versatile and robust solution. Their simple yet effective design seamlessly integrates into any environment, offering consistent, bright illumination that you can rely on.

-  **Glare-free, smooth light**
-  **Long-lasting performance**
-  **Slim, integrated design**
-  **Easy to install**

BRIGHT LINEA

BRIGHT LINEA IP40 Batten features a durable extruded aluminum body with a high-quality PC diffuser for uniform illumination. Its slim, integrated design ensures easy installation, while high efficacy options enhance energy efficiency. Available in warm and natural white.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CCS-100-20-65-SL-DP-NWH	20	20	1200
CCS-100-40-65-SL-DP-NWH	40	20	1600

* Available in 3000K, 4000K, 5700K, 6500K * Available with IP20 option
* Also available in higher efficacy option

TRIMLINE NEU

TRIMLINE NEU IP20 is a high-performance LED batten with an extruded aluminum body for durability and heat dissipation. Its high-translucent serrated milky white diffuser ensures glare-free, uniform illumination, ideal for modern applications.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CCS-103-05-65-SL-DP-NWH	05	20	490
CCS-103-10-65-SL-DP-NWH	10	20	650
CCS-103-20-65-SL-DP-NWH	20	20	950
CCS-103-22-65-SL-DP-NWH	22	20	1100
CCS-103-24-65-SL-DP-NWH	24	20	1200
CCS-100-40-65-SL-DP-NWH	40	20	1400

* Available in 3000K, 4000K, 5700K, 6500K * Also available in higher efficacy option

TRIM LINEA NEU

TRIM LINEA NEU is a high-efficacy PC batten with a compact, versatile design for offices and commercial spaces. It ensures uniform, reliable illumination with long-lasting efficiency and energy savings.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
TCS-108-10-65-SL-DP-NWH	10	20	550
TCS-108-20-65-SL-DP-NWH	20	20	600
TCS-108-22-65-SL-DP-NWH	22	20	650
TCS-108-36-65-SL-DP-NWH	36	20	1000

* Available in 3000K, 4000K, 5700K, 6500K * Also available in higher efficacy option

TRIM LINEA NEU+

The Trim Linea Neu+ is a sleek and versatile PC batten, designed for efficiency and durability in offices and commercial spaces. With high efficacy, it delivers uniform illumination, energy savings, and optimal performance, seamlessly blending functionality with modern aesthetics.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
TCS-109-10-65-SL-DP-NWH	10	40	500
TCS-109-20-65-SL-DP-NWH	20	40	550
TCS-109-36-65-SL-DP-NWH	36	20	950

* Available in 3000K, 4000K, 5700K, 6500K * Also available in higher efficacy option

Not just lighting... it's Smart Lighting

Made to simplify the lighting process, our Smart Lighting Solutions easily integrate with any BMS and help gain control over the entire process effortlessly. Crompton's Smart Lighting Solutions save money, time, and resources spent on the tedious task of everyday control and maintenance. Additionally, our solutions incorporate Human-Centric Lighting, which adjusts the intensity and color temperature of lights to align with natural circadian rhythms, enhancing productivity, well-being, and comfort in any environment.



Wired & Wireless Systems

with manual control & multiple dimming functionalities



Fully Automated

With human centric, daylight harvesting, occupancy sensing & time scheduling



Data Insights

helps to manage the space efficiently with energy & usage reports



BMS Integration

real-time updates on the lighting performance & take timely action




Beyond Controls

with asset & people tracking for a smart workspace ecosystem



SENSO 2X2



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CCR-122-36-57-SL-MWS-DP-NWH	36	2	6400
CCS-122-36-57-SL-MWS-DP-NWH	36	2	6900

* Available in 3000K, 4000K, 5700K, 6500K
 * Also available in higher efficacy option

SENSO BATTEN



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CCS-103-20-65-SL-MWD-DP-NWH	20	20	1600
CCS-100-40-65-SL-MWD-DP-NWH	40	20	1700

* Available in 3000K, 4000K, 5700K, 6500K
 * Also available in higher efficacy option

SENSO DOWNLIGHTER



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CDR-226-12-57-SL-MWD-DP-NWH	12	20	2100
CDR-226-15-57-SL-MWD-DP-NWH	15	20	2200
CDR-226-18-57-SL-MWD-DP-NWH	18	20	2300
CDS-226-12-57-SL-MWD-DP-NWH	12	20	2400
CDS-226-15-57-SL-MWD-DP-NWH	15	20	2500
CDS-226-18-57-SL-MWD-DP-NWH	18	20	2600

* Available in 3000K, 4000K, 5700K, 6500K
 * Also available in higher efficacy option

SensoRange

SensoRange is a smart and intuitive lighting system that adapts effortlessly to your surroundings. With advanced microwave sensor technology, it detects movement with unmatched precision within a 120° range, ensuring your space is always illuminated just when you need it.



**In-built
Occupancy
Sensor**



**Sense
Range:
2-7 Mtr.**



**Sense
Time:
Instant on**



**Sense
Type:
Movement**



**Waiting Time
Dim Mode:
60-180 ±30 Sec.**



**Mounting:
Ceiling / Wall**



**70%
Saving**





Wall Light

Introducing a new category of wall lights – a collection of five elegantly designed models that reflect Crompton’s unwavering commitment to innovation and reinforce our enduring legacy of excellence in the eyes of our consumers.



Glare-free comfort



High-quality material for long-term performance



E27 bulb base for easy installation

WALLBULB



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
WMAFBULB		12	1500

* Suitable with B22 base lamp
 * Suitable with E27 base lamp
 * Lamp to be ordered separately

WALLGLOW - O



NEW

CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
WALLGLOW-O-E27		8	1500

* Suitable with B22 base lamp
 * Suitable with E27 base lamp
 * Lamp to be ordered separately

WALLGLOW - C



NEW

CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
WALLGLOW-C-E27		8	1700

* Suitable with B22 base lamp
 * Suitable with E27 base lamp
 * Lamp to be ordered separately

WALLGLOW - G



NEW

CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
WALLGLOW-G-E27		8	1700

* Suitable with B22 base lamp
 * Suitable with E27 base lamp
 * Lamp to be ordered separately

WALLGLOW - F



NEW

CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
WALLGLOW-F-E27		4	1500

* Suitable with B22 base lamp
 * Suitable with E27 base lamp
 * Lamp to be ordered separately



Safety with no compromise...
Savings on the total cost...
Lighting made efficient,
Rugged, reliable and industry ready.

INDUSTRY lighting

Highbays

Wellglass

Industrial Batten

Bulk Head

Under Canopy

Cleanroom

Flameproof



Highbays

For high-ceiling applications, Crompton LED Highbays provide reliable, high-performance lighting. Designed to withstand challenging environments, they offer exceptional brightness and longevity, ensuring optimal visibility and operational efficiency.

-  **Best-in-class efficiency**
-  **IP66 ingress protection**
-  **Up to 10kV surge protection**
-  **Additional safety chain**

DELPHINUS

DELPHINUS is a next-generation, energy-saving LED highbay with a pressure die-cast housing, integrated PC optics, and up to 150 lm/W efficacy. It features IP66 ingress protection, IK08 impact resistivity, a safety chain, and surge protection (5 kV in-built). Suitable for surface and suspended mounting.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
TIP-323-80-57-60D-HL2-NS-LM-NSG	80	8	13000
TIP-323-80-57-60D-HL3-NS-LM-NSG	80	8	13500
TIP-323-80-57-60D-HL5-NS-LM-NSG	80	8	14600
TIP-324-100-57-60D-HL2-NS-LM-NSG	100	4	14000
TIP-324-100-57-60D-HL3-NS-LM-NSG	100	4	14500
TIP-324-100-57-60D-HL5-NS-LM-NSG	100	4	15700
TIP-328-120-57-60D-HL2-NS-LM-NSG	120	2	15000
TIP-328-120-57-60D-HL3-NS-LM-NSG	120	2	15600
TIP-328-120-57-60D-HL5-NS-LM-NSG	120	2	17000
TIP-329-150-57-60D-HL2-NS-LM-NSG	150	2	18000
TIP-329-150-57-60D-HL3-NS-LM-NSG	150	2	18800
TIP-329-150-57-60D-HL5-NS-LM-NSG	150	2	20000
TIP-332-180-57-60D-HL2-NS-LM-NSG	180	2	22400
TIP-332-180-57-60D-HL3-NS-LM-NSG	180	2	23600
TIP-332-180-57-60D-HL5-NS-LM-NSG	180	2	25000
TIP-332-200-57-60D-HL2-NS-LM-NSG	200	2	23300
TIP-332-200-57-60D-HL3-NS-LM-NSG	200	2	24500
TIP-332-200-57-60D-HL5-NS-LM-NSG	200	2	26000

* Available in different CCT / beam angles

AQUILLA

AQUILLA is a highbay luminaire with a pressure die-cast housing, integrated PC optics, and up to 150 lm/W system efficacy. It features IP66 ingress protection, IK08 impact resistivity, a safety chain, and surge protection (5 kV in-built, 10 kV external). Designed for energy efficiency and durability, it supports surface and suspended mounting.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CIP-323-80-57-60D-HL2-LM-NGG	80	8	15000
CIP-323-80-57-60D-HL3-LM-NGG	80	8	15600
CIP-323-80-57-60D-HL5-LM-NGG	80	8	16400
CIP-324-100-57-60D-HL2-LM-NGG	100	4	16000
CIP-324-100-57-60D-HL3-LM-NGG	100	4	16500
CIP-324-100-57-60D-HL5-LM-NGG	100	4	17800
CIP-328-120-57-60D-HL2-LM-NGG	120	2	17000
CIP-328-120-57-60D-HL3-LM-NGG	120	2	17700
CIP-328-120-57-60D-HL5-LM-NGG	120	2	20000
CIP-329-150-57-60D-HL2-LM-NGG	150	2	20000
CIP-329-150-57-60D-HL3-LM-NGG	150	2	21200
CIP-329-150-57-60D-HL5-LM-NGG	150	2	23000
CIP-329-180-57-60D-HL2-LM-NGG	180	2	26200
CIP-329-180-57-60D-HL3-LM-NGG	180	2	27500
CIP-329-180-57-60D-HL5-LM-NGG	180	2	29000
CIP-329-200-57-60D-HL2-LM-NGG	200	2	27000
CIP-329-200-57-60D-HL3-LM-NGG	200	2	28300
CIP-329-200-57-60D-HL5-LM-NGG	200	2	30000
CIP-326-250-57-60D-HL2-LM-NGG	250	1	30000
CIP-326-250-57-60D-HL3-LM-NGG	250	1	32000

* Available in different CCT / beam angles

CAPRICORNUS

CAPRICORNUS is Toughened glass round highbay in PDC housing suitable for industrial applications. The luminaire has 130 Lm/W efficacy along with IK08 impact resistivity. It has 5kV inbuilt surge protection & ingress protection of IP66 with additional safety chain.



NEW

CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
TIP-334-80-57-60D-HL3-NS-GL-NSG	80	4	13650
TIP-334-100-57-60D-HL3-NS-GL-NSG	100	4	14655
TIP-335-120-57-60D-HL3-NS-GL-NSG	120	2	15760
TIP-335-150-57-60D-HL3-NS-GL-NSG	150	2	19000
TIP-336-180-57-60D-HL3-NS-GL-NSG	180	1	23790
TIP-336-200-57-60D-HL3-NS-GL-NSG	200	1	24665

* Available in different CCT / beam angles

ERIDANUS

This Linear Highbay made of premium grade Aluminum extrusion housing with vandal proof polycarbonate lens having superior system efficacy >130 Lm/W & 4kV inbuilt surge protection. Its single point mounting mechanism along with IK10 impact resistivity makes it an ideal choice for Auto ancillary, Food & Beverage industry, warehouses, manufacturing units, assembly lines & airports.



NEW

CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CIS-337-60-57-60D-HL3-LM-NAE	60	2	15125
CIS-337-80-57-60D-HL3-LM-NAE	80	2	16300
CIS-337-100-57-60D-HL3-LM-NAE	100	2	17555
CIS-337-120-57-60D-HL3-LM-NAE	120	2	20835
CIS-337-150-57-60D-HL3-LM-NAE	150	2	21550
CIS-337-200-57-60D-HL3-LM-NAE	200	2	28590

* Available in different CCT / Beam Angles for design based applications

CAPRICORNUS PRO

CAPRICORNUS PRO is a robust LED highbay luminaire with a pressure die-cast housing, toughened glass, and 145 Lm/W efficacy. It features IP66 ingress protection, IK08 impact resistivity, a safety chain, and surge protection (5 kV in-built, 10KV external). Designed with a specialized heat sink and an energy-efficient driver, it meets diverse industrial requirements.



NEW

CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CIP-334-80-57-60D-HL3-GL-NGG	80	4	16300
CIP-334-100-57-60D-HL3-GL-NGG	100	4	17075
CIP-335-120-57-60D-HL3-GL-NGG	120	2	18425
CIP-335-150-57-60D-HL3-GL-NGG	150	2	21850
CIP-336-180-57-60D-HL3-GL-NGG	180	1	28100
CIP-336-200-57-60D-HL3-GL-NGG	200	1	28975
CIP-336-250-57-60D-HL3-GL-NGG	250	1	32650
CIP-334-80-57-60D-HL4-GL-NGG	80	4	18860
CIP-334-100-57-60D-HL4-GL-NGG	100	4	20470
CIP-335-120-57-60D-HL4-GL-NGG	120	2	23000
CIP-336-150-57-60D-HL4-GL-NGG	150	1	26450
CIP-336-180-57-60D-HL4-GL-NGG	180	1	33350
CIP-336-200-57-60D-HL4-GL-NGG	200	1	34500
CIP-336-250-57-60D-HL4-GL-NGG	250	1	36800

* Available in different CCT / beam angles

SCORPIUS

SCORPIUS, Non integral High Ambient LED Highbay is a robust lighting solution designed to operate in industrial environments with elevated temperatures up to 65°C. Their high temp tolerance, energy efficient & rugged design, anti dust coating, long life span, IP66 rating makes them perfect choice for Power Generation, Metal & Mining, Pulp & Paper, Chemical & Petrochemical, and Oil & Gas Industry.



NEW

CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CIP-333-120-57-60D-HL4-GL-NGG	120	1	31150
CIP-333-150-57-60D-HL4-GL-NGG	150	1	33625
CIP-333-180-57-60D-HL4-GL-NGG	180	1	37650
CIP-333-200-57-60D-HL4-GL-NGG	200	1	38650

* Driver to be placed max 30M away from fixture in normal ambient. Wiring between Fixture & Driver not in CGCEL scope



* Application suitable for Eridanus



* Application suitable for Scorpius



Wellglass

Ensure safe and efficient lighting in demanding industrial settings with Crompton LED Wellglass. These well-glass luminaires offer reliable illumination, protected against harsh conditions, and powered by energy-saving LED technology.

-  **Best-in-class efficiency**
-  **IP66 ingress protection**
-  **3G compliance**
-  **IK10 impact resistivity**

PERSEUS

This IP66, IK10 well glass is made of PDC Aluminum housing with high quality UV protected PC cover, 5KV inbuilt surge protection, separate driver and optical compartment providing system efficacy up to 150 Lm/W. This 3G vibration compliance product is made for industrial and outdoor environments like cement industries, conveyor belts, jute industries, warehouses, factories & power plants where durability & reliability are crucial.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
EIP-315-30-57-HL2-CP-NSG	30	8	3500
EIP-315-35-57-HL2-CP-NSG	35	8	3700
EIP-315-40-57-HL2-CP-NSG	40	8	3900
EIP-315-30-57-SL-DP-NSG	30	8	3625
EIP-315-35-57-SL-DP-NSG	35	8	3825
EIP-315-40-57-SL-DP-NSG	40	8	4025
CIP-315-30-57-HL3-CP-NGG	30	8	3900
CIP-315-35-57-HL3-CP-NGG	35	8	4100
CIP-315-40-57-HL3-CP-NGG	40	8	4300
CIP-315-30-57-HL2-DP-NGG	30	8	4050
CIP-315-35-57-HL2-DP-NGG	35	8	4250
CIP-315-40-57-HL2-DP-NGG	40	8	4450
CIP-315-30-57-HL5-CP-NGG	30	8	4500
CIP-315-35-57-HL5-CP-NGG	35	8	4700
CIP-315-40-57-HL5-CP-NGG	40	8	4900

* Available with different CCTs, LIL0 & 10KV additional surge protection

CAVELO

Cavelo is a robust well glass made of pressure die cast Aluminum having IK08 impact resistivity and 5KV inbuilt surge protection (Optional 10KV external). This IP66 70W Well Glass series delivers >120 Lm/W, is highly recommended for industries like Steel, Cement, F&B, Power Plants, Mines as well as any outdoor/ semi outdoor areas.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
TIP-314-70-57-SL-CP-NSG	70	8	9440
CIP-314-70-57-SL-CP-NGG	70	8	10620

* Available with different CCT options





Industrial Batten & Bulk Head

Bright, tough, and built to last—Crompton's Industrial Battens & LED Bulk Heads are made for demanding industrial spaces. Weatherproof and energy-efficient, they shine through dust and water, delivering smooth, uniform light that lasts. Perfect for where durability meets brilliance!

-  **Weatherproof & energy-efficient**
-  **Robust construction**
-  **Best-in-class efficacy**
-  **Glare-free illumination**

SAGITTA

SAGITTA, IP20 CRCA LED Batten is a robust and energy-efficient lighting solution designed for versatile use. Made from CRCA steel, it offers durability and a modern aesthetic. Available in >100 Lm/W & >120 Lm/W, it provides uniform illumination, long lifespan, and low power as well as cost consumption.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
TIS-350-20-57-SL-DP-NWH	20	8	2130
TIS-350-20-57-HL2-DP-NWH	20	8	2475
TIS-351-40-57-SL-DP-NWH	40	8	2725
TIS-351-40-57-HL2-DP-NWH	40	8	3150
CIS-350-20-57-SL-DP-NWH	20	8	3025
CIS-350-20-57-HL2-DP-NWH	20	8	3450
CIS-351-40-57-SL-DP-NWH	40	8	3425
CIS-351-40-57-HL2-DP-NWH	40	8	3900

* Also available in different CCT & higher efficacy options

SHELTER

This high performance integrated LED batten made of Aluminum extrusion housing and antiglare diffuser creates a sustainable lighting environment with surface / suspended mounting options



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CIS-305-20-57-SL-DP-NWH	20	6	3200
CIS-305-40-57-SL-DP-NWH	40	6	3310

* Also available in different CCT options

SHELTER ULTRA

SHELTER ULTRA, with high system efficacy 120 Lm/W, is an IP20 integrated LED Batten made of superior grade Aluminum extrusion housing to create a perfect lighting environment with surface/suspended mounting options.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CIS-305-20-57-HL2-DP-NWH	20	6	4000
CIS-305-40-57-HL2-DP-NWH	40	6	4130

* Also available in different CCT options

TECHLITA NEU

Techlita Neu IP65 PC Batten made with PC - PC co extrusion technology, having >120 Lm/W system efficacy, is highly recommended for corrosive atmospheres such as acid plants, battery rooms, chemical plants. It's surface and suspended mounting options make it versatile for multiple applications.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
TIS-308-20-57-HL2-DP-NWH	20	12	3200
TIS-308-40-57-HL2-DP-NWH	40	12	3300
CIS-308-20-57-HL2-DP-NWH	20	12	3500
CIS-308-40-57-HL2-DP-NWH	40	12	3600

* Also available in different CCT options

TECHLITA

With 130 Lm/W efficacy IP65 PC - PC co-extrusion, superior product design and multi-functional applications, Crompton's Techlita is positioned to cater to the lighting requirements of multiple industries. Striving for maximum energy savings & robust product performance, it is highly recommended for corrosive atmospheres such as acid plants, battery rooms, chemical plants.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CIS-301-20-57-HL3-DP-NWH	20	8	3800
CIS-301-40-57-HL3-DP-NWH	40	6	4000

* Also available in different CCT options

ECO

IP20 compact industrial batten suitable for single T8 LED tube. It is made of CRCA white powder coated sheet steel, ideal for surface mounting.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
DIJB12LT8-20	Suitable for 1x20W T8 LED Tube	20	480

ATTITUBE

Surface mounted IP20 compact industrial batten, made of pre coated CRCA sheets, is suitable for sing & twin LED T8 Tubes.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
IS-340-NWH	Suitable for 1x20W T8 LED Tube	20	485
IS-341-NWH	Suitable for 2x20W T8 LED Tube	20	570

ATTITUBE PRO

ATTITUBE PRO is a durable box-type industrial batten designed for single & double LED T8 tubes. Available with a double-side connection, it supports surface (ceiling/wall) and suspended mounting. Made from high-grade sheet steel, it is prewired for easy installation, making it ideal for offices, warehouses, workshops, retail spaces, garages, and utility areas.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CIS-340-20-65--SL-NWH	Suitable for 1x20W T8 LED Tube	20	630
CIS-341-40-65--SL-NWH	Suitable for 2x20W T8 LED Tube	20	710

CASTULA

CASTULA, an IP65 weatherproof batten for single and twin T8 LED tubes is a robust lighting fixture designed to withstand harsh environments. It is suitable for both indoor and outdoor applications where exposure to moisture and dust is a concern. This surface / suspended batten is highly recommended for corrosive atmospheres such as acid plants, battery rooms, chemical plants.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CIS-307-20-CP-NGR	Suitable for 1x20W T8 LED Tube	10	2850
CIS-307-40-CP-NGR	Suitable for 2x20W T8 LED Tube	10	3350

ASTO PRO

High performing versatile product for multiple applications, Asto Pro LED Tube is ideal for almost all indoor applications. It has efficacy of >100 Lm/W & has double sided connection for additional safety measure for avoiding short circuit.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
TCS-726-20-65-SL-DP-NWH	20	20	680

CRYSTA

High grade 20W LED tube, with Aluminum as heat sink for superior cooling, ensures long lasting performance in challenging industrial atmosphere with >100 Lm/W efficacy.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
LTT8-20	20	20	1010

RIGEL

RIGEL features a durable polycarbonate housing, which is known for its high impact resistance of IK08 and ability to withstand harsh environmental conditions with IP65 protection. With 120 Lm/W efficacy & 4kV inbuilt surge protection, it is used in commercial, industrial, and residential settings, providing reliable lighting solutions for various applications.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
TIS-303-10-57-SL-DP-NWH	10	12	1300
TIS-303-10-30-SL-DP-NWH	10	12	1300

BAZLEY

Pressure die Cast Aluminium Bulkhead fixture is commonly used in outdoor and industrial settings. The IP66 rating indicates that it is highly resistant to dust and water, making this 10W LED Bulkhead suitable for outdoor installations. It's 120Lm/W efficacy, 4kV in built surge protection & IK08 impact resistivity is suitable for general illumination in areas where harsh weather conditions are a concern, such as parking lots, walkways, warehouses or industrial facilities.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CIS-306-10-57-SL-DP-NBK	10	12	2360
CIS-306-10-30-SL-DP-NBK	10	12	2360





Under Canopy

Deliver focused, efficient lighting to your under-canopy areas with Crompton LED fixtures. Designed for reliability and longevity, these luminaires provide bright, even illumination for enhanced safety and customer experience.

-  **Best-in-class efficiency**
-  **IP66 ingress protection**
-  **Aesthetically designed**
-  **Easy to install**

VISUALINE

Crompton's Linear under-canopy Visualine comes with a fresh linear design that completely changes the look of traditional petrol stations. With its superior design, Visualine delivers excellent illumination and creates a beautiful picture to behold. It has 10kV SPD (optional) & ingress protection of IP66.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CIR-328-20-57-SL-DP-NWH	20	6	25000
CIR-328-40-57-SL-DP-NWH	40	6	25500
CIR-328-80-57-SL-DP-NWH	80	4	26000

NEPTUNE NEO-II

PDC aluminium constructed recess mounted under canopy luminaire with superior aesthetic finish and high reliability making it an ideal solution for petrol pumps. It has 10kV SPD & ingress protection of IP66.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
LCNP-80-CDL/60-M	80	6	10510
LCNP-100-CDL/60-M	100	6	14160

NEPTUNE ULTRA-II

High efficacy under canopy which consumes lesser energy and maintains high lighting levels. Luminaire efficacy of 125 lm/W to reduce quantity/wattage thereby reducing operational cost. It has 10kV SPD & ingress protection of IP66.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
LCNP-80-CD60HPM	80	6	14160
LCNP-100-CD60HPM	100	6	on request





Cleanroom

Crompton's Cleanroom Lighting is designed for spaces where hygiene and precision matter. With seamless construction and high efficiency, these luminaires ensure bright, uniform illumination while maintaining a contamination-free environment.

-  **Best-in-class efficacy**
-  **Customizable designs**
-  **Long Lifespan and low maintenance**
-  **Compliance with cleanroom standards**

CLEANLUX I

Recessed mounted bottom opening LED Cleanroom luminaire (2X2). CRCA powder coated housing. SS Frame available on request.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
LCBOR-24-CDL(1X1)	24	2	7700
LCBOR-40-CDL	40	1	12500
LCBOR-50-CDL	50	1	14200
LCBOR-60-CDL	60	1	14800

CLEANLUX II

Recessed mounted bottom opening LED Cleanroom luminaire (1X4). CRCA powder coated housing. SS Frame available on request.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
LCBOR-40-CDL(1X4)	40	1	14200
LCBOR-50-CDL(1X4)	50	1	16500
LCBOR-60-CDL(1X4)	60	1	22500

CLEANLUX III

Recessed mounted bottom opening LED Cleanroom luminaire (1X2). CRCA powder coated housing. SS Frame available on request.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
LCBOR-40-CDL(1X2)	40	1	11200

CLEANLUX IV

Recessed mounted top opening LED Cleanroom luminaire (2X2). CRCA powder coated housing. SS frame available on request.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
LCTOR-24-CDL(1X1)	24	1	11800
LCTOR-40-CDL	40	1	17700
LCTOR-50-CDL	50	1	19500
LCTOR-60-CDL	60	1	20000





Flameproof

Crompton's flameproof luminaires are built for reliability where safety is non-negotiable. Designed specifically for hazardous environments, these lights ensure optimal performance while preventing any risk of ignition in flammable surroundings. Trusted across critical industrial settings, they deliver dependable lighting when it matters most—because when the environment is sensitive, your lighting shouldn't be.



Gas Group IIA IIB IIC



Zone Classification Zone 1 Zone 2



Temperature class T6



FIAMMA

Flameproof Batten ensures safe operation in industries like Automotive, petrochemical, and manufacturing. The batten provides efficient and uniform lighting while preventing ignition risks. It is ideal for installation in areas with low to medium ceilings or narrow spaces. Batten supports single and twin T8 tubes (20W/40W) Certified by CIMFR, BIS and PESO
Gas Group IIA IIB
Zone Classification Zone 1 Zone 2
Temp Classification - T6



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
EXTN1LT8-16/20-VE	20	1	15000
EXTN2LT8-16/20-VE	40	1	16000

PETROLUX

Flameproof Well glass are built to endure harsh conditions, ensuring long-lasting performance even in high-risk, fire-prone areas. Meets stringent industrial safety standards, making them ideal for use in Industries like Petrochemical, Steel and Sugar. Certified by CIMFR, BIS and PESO
Gas Group IIA IIB IIC
Zone Classification Zone 1 Zone 2
Temp Classification - T6



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
FWL1318-30-CDL-M	30	2	15000
FWL1318-40-CDL-M	40	2	17500
FWL1318-45-CDL-M	45	2	18000
FWL1318-60-CDL-M	60	2	19000

FLOGA Flameproof Floodlight

Flameproof Floodlight and Highbay is designed to operate safely in hazardous environments where flammable gases or vapors may be present. It ensures reliable illumination while preventing ignition. These floodlights and highbays are commonly used in industries like oil refineries, chemical plants, and mines. They offer high performance lighting while maintaining safety standards. Certified by CIMFR, BIS and PESO
Gas Group IIA IIB IIC
Zone Classification Zone 1 Zone 2
Temp Classification - T6



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
FFL1315-80-CDL/60-M	80	1	22000
FFL1315-100-CDL/60-M	100	1	26000
FFL1315-120-CDL/60-M	120	1	28000
FFL1315-150-CDL/60-M	150	1	32000
FFL1315-200-CDL/60-M	200	1	66000
FFL1315-250-CDL/60-M	250	1	72000
FFL1315-300-CDL/60-M	300	1	80000

FLOGA Flameproof Highbay

CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
FFL1315-80-CDL/60-HB-M	80	1	24000
FFL1315-100-CDL/60-HB-M	100	1	28000
FFL1315-120-CDL/60-HB-M	120	1	31000
FFL1315-150-CDL/60-HB-M	150	1	35000
FFL1315-200-CDL/60-HB-M	200	1	76000
FFL1315-250-CDL/60-HB-M	250	1	83000
FFL1315-300-CDL/60-HB-M	300	1	92000



Flameproof accessories

Flameproof accessories are essential for ensuring safety in hazardous environments where explosive atmospheres are a concern. Built from durable materials, they include push buttons, junction boxes, switches & sockets, and rotary switches. Designed to contain sparks and heat, these accessories prevent potential ignition, minimizing fire and explosion risks. Reliable and robust, they provide peace of mind in high-risk industrial settings.

FLAMEPROOF PLUG SOCKET



FLAMEPROOF SWITCH SOCKET



FLAMEPROOF PUSH BUTTON



FLAMEPROOF JUNCTION BOX



*Prices on request





Beauty at every sight...
Brilliant in optics planned...
Lighting made to make outdoors
safe, secure, and perfect.

OUTDOOR lighting

Street Lighting

Flood Lighting

Sports Lighting

Tunnel Lighting

Façade Lighting

City Beautification



WANDERER NEO

Wanderer Neo is the ultimate upgrade from conventional streetlights. Its IK08-rated construction ensures superior impact resistance and durability, while the integrated lens design enhances efficiency with lower losses.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
ERP-427-25-57-HL2-LM-NBK	25	20	2500
ERP-427-30-57-HL2-LM-NBK	30	20	2750
ERP-427-35-57-HL2-LM-NBK	35	20	3400
ERP-428-45-57-HL2-LM-NBK	45	10	4750

WANDERER

WANDERER is a Perfect for lighting up gated communities, gardens and municipal roads. It uses a unique air vent technology which keeps temperatures low, needless to say this allows the LEDs to shine even brighter. The light also has an inbuilt surge protection. IP66 Efficacy ≥ 110LPW.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
TRP-415-20-57-SL-LM-NBK	20	12	2600
TRP-415-25-57-SL-LM-NBK	25	12	2800
TRP-415-30-57-SL-LM-NBK	30	12	3200
TRP-415-25-30-SL-LM-NBK	25	12	on request
TRP-415-30-30-SL-LM-NBK	30	12	on request

WANDERER PRO

WANDERER PRO is perfect for lighting up gated communities, gardens and municipal roads. It uses a unique air vent technology which keeps temperatures low, needless to say this allows the LEDs to shine even brighter. The light also has an inbuilt surge protection (Optional 10KV SPD) IP66 Efficacy ≥110LPW.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CRP-420-25-57-SL-LM-NSGK	25	12	3500
CRP-420-30-57-SL-LM-NSG	30	12	3800
CRP-420-25-30-SL-LM-NSG	25	12	on request
CRP-420-30-30-SL-LM-NSG	30	12	on request

WANDERER PLUS

WANDERER PLUS is ideal for gated communities, gardens, and municipal roads. Its unique air vent technology ensures low temperatures for brighter LEDs. Equipped with inbuilt surge protection, IP66 rating, and ≥110 LPW efficacy.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
TRP-417-45-57-SL-LM-NBK	45	12	5800
TRP-417-45-30-SL-LM-NBK	45	12	on request

Street Lighting

Guiding the way, night after night! Crompton's street lights illuminate roads with brilliance, ensuring safety, visibility, and efficiency. Built to endure all weather conditions, they keep your streets shining bright—because every journey deserves a clear path!

-  **Best-in-class efficiency**
-  **IP66 ingress protection**
-  **Long-lasting performance**
-  **High impact resistance**



WANDERER PRO

WANDERER PRO is perfect for lighting up gated communities, gardens and municipal roads. It uses a unique air vent technology which keeps temperatures low, needless to say this allows the LEDs to shine even brighter. The light also has an inbuilt surge protection (Optional 10KV SPD) IP66 Efficacy ≥ 110 LPW.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CRP-417-45-30-SL-LM-NSG	45	12	on request
CRP-417-45-57-SL-LM-NSG	45	12	6200

FREEDOM NEO

FREEDOM NEO street lights are made up of pressure die cast housing with toughened glass and high power LED's with secondary optics and IP66 protection. (Optional 10kv SPD) Efficacy ≥ 110 LPW.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CRP-423-45-57-SL-GL-NSG	45	12	6200
CRP-423-45-35-SL-GL-NSG	45	12	5500

WANDERER PLUS

WANDERER PLUS is ideal for gated communities, gardens, and municipal roads. Its unique air vent technology ensures low temperatures for brighter LEDs. Equipped with inbuilt surge protection, IP66 rating, and ≥ 110 LPW efficacy.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
TRP-421-60-57-SL-LM-NBK	60	6	6200
TRP-421-60-30-SL-LM-NBK	65	6	on request
TRP-421-70-57-SL-LM-NBK	70	6	6800
TRP-421-70-30-SL-LM-NBK	70	6	on request

WANDERER PRO

WANDERER PRO is perfect for lighting up gated communities, gardens and municipal roads. It uses a unique air vent technology which keeps temperatures low, needless to say this allows the LEDs to shine even brighter. The light also has an inbuilt surge protection (Optional 10KV SPD) IP66 Efficacy ≥ 110 LPW.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CRP-421-60-57-SL-LM-NSG	60	6	6800
CRP-421-70-57-SL-LM-NSG	70	6	7400

WANDERER PLUS

WANDERER PLUS is ideal for gated communities, gardens, and municipal roads. Its unique air vent technology ensures low temperatures for brighter LEDs. Equipped with inbuilt surge protection, IP66 rating, and ≥ 110 LPW efficacy.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
TRP-425-90-57-HL2-LM-NBK	90	4	9050
TRP-426-120-57-HL2-LM-NBK	120	4	12500
TRP-425-90-30-HL2-LM-NBK	90	4	on request
TRP-426-120-30-HL2-LM-NBK	120	4	on request

WANDERER PRO

WANDERER PRO is perfect for lighting up gated communities, gardens and municipal roads. It uses a unique air vent technology which keeps temperatures low, needless to say this allows the LEDs to shine even brighter. The light also has an inbuilt surge protection (Optional 10KV SPD) IP66 Efficacy ≥ 110 LPW.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CRP-425-90-57-HL2-LM-NSG	90	6	9600
CRP-426-120-57-HL2-LM-NSG	120	6	13250

VEGA

Vega LED street light is an ideal product for gated communities and municipal roads. It uses a unique heat design to keep the product air cooled, an efficient integrated IP lens ensures proper light distribution with IP66 protection. The light also has an inbuilt surge protection with 10kv SPD included, Efficacy ≥ 110 LPW.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
TRP-412-90-57-SL-GL-NSG	90	4	9200
TRP-412-90-30-SL-GL-NSG	90	4	9800
CRP-412-90-57-SL-GL-NSG	90	4	9800

RAPTOR NEO

Raptor Neo street lights are aerodynamically designed for all weather conditions with excellent thermal management, made with pressure die cast housing with toughened glass and high power LED's with secondary optics and IP66 protection. Efficacy $> 110/120$ LPW, available with 10kv SPD.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
TRP-409-45-57-SL-GL-NSG	45	6	6200
TRP-409-60-57-SL-GL-NSG	60	6	6900
TRP-409-70-57-SL-GL-NSG	70	6	7600
TRP-411-90-57-SL-GL-NSG	90	4	9800
TRP-411-100-57-SL-GL-NSG	100	4	10800
TRP-411-120-57-SL-GL-NSG	120	4	13500
TRP-409-60-30-SL-GL-NSG	60	6	7200
TRP-409-70-30-SL-GL-NSG	70	6	7900
TRP-411-90-30-SL-GL-NSG	90	4	10200
TRP-411-120-30-SL-GL-NSG	120	4	14000
TRP-409-45-57-HL2-GL-NSG	45	6	6600
TRP-409-60-57-HL2-GL-NSG	60	6	7800
TRP-409-70-57-HL2-GL-NSG	70	6	8600
TRP-411-90-57-HL2-GL-NSG	90	4	10500
TRP-411-100-57-HL2-GL-NSG	100	4	11500
TRP-411-120-57-HL2-GL-NSG	120	4	14000

RAPTOR PRO


Street lights are aerodynamically designed for all weather conditions with excellent thermal management, made up of pressure die cast housing with toughened glass and high power LED's with secondary optics and IP66 protection. 10kv SPD included, Efficacy $\geq 110/120$ LPW.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CRP-409-45-57-SL-GL-NSG	45	6	6600
CRP-409-60-57-SL-GL-NSG	60	6	7800
CRP-409-70-57-SL-GL-NSG	70	6	8000
CRP-411-90-57-SL-GL-NSG	90	4	10500
CRP-411-100-57-SL-GL-NSG	100	4	12000
CRP-411-120-57-SL-GL-NSG	120	4	14000
CRP-409-60-30-SL-GL-NSG	60	6	7400
CRP-409-70-30-SL-GL-NSG	70	6	8200
CRP-411-90-30-SL-GL-NSG	90	4	10400
CRP-411-120-30-SL-GL-NSG	120	4	14500
CRP-409-45-57-HL2-GL-NSG	45	6	6800
CRP-409-60-57-HL2-GL-NSG	60	6	8000
CRP-409-70-57-HL2-GL-NSG	70	6	8800
CRP-411-90-57-HL2-GL-NSG	90	4	11000
CRP-411-100-57-HL2-GL-NSG	100	4	12500
CRP-411-120-57-HL2-GL-NSG	120	4	15000

NEXUS STAR NEO

NEXUS STAR NEO (150W) is an aerodynamically designed street light built for all weather conditions. Featuring excellent thermal management, a PDC housing with toughened glass/integrated lens, high-power LEDs with secondary optics, IP66 protection, and 10kV SPD. Efficacy \geq 110/120 LPW.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
TRP-424-150-57-HL2-LM-NSG	150	2	17500
TRP-424-150-57-SL-GL-NSG	150	2	16500
CRP-424-150-57-HL2-LM-NSG	150	2	18500
CRP-424-150-57-SL-GL-NSG	150	2	17500

APLOMADO PRO

APLOMADO PRO is a high wattage street light meant for Highway & city roads, aerodynamically designed with excellent thermal management and superior secondary optics for better cost of ownership. IP66 protection, 10kV SPD, Efficacy > 125/135/140.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CRP-418-180-57-HL2-GL-HR-NSR	180	1	28500
CRP-418-180-57-HL3-GL-HR-NSR	180	1	30000
CRP-418-200-57-HL2-GL-HR-NSR	200	1	31000
CRP-418-200-57-HL3-GL-HR-NSR	200	1	32500
CRP-416-220-57-HL2-GL-HR-NSR	220	1	33000
CRP-416-220-57-HL3-GL-HR-NSR	220	1	34500
CRP-416-250-57-HL2-GL-HR-NSR	250	1	37500
CRP-416-250-57-SL-GL-NSG	250	1	32500
CRP-416-250-57-HL2-GL-NSG	250	1	34500
CRP-416-250-57-HL3-GL-HR-NSR	250	1	41000
CRP-416-250-57-HL4-GL-HR-NSR	250	1	44000
CRP-416-270-57-HL4-GL-HR-NSR	270	1	46000
CRP-416-250-57-HL5-LM-NSR	250	1	4800
CRP-416-270-57-HL5-LM-NSR	270	1	on request
CRP-416-300-57-HL5-LM-NSR	300	1	on request



APLOMADO PRO +

APLOMADO PRO + is a high wattage street light meant for Highway & city roads, aerodynamically designed with excellent thermal management and superior secondary optics for better cost of ownership. IP66 protection, 10kV SPD, Efficacy > 120/140/150LPW.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CRP-429-150-57-HL2-LM-NSG	150	2	on request
CRP-429-180-57-HL2-LM-NSG	180	2	on request
CRP-429-150-57-HL4-LM-HR5-NSG	150	2	21500
CRP-429-180-57-HL4-LM-HR5-NSG	180	2	23500
CRP-429-150-57-HL5-LM-HR-NSR	150	2	on request
CRP-429-180-57-HL5-LM-HR-NSR	180	2	on request

APLOMADO PRO +

APLOMADO PRO + is a high wattage street light meant for Highway & city roads, aerodynamically designed with excellent thermal management and superior secondary optics for better cost of ownership. IP66 protection, 10kV SPD, Efficacy > 120/140/150LPW.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CRP-430-200-57-HL4-LM-HR5-NSG	200	1	26500
CRP-430-200-57-HL5-LM-HR-NSR	200	1	34250
CRP-430-220-57-HL4-LM-HR5-NSG	220	1	28000
CRP-430-220-57-HL5-LM-HR-NSR	220	1	36000
CRP-430-250-57-HL4-LM-HR5-NSG	250	1	30000
CRP-430-250-57-HL5-LM-HR-NSR	250	1	38500
CRP-430-270-57-HL5-LM-HR-NSR	270	1	41500



OUTDOOR LIGHTING



Flood Lighting

Turn the night into daylight with Crompton's powerful floodlights! Designed to brighten up large outdoor spaces, they deliver high-intensity illumination with unmatched efficiency. Whether it's stadiums, tunnels, warehouses, or architectural facades, these robust and weatherproof luminaires ensure every corner shines bright, no matter the conditions.

-  **Best-in-class efficiency**
-  **IP66 ingress protection**
-  **High surge protection**
-  **High impact resistance**

ROVER NEO

LED floodlight made up of pressure die cast aluminium housing with toughened glass with SMD LEDs and IP66 protection. System efficacy >120LPW.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
TFS-521-50-57-NL-SL-NS-GL-NSG	50	5	3000
TFS-521-50-30-NL-SL-NS-GL-NSG	50	5	3200

ROVER NEO

LED floodlight made up of pressure die cast aluminium housing with toughened glass with SMD LEDs and IP66 protection. System efficacy >120LPW.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
TFS-522-100-57-NL-SL-NS-GL-NSG	100	4	5800
TFS-522-100-30-NL-SL-NS-GL-NSG	100	4	6000

ROVER

LED floodlight made up of pressure die cast aluminium housing with toughened glass and high power LEDs and secondary lenses with IP66 protection. System efficacy >110/120 LPW, 10kV SPD version to be ordered separately.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
TFS-504-50-57-NL-SL-GL-NBK	50	6	6200
CFS-504-50-57-60D-SL-GL-NSG	50	-	-
CFS-504-50-30-60D-SL-GL-NSG	50	6	8400
TFS-504-60-57-60D-SL-GL-NSG	60	-	-
TFS-504-60-30-60D-SL-GL-NSG	60	6	8600
TFS-504-60-57-60D-HL2-GL-NSG	60	6	9400

ROVER PLUS

LED floodlight made up of pressure die cast aluminium housing with toughened glass and high power LEDs and secondary lenses with IP66 protection. System efficacy >110/120 LPW, 10kV SPD to be ordered separately.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
TFS-504-70-57-60D-SL-GL-NSG	70	6	8800
TFS-504-70-30-60D-SL-GL-NSG	70	6	9000
TFS-504-70-57-60D-HL2-GL-NSG	70	6	11500
TFS-504-80-57-60D-SL-GL-NSG	80	6	10000
TFS-504-80-30-60D-SL-GL-NSG	80	6	10500
TFS-504-80-57-60D-HL2-GL-NSG	80	6	12000
TFS-504-100-57-60D-SL-GL-NSG	100	6	10500
TFS-504-100-57-NL-SL-GL-NBK	100	6	10250
CFS-504-100-30-60D-SL-GL-NSG	100	6	10800
TFS-504-100-57-60D-HL2-GL-NSG	100	6	12500
CFS-504-100-57-60D-HL2-GL-NSG	100	6	13500
CFS-504-120-57-60D-SL-GL-NSG	120	6	15000
CFS-504-120-57-60D-HL2-GL-NSG	120	6	16000
TFS-504-120-57-60D-HL2-GL-NB	120	6	14500
TFS-504-150-57-60D-HL2-GL-NBK	150	6	15500



PROFILE NEO

LED floodlight made up of pressure die cast aluminium housing with toughened glass and high power LEDs and secondary lenses with IP66 protection. System efficacy 110/120LPW, 10kV SPD included.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
LFL-70-CDL/60-M	70	6	10500
LFL-70-CDL/60-M	70	6	11500
LFL-70-CDL/60-HPM	70	6	12000
LFL-80-CDL/60-M	80	6	11000
LFL-80-WW/60-M	80	6	12000
LFL-80-CDL/60-HPM	80	6	13000

SPECTACLE

LED floodlight made up of pressure die cast aluminium housing with integrated IP lens and SMD LEDs with IP66 protection. System efficacy >120LPW, 10kV SPD included.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
TFS-510-150-57-60D-HL2-LM-NGG	150	2	15300
TFS-510-150-30-60D-HL2-LM-NGG	150	2	on request
TFS-511-200-57-60D-HL2-LM-NGG	200	2	19500
TFS-511-200-30-60D-HL2-LM-NGG	200	2	on request

SPECTACLE PRO

LED floodlight made up of pressure die cast aluminium housing with integrated IP lens and SMD LEDs with IP66 protection. System efficacy >120LPW, 10kV SPD included.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CFS-510-150-57-60D-HL2-LM-NSG	150	2	17000
CFS-511-200-57-60D-HL2-LM-NSG	200	2	22000

PLUTO NEO AURA

LED floodlight made up of pressure die cast aluminium housing with toughened glass and high power LEDs and secondary lenses with IP66 protection. System efficacy ≥ 110/LPW 10kV SPD included.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
TFS-507-150-57-60D-SL-GL-NSG	150	2	16000
TFS-507-150-57-NL-SL-GL-NSG	150	2	15500
TFS-507-200-57-60D-SL-GL-NSG	200	2	22000
TFS-507-200-57-NL-SL-GL-NSG	200	2	21000

PLUTO NEO

LED floodlight made up of pressure die cast aluminium housing with toughened glass and high power LEDs and secondary lenses with IP66 protection. System efficacy ≥ 110/LPW 10kV SPD included.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
LFLN-135-CDL/60-M	135	2	16500
LFLN-135-WW/60-M	135	2	17000
LFLN-150-CDL/60-M	150	2	17500
LFLN-150-WW/60-M	150	2	18500
LFLN-150-CDL/60-HPM	150	2	18500
LFLN-180-CDL/60-M	180	2	18500
LFLN-180-WW/60-M	180	2	19500
LFLN-200-CDL/60-M	200	2	24000
LFLN-200-WW/60-M	200	2	25000
LFLN-200-CDL/60-HPM	200	2	25500

CHALLENGER PRO

Unique modular LED floodlight made up of pressure die cast aluminium housing with toughened glass and high power LEDs and secondary lenses with IP66 protection. Available in NB/MB/WB angles. 10kV SPD included, System Efficacy ≥ 110/120/135 LPW.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CFS-506-250-57-60D-SL-GL-NSG	250	1	30000
CFS-506-250-57-60D-HL2-GL-NSG	250	1	32500
CFS-506-250-57-30D-HL2-GL-NSG	250	1	33000
CFS-506-250-57-60D-HL3-GL-NBR	250	1	40500
CFS-506-250-57-30D-HL3-GL-NBR	250	1	41000
CFS-506-250-57-10D-HL2-GL-NBR	250	1	44000
CFS-506-250-57-10D-HL3-GL-NBR	250	1	46000
CFS-506-300-57-60D-SL-GL-NSG	300	1	33000
CFS-506-300-57-30D-SL-GL-NSG	300	1	33500
CFS-506-300-57-60D-HL2-GL-NSG	300	1	34800
CFS-506-300-57-30D-HL2-GL-NSG	300	1	35000

SPECTACLE

LED floodlight made up of pressure die cast aluminium housing with integrated IP lens and SMD LEDs with IP66 protection. System efficacy >120LPW, 10kV SPD included.



NEW

CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
TFS-526-250-57-60D-HL2-LM-NSG	250	1	22500
TFS-526-300-57-60D-HL2-LM-NSG	300	1	29500

SPECTACLE PRO

LED floodlight made up of pressure die cast aluminium housing with integrated IP lens and SMD LEDs with IP66 protection. System efficacy >120LPW, 10kV SPD included.



NEW

CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CFS-526-250-57-60D-HL2-LM-NGG	250	1	32500
CFS-526-300-57-60D-HL2-LM-NGG	300	1	33000

CHALLENGER PRO PLUS

A unique modular LED floodlight with PDC aluminum housing, toughened glass, high-power LEDs, and secondary lenses. Offers IP66 protection, NB/MB/WB beam angles, 10kV SPD, and system efficacy ≥ 110/120/135 LPW.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CFS-506-500-57-60D-SL-GL-NSG	500	1	60000
CFS-506-500-57-10D-HL2-GL-NBR	500	1	77500
CFS-506-500-57-60D-HL2-GL-NSG	500	1	65000
CFS-506-500-57-30D-HL2-GL-NSG	500	1	65500
CFS-506-500-57-10D-HL3-GL-NBR	500	1	79500
CFS-506-500-57-30D-HL3-GL-NBR	500	1	72500
CFS-506-500-57-60D-HL3-GL-NBR	500	1	72000

CHALLENGER PRO

LED floodlight features a PDC aluminum housing, toughened glass, high-power LEDs, and secondary lenses. Offers IP66 protection, MB/WB beam angles, 10kV SPD, and system efficacy \geq 110/120/135 LPW.



NEW

CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CFS-512-350-57-60D-SL-GL-NSG	350	1	40000
CFS-512-350-57-30D-SL-GL-NSG	350	1	40500
CFS-512-350-30-60D-SL-GL-NSG	350	1	42000
CFS-512-350-30-30D-SL-GL-NSG	350	1	42500
CFS-512-350-57-60D-HL2-GL-NSG	350	1	42500
CFS-512-350-57-30D-HL2-GL-NSG	350	1	43000
CFS-512-350-57-60D-HL3-GL-NGG	350	1	55000
CFS-512-350-57-30D-HL3-GL-NGG	350	1	56000
CFS-512-400-57-60D-SL-GL-NSG	400	1	45000
CFS-512-400-57-30D-SL-GL-NSG	400	1	45500
CFS-512-400-30-60D-SL-GL-NSG	400	1	49500
CFS-512-400-30-30D-SL-GL-NSG	400	1	49500
CFS-512-400-57-60D-HL2-GL-NSG	400	1	33500
CFS-512-400-57-30D-HL2-GL-NSG	400	1	50000
CFS-512-400-57-60D-HL3-GL-NGG	400	1	62000
CFS-512-400-57-30D-HL3-GL-NGG	400	1	62000

PLUTO PRO PLUS

LED floodlight made up of pressure die cast aluminium housing with toughened glass and high power LEDs and secondary lenses with IP66 protection. Available in MB/WB angles. 10kV SPD included, System Efficacy \geq 110/120/135.



NEW

CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CFS-513-500-57-60D-SL-GL-NSG	500	1	60000
CFS-513-500-57-30D-SL-GL-NSG	513	1	60500
CFS-513-500-57-60D-HL2-GL-NSG	500	1	65000
CFS-513-500-57-30D-HL2-GL-NSG	500	1	65500
CFS-513-500-30-60D-SL-GL-NSG	500	1	66000
CFS-513-500-30-30D-SL-GL-NSG	500	1	66500
CFS-513-500-57-60D-HL3-GL-NGG	500	1	72000
CFS-513-500-57-30D-HL3-GL-NGG	500	1	72500
CFS-513-500-57-10D-HL3-GL-NGG	500	1	79500



SPORTS LIGHTING

From local fields to grand arenas,
we've got every play covered in the perfect light.





Sports Lighting

Sports lighting isn't just about brightness—it's about bringing the game to life. Designed for stadiums and arenas, it ensures every move is crystal clear, every moment electrifying, and every player in the spotlight. Let the game shine, no matter the hour!

-  **Best-in-class efficiency**
-  **High CRI for HDTV**
-  **Modular design**
-  **Precise distribution**
-  **Integral/ non- integral options for control gear**
-  **High impact resistance**

PLUTO PRO PLUS

Sports lighting flood lights with modular design made up of pressure die cast aluminium housing with toughened glass and high power LEDs and secondary lenses with IP66 protection. 10kV SPD included, System Efficacy ≥ 120,130,140 LPW.



NEW

CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CFS-515-800-57-60D-HL2-GL-NSG	800	1	115500
CFS-515-800-57-30D-HL2-GL-NSG	800	1	on request
CFS-515-800-57-60D-HL3-GL-NGG	800	1	on request
CFS-515-800-57-30D-HL3-GL-NGG	800	1	on request
CFS-515-800-57-10D-HL3-GL-NB1-NGG	800	1	on request
CFS-515-800-57-10D-HL3-GL-NB2-NGG	800	1	on request
CFS-515-800-57-60D-HL4-GL-NGG	800	1	on request
CFS-515-800-57-30D-HL4-GL-NGG	800	1	on request
CFS-515-800-57-10D-HL4-GL-NB1-NGG	800	1	on request
CFS-515-800-57-10D-HL4-GL-NB2-NGG	800	1	on request
CFS-515-1000-57-60D-HL2-GL-NSG	1000	1	120000
CFS-515-1000-57-30D-HL2-GL-NSG	1000	1	120000
CFS-515-1000-57-60D-HL3-GL-NGG	1000	1	on request
CFS-515-1000-57-10D-HL3-GL-NB1-NGG	1000	1	on request
CFS-515-1000-57-10D-HL3-GL-NB2-NGG	1000	1	on request
CFS-515-1000-57-60D-HL4-GL-NGG	1000	1	on request
CFS-515-1000-57-30D-HL4-GL-NGG	1000	1	on request
CFS-515-1000-57-10D-HL4-GL-NB1-NGG	1000	1	on request
CFS-515-1000-57-10D-HL4-GL-NB2-NGG	1000	1	on request

PLUTO PRO-SPORTS

Sports lighting flood lights with modular design with integrated lens with provision for integral/ Non-integral control gear attachment. high power LEDs and precise beam angles for sports application. IP66 protection. System Efficacy ≥ 110LPW



NEW

CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CFS-529-1500-857-10D-HL2-LM-NGG	1500	1	on request
CFS-529-1500-857-15D-HL2-LM-NGG	1500	1	on request
CFS-529-1500-957-10D-HL1-LM-NGG	1500	1	on request
CFS-529-1500-957-15D-HL1-LM-NGG	1500	1	540000
CFS-529-1650-857-10D-HL2-LM-NGG	1650	1	on request
CFS-529-1650-857-15D-HL2-LM-NGG	1650	1	on request
CFS-529-1650-957-10D-HL1-LM-NGG	1650	1	on request
CFS-529-1650-957-15D-HL1-LM-NGG	1650	1	550000



OUTDOOR LIGHTING

TUNNEL LIGHTING

Illuminating the underground path,
because clarity shouldn't end at the tunnel entrance.



ALPHECA

Alphaeca makes visual adaptation easier as a driver approaches, navigates, and exits the tunnel. With lux levels and light color temperatures that carefully consider the human eye's spatial and temporal adaptation, Alphaeca makes tunnel lighting as secure as possible.




CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CFS-527-60-57-AS-HL2-LM-NSG	60	4	on request
CFS-527-60-57-AS-HL4-CP-NGG	60	4	on request
CFS-527-80-57-AS-HL2-LM-NSG	80	4	on request
CFS-527-80-57-AS-HL4-CP-NGG	80	4	on request

ALPHECA



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CFS-528-240-57-30D-HL2-LM-NSG	240	1	on request
CFS-528-240-57-AS-HL4-CP-NGG	240	1	on request
CFS-528-300-57-30D-HL2-LM-NSG	300	1	on request
CFS-528-300-57-AS-HL4-CP-NGG	300	1	on request

ALPHECA



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CFS-528-120-57-30D-HL2-LM-NSG	120	4	on request
CFS-528-120-57-AS-HL4-CP-NGG	120	4	on request
CFS-528-150-57-30D-HL2-LM-NSG	150	4	on request
CFS-528-150-57-AS-HL4-CP-NGG	150	4	on request



Tunnel Lighting


Technically brilliant, Crompton Tunnel Lighting is made to keep driver security at the forefront. Designed to cater to the specialized lighting requirements of tunnels, it enables efficient traffic management at any

- Best-in-class efficiency**
- Monitoring & control**
- Modular design**
- High impact resistance**



Façade Lighting

Façade lighting is like painting with light, turning buildings into glowing landmarks that tell a story after sunset. It adds depth, drama, and personality, transforming ordinary structures into mesmerizing spectacles. Whether casting a soft glow or a bold statement, the right lighting breathes life into architecture, making the night come alive.



Aesthetic Enhancement



Increased Visibility



Energy Efficient



Sustainable



Remote Control

ALIATH
LINEAR
OUTLINE
TUBES

“Facade lighting design is the art of using light to illuminate and accentuate the exterior of a building.”

Flood Washing




Wall Grazing



General Illumination



Wall Washing



General Illumination




Burial Lighting





City Beautification

Bring outdoor spaces to life with Crompton's City Beautification Lighting! Designed to deliver 360° uniform illumination while enhancing aesthetics. Glare-free, impact-resistant, and corrosion-proof, these luminaires withstand the elements while providing long-lasting brilliance. Perfect for gardens, pathways, and architectural highlights!

-  **Aesthetically designed**
-  **Glare-free uniform lighting**
-  **Impact-resistant & corrosion-proof**

CHAPLET

Decorative Post top for indirect light with IP65 protection. Resistant to impact and corrosion. Glare-free and better uniformity. Also available in warm white.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CBP-610-25-57-SL-CA-NBK	25	1	10000
CBP-610-35-57-SL-CA-NBK	35	1	10500
CBP-610-40-57-SL-CA-NBK	40	1	11000
CBP-610-60-57-SL-CA-NBK	60	1	15500

MAPLE

Decorative Post top for 360° indirect light with IP 65 protection. Resistant to impact and corrosion. Glare-free and better uniformity.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
LPTO-40-CDL-M	40	1	14500
LPTO-40-WW-M	40	1	15500
LPTO-60-WW-M	60	1	19500
LPTO-60-CDL-M	60	1	18500

LIARA

IP65 rated Inverted Pyramid Tripod type LED Bollard with soft 360° light distribution.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
LBLSN-10-CDL	10	4	10000
LBLSN-10-WW	10	4	10500



MAYA I

Pressure die cast powder coated housing with PC diffuser. Efficient high output LED with IP65 protection.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
LBLA1-10-CDL	10	4	4500
LBLA1-10-WW	10	4	4800

MAYA II

IP65 rated Inverted Pyramid Tripod type LED Bollard with soft 360° light distribution.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
LBLA2-10-CDL	10	4	5000

MAYA III

Pressure die cast powder coated housing with PC diffuser. Efficient high output LED with IP65 protection.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
LBLA3-10-CDL	10	4	5300
LBLA3-10-WW	10	4	5500

BEACON

Step light with IP65 protection for outdoor application.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CBR-611-06-57-SL-CP-NGG	06	16	3500
CBR-611-06-30-SL-CP-NGG	06	16	4000

EMPIRE

IP65 Rated Decorative Street Light for gardens, pathways, Heritage sites and other City Beautification Applications.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CBP-601-45-57-HL2-CP-NGG	45	1	15500
CBP-601-45-30-HL2-CP-NGG	45	1	16000
CBP-601-60-57-HL2-CP-NGG	60	1	16000
CBP-601-60-30-HL2-CP-NGG	60	1	16500
CBP-601-90-57-HL2-CP-NGG	90	1	27500
CBP-601-90-30-HL2-CP-NGG	90	1	28000
CBP-601-100-57-HL2-CP-NGG	100	1	30000
CBP-601-100-30-HL2-CP-NGG	100	1	30500
CBP-601-120-57-HL2-CP-NGG	120	1	30500
CBP-601-120-30-HL2-CP-NGG	120	1	31000
CBP-601-150-57-HL2-CP-NGG	150	1	40000
CBP-601-150-30-HL2-CP-NGG	150	1	40500





Reliability that never fades...
Efficiency that powers savings...
Lighting made smarter,
for a brighter future.

SOLAR lighting

All-in-One

Stand Alone Streetlight

Solar High Mast



Solar All-in-one

Crompton Solar All in One consists of high efficacy LEDs, efficient mono crystalline solar panel, new age lithium ferro phosphate battery and a silicon encapsulated high efficiency MPPT Charge controller. It is a uniquely designed aluminium housing device for better heat dissipation with strategically placed perforations. The luminaire also has an in-built PIR Motion sensor.



Autonomous Operations

- Significantly lesser dust accumulation
- Saves electricity charges
- Automatic Dusk-Dawn programmed



Wire-free

- Zero cabling
- Components in single housing
- Ease of installation & maintenance
- Saves expenditure



Efficacy

- Higher luminous efficacy
- More illumination



Durability

- Long life
- Saves expenditure
- Hassle-free usage



Sustainability

- Runs on renewable energy
- Helps in carbon-offset mission
- Promotes green energy



PIR sensor

- Light management
- Motion-based illumination

Housing

- All-in-one aluminum extrusion (LED, battery, electronics, solar panel)
- Sleek design, easy installation & maintenance
- Theft-resistant & durable
- Optimized for solar street lighting
- Enhances area aesthetics

LED


- Premium quality LED
- Illuminate even the darkest spaces

MPPT Charge Controlled (potted)

- Higher charging efficiency (>93%)
- Protection from deep discharge & overcharging
- IP65-rated potting for durability & thermal efficiency
- Auto dusk-to-dawn operation

Energy Storage

- Long-lasting Lithium Ferro Phosphate battery
- Component-level ingress protection



Monocrystalline Solar panel

- Superior efficiency
- Space-saving design

Ingress Protection

- Zero moisture/water
- Component level ingress protection



All-in-one Street Light

Harness the sun's power with Crompton's All-in-One Solar Street Lights! Featuring intelligent energy-saving technology, high-performance LEDs, and a sleek, weatherproof design, they provide long-lasting brightness while reducing energy costs.



Best-in-class efficacy



High-efficiency Solar PV



LiFePO4 Battery with BMS



MPPT Charge Controller



PIR Motion Sensor Dimming




Aluminum extruded body



IP65 rated

SONIVA NEO


Crompton Soniva Neo is an All-In-One solar streetlight with high efficiency mono crystalline solar PV module, LiFePO4 battery with inbuilt BMS technology, MPPT charge controller, aluminum extruded body IP65 with serviceable battery compartment, high efficacy LED >150LPW and PIR dimming provided for optimizing battery autonomy.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CSOP-811-15-57-HL5-PIR-LM-SR	15	1	43200
CSOP-812-15-57-HL5-FD-LM-SR	15	1	40600
CSOP-813-20-57-HL5-PIR-LM-SR	20	1	49500
CSOP-814-20-57-HL5-FD-LM-SR	20	1	47300
CSOP-815-30-57-HL5-PIR-LM-SR	30	1	58900
CSOP-816-30-57-HL5-FD-LM-SR	30	1	56300
CSOP-817-40-57-HL4-PIR-LM-SR	40	1	61000
CSOP-818-40-57-HL4-FD-LM-SR	40	1	59000
CSOP-819-50-57-HL6-FD-LM-SR	50	1	84100
CSOP-820-50-57-HL6-PIR-LM-SR	57	1	80100
CSOP-821-60-57-HL4-PIR-LM-SR	60	1	91900
CSOP-822-60-57-HL4-FD-LM-SR	60	1	89900

SONIVA PRO

Crompton Soniva Pro is an All-In-One solar streetlight with high efficiency mono crystalline solar PV module, LiFePO4 battery with inbuilt BMS technology, MPPT charge controller, aluminum extruded body IP65 with serviceable battery compartment, high efficacy LED >150LPW and PIR dimming provided for optimizing battery autonomy.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CSOP-801-15-57-HL5-PIR-LM-GG	15	1	47100
CSOP-802-15-57-HL5-FD-LM-GG	15	1	44800
CSOP-803-20-57-HL5-PIR-LM-GG	20	1	55600
CSOP-804-20-57-HL5-FD-LM-GG	20	1	53300
CSOP-805-30-57-HL5-PIR-LM-GG	30	1	64900
CSOP-806-30-57-HL5-FD-LM-GG	30	1	62800
CSOP-807-40-57-HL4-PIR-LM-GG	40	1	64800
CSOP-808-40-57-HL4-FD-LM-GG	40	1	62600
CSOP-811-60-57-HL4-PIR-LM-GG	60	1	94500
CSOP-812-60-57-HL4-FD-LM-GG	60	1	92900

SONIVA PLUS

Crompton Soniva Pro is an All-In-One solar streetlight with high efficiency mono crystalline solar PV module, LiFePO4 battery with inbuilt BMS technology, MPPT charge controller, aluminum extruded body IP65 with serviceable battery compartment, high efficacy LED >150LPW with fixed & PIR based dimming provided for optimizing battery autonomy. Hybrid charger also offered as option.



CAT. REF.	WATTAGE	CASE LOT	MRP(₹)
CSOP-830-15-57-HL5-FD-LM-PG	15	1	41400
CSOP-831-20-57-HL5-FD-LM-PG	20	1	47700
CSOP-832-30-57-HL5-FD-LM-PG	30	1	57900
CSOP-833-40-57-HL5-FD-LM-PG	40	1	62100
CSOP-834-50-57-HL5-FD-LM-PG	50	1	77500
CSOP-835-60-57-HL5-FD-LM-PG	60	1	91200
CSOP-836-15-57-HL5-PIR-LM-PG	10	1	39500
CSOP-837-20-57-HL5-PIR-LM-PG	20	1	45700
CSOP-838-30-57-HL5-PIR-LM-PG	30	1	55900
CSOP-839-40-57-HL5-PIR-LM-PG	40	1	59900
CSOP-840-50-57-HL5-PIR-LM-PG	50	1	75400
CSOP-841-60-57-HL5-PIR-LM-PG	60	1	89100
CSOP-842-15-57-HL5-HY-LM-PG	15	1	45900
CSOP-843-20-57-HL5-HY-LM-PG	20	1	52300
CSOP-844-30-57-HL5-HY-LM-PG	30	1	67300
CSOP-845-40-57-HL5-HY-LM-PG	40	1	69500
CSOP-846-50-57-HL5-HY-LM-PG	50	1	82600
CSOP-847-60-57-HL5-HY-LM-PG	60	1	96500

Solar Standalone

The Standalone Solar street light generates solar energy from high efficiency Solar PV panels to recharge tubular lead-acid batteries and power high efficacy LEDs. Current/Voltage management is done by high efficiency smart electronics (charge controller). It functions autonomously in charging & discharging capabilities.



Luminaire

Die-cast aluminium housing
IP65 protected
Efficacy of more than 150lm/W (optional)
Optics for uniform distribution (optional)



Polycrystalline Silicon solar Cells

Certified as per IEC 61215, IEC 61730, IEC 61701 & MNRE



BIS Certified Battery

Lithium Ion batteries & Lithium ferro phosphate batteries



Tubular/Octagonal Pole

As per IS standards



Charge Controller

PWM/MPPT based charge controller with high charging efficiency
Designed as per IEC standards
Hybrid version with AC backup (optional)



Mono & poly Crystalline

Highly efficient mono-and poly-crystalline silicon solar panels.

LED

Luminaires designed specifically for solar street lighting, featuring high-lumen LED modules for maximum efficiency. Advanced solar controller technology with dimming capabilities ensures smart power management.

MPPT charge Controlled (potted)

Highly efficient charge controller with intelligent microprocessor algorithms for automatic sunrise and sunset detection.

Energy Storage

Available in Tubular, SMF, and LMLA options, designed for frequent cyclic duty. Deep-cycle batteries housed in a corrosion-free IP22 CRCA box with a ventilation system for optimal airflow.





Solar Highmast

Harnessing the sun's power, high mast solar floodlights illuminate vast spaces with brilliance and sustainability. Designed for highways, stadiums, and industrial zones, they offer reliable, low-maintenance lighting while reducing energy costs—lighting up the night, naturally.



IP 66 Protection



Best-in-class efficiency



Up to 16 hrs of Battery Backup



Monocrystalline Panel

- High quality solar panel
- Efficiency >19%
- IEC 61215, BIS 14286 with RFID tags

Housing

- PDC Housing for Floodlight

MPPT Charge Controlled (potted)

- Integrated DC-DC driver
- Silicon potted MPPT
- Protections against deep discharge, over charging, reverse polarity
- Automatic dusk-dawn programmed

Lithium Ion Battery

- Long Life batteries with inbuilt BMS, with battery life up to 2000 charging-discharging cycles
- Separate IP 65 Box for Battery & Charge Controller

LED

- High quality LED
- Efficacy \geq 170 LPW (LM79 From NABL)
- LM 80 compliance
- CRI > 70



Tall, tough, and brilliant...
Engineered to illuminate vast
spaces with ease.

HIGH MASTS & POLES

High Mast

Octagonal Poles

Decorative Poles & Brackets

High Masts

Imagine vast spaces bathed in brilliant, efficient light...
That's the power of Crompton's high mast lighting!

Designed for large spaces like sports stadiums, golf courses, oil refineries, airports, and industrial zones, our energy-saving solutions ensure maximum visibility, safety, and seamless monitoring. With fewer poles and wider coverage, our high mast systems eliminate clutter while delivering powerful illumination where it matters most.

Power Features

Our high mast is designed with a sleek, continuously tapered polygonal structure with at least 20 sides, ensuring both strength and an aesthetically pleasing appearance. Built on a proven in-tension design, it meets the rigorous standards of the Institution of Lighting Engineers (UK) Technical Report No. 7 - 1996, guaranteeing long-term performance and reliability.

Designed to handle heavy loads as per IS 875 (Part 3) 1987, it stands strong in demanding environments, delivering efficiency & durability.

Built to Last!

Our high masts are fabricated from high-quality steel plates (BS-EN 10025) and shaped into a sturdy polygonal section. Designed for 16 & 20M heights (two sections) and 25 & 30M heights (three sections), they feature longitudinal welds conforming to BS 5135/AWS for superior strength.

A fully penetrated, defect-free base flange ensures structural integrity, reinforced with gussets to eliminate stress concentration. For lasting durability, each mast undergoes Hot Dip Galvanization (Single Dip) inside and out, with a uniform coating thickness of 85/65 microns for maximum environmental protection.

Secure & Accessible Door Design

Designed for easy maintenance, the mast features a reinforced door opening at the base for quick access to the winch, cables, and other equipment. A vandal-resistant Allen key lock with an external lock option ensures security, while its sturdy design prevents buckling.

Built to Withstand Strong Winds

Our masts are designed to withstand dynamic wind loads as per IS 875 (Part 3) 1987, measured at 10m height. Our standard masts endure wind speeds up to 180 km/h (50 m/s), with options available for 198 km/h and 225 km/h (62.5 m/s) for extreme conditions.

Reliable & Customizable

Our high mast comes with customizable accessories to meet diverse needs. Standard features include a raising & lowering system (R&L), trailing cable, power tool, feeder pillar for automatic switching, lighting finial, and aviation warning light.

The R&L system features a self-lubricating, self-sustaining double drum winch with 750 kg SWL capacity, SS wire ropes (AISI316, min 6mm, 7/19 construction) with 2350 kg breaking strength, and a sturdy head frame and lantern carriage.

The power tool, available in integral or external types, includes a mechanical torque limiter for safety and a manual handle for backup, making it ideal for airports, railway stations, road junctions, container yards, etc.

High Mast Structure

HEIGHT OF MAST (MTRS.)	12.5 MTR.	16 MTR.	20 MTR.	25 MTR.	30 MTR.
Material of Construction	BSEN 10025 Equivalent				
Plate Thickness	Top 3mm - Bottom 3mm	Top 3mm - Bottom 4mm	Top 3mm - Bottom 4mm	Top 4mm Middle 4mm Bottom 5mm	Top 4mm Middle 4mm Bottom 5mm
Cross Section of Mast	12 Sided Polygon	20 Sided Polygon	20 Sided Polygon	20 Sided Polygon	20 Sided Polygon
Section Length	Top 6500 - Bottom 6500	Top 8250 - Bottom 8250	Top 10300 - Bottom 10300	Top 8750 Middle 8750 Bottom 8250	Top 10500 Middle 10500 Bottom 10500
Bottom (A/F)	300	360	410	460	600
Top (A/F)	150	150	150	150	150
Diameter of Base Plate	520	540	570	670	840
Thickness of Base Plate	25	25	30	30	32
FOUNDATION BOLTS					
Number	6	8	8	12	12
PCD	445	460	490	590	740
Diameter	M 24	M 30	M 30	M 30	M 30
Length	25	25	30	30	32
LANERN CARRIAGE					
Number of Luminaires	6	9	12	12	16
Orientation	Symmetrical	Symmetrical	Symmetrical	Symmetrical	Symmetrical
Joints	2/3	2/3	2/3	2/3	2/3
Arms	6	9	6	6	6

DYNAMIC LOADING					
Winch/Power tool type	Double Drum	Double Drum	Double Drum	Double Drum	Double Drum
Max Design Speed of Winch	50m/s	50m/s	50m/s	50m/s	50m/s
SWL of Winch	500kg	500kg	500kg	750kg	750kg
Method of operation	Integral Motor	Integral Motor	Integral Motor	Integral Motor	Integral Motor
Motor Capacity	1.5HP	1.5HP	1.5HP	2HP	2HP
Torque Limitor	Mechanical	Mechanical	Mechanical	Mechanical	Mechanical
STAINLESS STEEL WIRE ROPE					
Grade	AISI 316	AISI 316	AISI 316	AISI 316	AISI 316
Construction	7/19	7/19	7/19	7/19	7/19
Number of ropes	3 nos of 6mm Lantern Carriage, 2 nos of 6mm for double drum winch				
Diameter	2 wire rope system for 12.5m HM, 6mm				
Breaking Load Capacity	2350 KG				
LANERN CARRIAGE					
Conductor	5 core 2.5sq mm or 5 core 4 sq mm				
Insulation	Flexible				
No.of Circuits per mast	1	1	1	1	2

STANDARD ESSENTIAL ACCESSORIES OFFERED WITH HIGH MASTS:

Mast shaft, head frame with pullies lantern carriage, luminaire mounting arms (6 nos), 'u' bolts, lighting finial, stainless steel wire ropes 3 nos. for lantern carriage +2 nos for winch, transient plate, double drum winch, power tool, winch & power tool mounting bracket, foundation bolts & nuts, anchor & tem - plate top junction box & LED type aviation light.

OPTIONAL ITEM: • LED type aviation light • Feeder pillar

Street Lighting Poles

Because every street deserves a reliable glow

Street lights have evolved from simply providing nighttime illumination to serving as street furniture during the day and enhancing the city's aesthetics. Modern street lighting poles are designed to reduce clutter and serve multiple street functions.

Crompton offers a range of Hot Dip Galvanized Octagonal poles with a sturdy base plate. These poles feature a 65-micron galvanizing thickness, both internally and externally, ensuring long-lasting durability without the need for periodic painting. Crompton's octagonal poles offer distinct advantages over traditional round stepped-swedged welded poles.

Hot deep Galvanized poles

Crompton offers a wide variety of Hot Dip Galvanized Octagonal / Conical poles which can be used for illumination, power distribution and various other application. These poles are hot dip galvanized after fabrication, internally and externally in accordance with IS-2629 / BSEN ISO 1461 or equivalent.

Octagonal poles by Crompton have a distinct edge over conventional round stepped-swedged welded poles.

Features

- Ease of installation
- Sleek, elegant and pleasing aesthetics. with flushed door
- Galvanizing reduces the risk of corrosion and maintenance costs
- Electrically safe with inside cable termination and earth connection

Material Specification

The steel galvanized used to manufactured steel poles is as per BSEN 10025 or equivalent.

Mounting Bracket

Crompton Greaves can supply galvanised arm brackets along with spigots matching with different types of poles and as per customer requirements. Typical arrangement and dimensional details for single arm and double arm bracket along with spigot suitable for different types of poles given here in.

Standard Octagonal Poles




CAT.REF	HEIGHT (MTR)	TOP DIA (A/F MM)	BOTTOM DIA (A/F MM)	SHEET THICKNESS (MM)	BASE PLATE DIMENTIONS (LXBXT)	FOUNDATION BOLT SIZE (MM)	BOLT LENGTH (MM)	PCD
HM-1103P	3	70	130	3	200 x 200 x 12	4 x M16	450	200
HM-1104P	4	70	130	3	200 x 200 x 12	4 x M16	450	200
HM-1105P	5	70	130	3	200 x 200 x 12	4 x M16	600	200
HM-1106P	6	70	130	3	200 x 200 x 12	4 x M20	600	200
HM-1107P	7	70	130	3	225 x 225 x 12	4 x M20	700	225
HM-1108P	8	70	135	3	225 x 225 x 16	4 x M20	750	225
HM-1109	9	70	155	3	260 x 260 x 16	4 x M24	750	260
HM-1110P	10	70	175	3	275 x 275 x 16	4 x M24	750	275
HM-1111P	11	90	210	3	300 x 300 x 20	4 x M24	750	300
HM-1112P	12	90	240	3	320 x 320 x 20	4 x M24	850	325






Decorative Poles

Elevate cityscapes with Crompton's decorative poles. Designed to complement urban aesthetics, our steel poles offer a perfect blend of elegance and durability. With corrosion-resistant finishes and sleek designs, they bring charm to streets, parks, and public spaces while ensuring lasting performance.

-  **Durable & elegant build**
-  **Weather & corrosion resistant**
-  **Chemical chromatised protection**



ORDERING MODEL	HEIGHT OF POLE
CG-DECO-02-20	2 mtrs
CG-DECO-02-26	2.6 mtrs
CG-DECO-02-31	3.1 mtr




ORDERING MODEL	HEIGHT OF POLE
CG-DECO-03-30	3 mtrs
CG-DECO-03-40	4 mtrs
CG-DECO-03-50	5 mtrs
CG-DECO-03-60	6 mtrs




ORDERING MODEL	HEIGHT OF POLE
CG-DECO-06-30	3 mtrs
CG-DECO-06-40	4 mtrs
CG-DECO-06-50	5 mtrs




ORDERING MODEL	HEIGHT OF POLE
CG-DECO-13-30	3 mtrs
CG-DECO-13-40	4 mtrs
CG-DECO-13-50	5 mtrs




ORDERING MODEL	HEIGHT OF POLE
CG-DECO-04-30	3 mtrs
CG-DECO-04-40	4 mtrs
CG-DECO-04-50	5 mtrs
CG-DECO-04-60	6 mtrs



ORDERING MODEL	HEIGHT OF POLE
CG-DECO-05-30	3 mtrs
CG-DECO-05-40	4 mtrs
CG-DECO-05-50	5 mtrs
CG-DECO-05-60	6 mtrs



ORDERING MODEL	HEIGHT OF POLE
CG-DECO-08-30	3 mtrs
CG-DECO-08-40	4 mtrs
CG-DECO-08-50	5 mtrs



ORDERING MODEL	HEIGHT OF POLE
CG-DECO-15A-30	3 mtrs
CG-DECO-15A-40	4 mtrs
CG-DECO-15A-50	5 mtrs




ORDERING MODEL	HEIGHT OF POLE
CG-DECO-16A-30	3 mtrs
CG-DECO-16A-40	4 mtrs
CG-DECO-16A-50	5 mtrs



ORDERING MODEL	HEIGHT OF POLE
CG-DECO-17-30	3 mtrs
CG-DECO-17-40	4 mtrs
CG-DECO-17-50	5 mtrs



ORDERING MODEL	HEIGHT OF POLE
CG-DECO-19-30	3 mtrs
CG-DECO-19-40	4 mtrs
CG-DECO-19-50	5 mtrs




ORDERING MODEL	HEIGHT OF POLE
CG-DECO-34-30	3 mtrs
CG-DECO-34-40	4 mtrs
CG-DECO-34-50	5 mtrs



ORDERING MODEL	HEIGHT OF POLE
CG-DECO-52-30	3 mtrs
CG-DECO-52-40	4 mtrs
CG-DECO-52-50	5 mtrs



ORDERING MODEL	HEIGHT OF POLE
CG-DECO-53-30	3 mtrs
CG-DECO-53-40	4 mtrs
CG-DECO-53-50	5 mtrs



CG-DECO-02 CG-DECO-03 CG-DECO-04 CG-DECO-05 CG-DECO-06 CG-DECO-08 CG-DECO-13 CG-DECO-15A CG-DECO-16A CG-DECO-17 CG-DECO-19 CG-DECO-34 CG-DECO-52 CG-DECO-53




SINGLE ARM






DOUBLE ARM



SINGLE ARM




DOUBLE ARM



Brackets

Crafted from robust steel, our versatile brackets are tailored to fit 60mm or 90mm poles. With elegant MS/Aluminum accents and multiple coats of weather-resistant polyurethane paint, they're built to last—and can even be hot-dip galvanized for extra durability.

 **Sturdy & durable steel build**

 **Elegant MS/Aluminum design**

 **Weather-resistant polyurethane finish**

SINGLE ARM

DOUBLE ARM

SINGLE ARM

DOUBLE ARM



Discontinued Products

Commercial:

PRODUCT NAME	CAT.REF	WATTAGE
VOUGE RF	CCP-121-28-WW-SL-RF-DP-WWH	28
	CCP-121-28-TL-SL-RF-DP-WWH	28
	CCP-121-28-CDL-SL-RF-DP-WWH	28
POLARIS RF	CCR-143-36-WW-SL-RF-DP-WWH	36
	CCR-143-36-TL-SL-RF-DP-WWH	36
	CCR-143-36-CDL-SL-RF-DP-WWH	36
STYLO RF	CDR-218-12-WW-RF-DP-WWH	12
	CDR-218-12-TL-RF-DP-WWH	12
	CDR-218-12-CDL-RF-DP-WWH	12
	CDR-218-15-WW-RF-DP-WWH	15
	CDR-218-15-TL-RF-DP-WWH	15
	CDR-218-15-CDL-RF-DP-WWH	15
	CDR-218-18-WW-RF-DP-WWH	18
	CDR-218-18-TL-RF-DP-WWH	18
	CDR-218-18-CDL-RF-DP-WWH	18
	VOUGE HCL	CCP-133-40-HCL-SL-BT-DWH
STELLUXI HCL	CRR-130-30-HCL-SL-BT-DWH	30
STELLUXP HCL	CCR-131-30-HCL-SL-BT-DWH	30
STYLO HCL	CDR-217-18-HCL-SL-BT-DWH	18
VOUGE HCL	CCP-121-18-30-SL-NWH	18
	CCP-121-18-40-SL-NWH	18
	CCP-121-18-57-SL-NWH	18
	CCP-121-24-30-SL-NWH	24
	CCP-121-24-40-SL-NWH	24
	CCP-121-24-57-SL-NWH	24
	CCP-121-28-30-SL-NWH	28
	CCP-121-28-40-SL-NWH	28
	CCP-121-28-57-SL-NWH	28

PRODUCT NAME	CAT.REF	WATTAGE
POLLUX	LCTLRP-24-FO-CDL	24
	LCTLRP-30-FO-CDL	30
	LCTLRP-36-FO-CDL	36
KINETIC	LCTLRNM-36-FO-CDL	36
ZOOM LIGHT	LCSRRA-24-CDL	24
	LCSRRA-24-TL	24
	LCSRRA-24-WW	24
STYLO-S	LCDRS-09-WW/TL/CDL	09
	LCDRS-12-WW/TL/CDL	12
	LCDRS-15-WW/TL/CDL	15
	LCDRS-18-WW/TL/CDL	18
	QUARTZ+ R	LCDEP-06-WW/NW/CDL
	LCDEP-09-WW/NW/CDL	09
	LCDEP-12-WW/NW/CDL	12
	LCDEP-15-WW/NW/CDL	15
	LCDEP-18-WW/NW/CDL	18
QUARTZ+ S	LSDEP-06-WW/NW/CDL	06
	LSDEP-09-WW/NW/CDL	09
	LSDEP-12-WW/NW/CDL	12
	LSDEP-15-WW/NW/CDL	15
	LSDEP-18-WW/NW/CDL	18

Industry:

PRODUCT NAME	CAT.REF	WATTAGE
SURROUND ULTRAF	LHB11-80-CDL60HPM	80
	LHB11-100-CDL60HPM	100
	LHB11-120-CDL60HPM	120
	LHB11-140-CDL60HPM	140
	LHB11-150-CDL/60-HPM	150
SURROUND NEO	LHB11-80-CDL/60-M	80
	LHB11-100-CDL/60-M	100
	LHB11-120-CDL/60-M	120
	LHB11-140-CDL60-M	140
	LHB11-150-CDL/60--M	150
PARABOLA ULTRA PLUS	CIP-327-100-57-60D-HL2-LM-NSG	100
	CIP-327-120-57-60D-HL2-LM-NSG	120
	CIP-327-150-57-60D-HL2-LM-NSG	150
	CIP-327-100-57-60D-HL5-LM-NSG	100
	CIP-327-120-57-60D-HL5-LM-NSG	120
PARABOLA ULTRA	CIP-326-180-57-60D-HL2-LM-NSG	180
	CIP-326-200-57-60D-HL2-LM-NSG	200
	CIP-326-180-57-60D-HL3-LM-NSG	180
	CIP-326-200-57-60D-HL3-LM-NSG	200
PARABOLA NEO	CIP-325-150-57-60D-HL5-LM-NSG	150
	CIP-325-180-57-60D-HL5-LM-NSG	180
	CIP-325-200-57-60D-HL5-LM-NSG	200
SURROUND NEO (T)	TIP-320-80-57-SL-GL-NSG	80
	TIP-320-100-57-SL-GL-NSG	100
	TIP-320-120-57-SL-GL-NSG	120
	TIP-320-150-57-SL-GL-NSG	150

PRODUCT NAME	CAT.REF	WATTAGE
CAVELO	CIP-312-30-57-SL-CP-NBK	30
	CIP-312-35-57-SL-CP-NBK	35
	CIP-312-40-57-SL-CP-NBK	40
	TIP-312-30-57-SL-CP-NBK	30
	TIP-312-35-57-SL-CP-NBK	35
	TIP-312-40-57-SL-CP-NBK	40
PHOTON ULTRA PLUS	CIP-311-30-57-HL4-CP-NSG	30
	CIP-311-35-57-HL4-CP-NSG	35
	CIP-311-40-57-HL4-CP-NSG	40
SUPRA NEO-II (T)	TIP-311-35-57-SL-CP-NSG	35
	TIP-311-40-57-SL-CP-NSG	40
	TIP-311-70-57-SL-CP-NSG	70
SHIELD	IPFC121LT8	1x20W LED T8 Tube
	IPFC122LT8	2x20W LED T8 Tube
TECHLITA MINI	TIS-304-10-57-SL-DP-NWH	10
	TIS-304-10-30-SL-DP-NWH	10
ECO-I	IGP161LT8-16 1 x T8	1x20W LED T8 Tube
	IGP162 LT8-16 2 x T8	2x20W LED T8 Tube
CRYSTA	LGT8-20-865-2	20
	LSDEP-15-WW/NW/CDL	15
	LSDEP-18-WW/NW/CDL	18

Discontinued Products

Street:

PRODUCT NAME	CAT.REF	WATTAGE
TURBO	TRP-400-20-57-SL-LM-NSR	20
	TRP-400-25-57-SL-LM-NSR	25
	TRP-400-30-57-SL-LM-NSR	30
ASTRA NEO	TRP-400-35-57-SL-LM-NSR	35
	LSTS-20-CDL-M	20
	LSTS-20-CDL/NL-M	20
	LSTS-25-CDL-M	25
	LSTS-25-CDL/NL-M	25
	LSTS-30-CDL-M	30
FALCON PRO II	LSTS-30-CDL/NL-M	30
	CRP-410-200-57--HL2-GL-HR-NGG	200
	CRP-410-200-57-HL3-GL-HR-NGG	200
	CRP-410-220-57-HL2-GL-HR-NGG	220
	CRP-410-220-57-HL3-GL-HR-NGG	220
	CRP-410-250-57-HL2-GL-HR-NGG	250
FALCON PRO I	CRP-410-250-57-HL3-GL-HR-NGG	250
	CRP-413-150-57-SL-GL-NSG	150
	CRP-413-150-57-HL2-GL-HR-NGG	150
	CRP-413-150-57-HL3-GL-HR-NGG	150
	CRP-413-180-57-HL2-GL-HR-NGG	180
CRP-413-180-57-HL3-GL-HR-NGG	180	

Flood:

PRODUCT NAME	CAT.REF	WATTAGE
ROVER	TFS-504-50-57-NL-SL-GL-NBK	50
	TFS-504-100-57-NL-SL-GL-NBK	100
PLUTO PRO PLUS	CFS-501-300-57-30D-HL2-GL-NGG	300
	CFS-501-300-57-30D-HL3-GL-NBK	300
	CFS-501-300-57-30D-SL-GL-NGG	300
	CFS-501-300-30-30D-SL-GL-NGG	300
	CFS-501-300-57-60D-HL2-GL-NGG	300
	CFS-501-300-57-60D-HL3-GL-NBK	300
	CFS-501-300-57-60D-SL-GL-NGG	300
	CFS-501-300-30-60D-SL-GL-NGG	300
	CFS-501-350-57-30D-HL2-GL-NGG	350
	CFS-501-350-57-30D-HL3-GL-NBK	350
	CFS-501-350-57-30D-SL-GL-NGG	350
	CFS-501-350-30-30D-SL-GL-NGG	350
	CFS-501-350-57-60D-HL2-GL-NGG	350
PLUTO NEO AURA	CFS-501-350-57-60D-HL3-GL-NBK	350
	CFS-501-350-57-60D-SL-GL-NGG	350
	CFS-501-350-30-60D-SL-GL-NGG	350
	TFS-507-150-57-60D-SL-GL-NSG	150
MAGPIE NEO	TFS-507-150-57-NL-SL-GL-NSG	150
	CFS-502-960-57-10D-HL2-GL-NSR	960
	CFS-502-960-57-10D-HL4-GL-NSR	960
	CFS-502-960-57-30D-HL2-GL-NSR	960
	CFS-502-960-57-30D-HL4-GL-NSR	960
	CFS-502-960-57-60D-HL2-GL-NSR	960
CFS-502-960-57-60D-HL4-GL-NSR	960	

City Beautification:

PRODUCT NAME	CAT.REF	WATTAGE
HERITAGE	LPTH-20-CDL	20
	LPTH-20-WW	20
TERRIAN	LPTC-40-CDL	40
	LPTC-40-WW	40
NEBULA	LPTM-40-CDL	40
	LPTM-40-WW	40
TWISTER	LBLTW-10-CDL	10
	LBLTW-10-WW	10
SYRUS	LBLSR-10-CDL	10
	LBLSR-10-WW	10

Sales Offices

EAST REGION :

LightingB2B-Kolkata-RO@crompton.co.in

Kolkata: 52, Chowringhee Road, 5th Floor, Kolkata - 700071, India.
9830533999

Guwahati: 3rd Floor, Shubham Velocity, Hanuram Boro Path Walford, GS Road, Guwahati, Assam- 781005.
9678085875

Ranchi: ESS Agencies 3 West End Park, Kaju Bagan, Near Dav Junior School, Hehal Ratu Road, Ranchi - 834005, Jharkhand.
8249662635

Bhubaneswar: Plot No- A/2, Near Aangan Restaurant, Saheed Nagar, Bhubaneswar, Odisha- 751007.
7381020369

Patna: 3rd Floor, Shri Sadan, House No. 9, Opp. Ruban Hospital, Near Patliputra Golamber, Patliputra Colony, Patna - 800013, Bihar.
8407074981

WEST REGION :

LightingB2B-Mumbai-RO@crompton.co.in

Mumbai: 05GBD, Godrej Business District, Pirojshanagar, Vikhroli (West), Mumbai, Maharashtra - 400079, India
+91 9228880505

Ahmedabad: 4th Floor, 405 Gala Argos, BH Gujarat College, Ahmedabad - 380007 Gujarat.
7665566667 / 9099924867

Pune: Durwankur Apartment, Wrangler Paranjape Road, Behind Vaishali Hotel, FC Road, Pune - 411004 Maharashtra.
9167540712

Nagpur: 2nd Floor, Manik Bhawan, Plot No. 7&8, Taty Tope Nagar, West High Court Road, Nagpur - 440015 Maharashtra.
9766915561

Raipur: A-311, Crystal Arcade, Lodhi Para Square, Shankar Nagar, Raipur - 492007.
9329693048

Indore: 409, 4th Floor, Satguru Parinay, Infront of C21 Mall, A .B. Road, Indore - 452010 M.P.

NORTH REGION :

LightingB2B-NewDelhi-RO@crompton.co.in

New Delhi: 9-10 Bahadur Shah Zafar Marg, 3rd Floor, Express Building, Near ITO Crossing. New Delhi - 110002.
9650017119 / 9654125384

Jaipur: Centre Point, 3rd Floor, Bhragu Nagar, Above Indusind Bank, DCM, Ajmer Road, Jaipur - 302006.
7665566667

Ranchi: Bxii-407, 2nd Floor, Near B.S.F. Chowk, Ladowali Road, Jalandhar - 144001.
0181-5044240\9888748383

Lucknow: Cyber Height, 2nd Floor, Office Space No.210, Vibhuti Khand, Gomti Nagar, Lucknow - 226010.
9807279777\9953626622

SOUTH REGION :

LightingB2B-Chennai-RO@crompton.co.in

Chennai: Crompton Greaves Consumer Electricals Limited, No. 4 (New), Old No. 5, Kanniah Street, T.Nagar, Chennai - 600028.
9962583100

Coimbatore: SF219, Annamalai Industrial Park, Kalapatti, Coimbatore - 641048.
9842719055

Visakhapatnam: Flat No. 101, Gokul Complex, Nowroji Road, Maharani Peta, Visakhapatnam - 530002.
9642000224

Bengaluru: J. P. Square, 3rd Floor, No.17, 3rd Cross, 5th Main, Chamrajpet, Bengaluru - 560018.
8884255123

Hyderabad: No. 101 & 102, Babukhan Millennium Centre, Somajiguda, Hyderabad - 500082.
9885785757

Vizag: Flat No: 101, Gokul Complex, Nowroji Road, Maharani Peta, Visakhapatnam - 530002.
9642000224

Cochin: Door No. 3/5788, Zera Tower Cheranallore, Cochin - 682034.
9744041000

Vijaywada: Crompton Greaves Consumer Electricals Ltd, 1st Floor , SVR Plaza , Bank Colony, Above Central Bank of India, Siddharth Nagar ,Vijayawada -520 010, Andhra Pradesh.
9642000224

Madhurai: K.A.Complex, Opp to Manner College, 15, 1st Floor, Vinayaga Nagar Extension Madurai-625 004
9842719055

Terms and conditions

- The Company reserves the right to revoke, modify, add and delete any of the terms and conditions outlined in the brochure. The Company shall be under no obligation to notify the user of the amendment to the terms and conditions and the user shall be bound by such amended terms and conditions.
- Computer generated and render images used on this brochure are the artist's impression and are an indicative of the actual designs. The imagery used on the brochure are produced internally and may not represent actuals or may be indicative of style only.
- This brochure may unintentionally include inaccuracies or errors with respect to the description of product features, specification, product photo or design guidelines.
- Further the actual design may vary in fit and finish from the one displayed in the information and material displayed on this brochure.
- The user must verify all the details and specifications, including but not limited to the product features, specifications, product availability, and all other relevant terms independently with our sales and marketing team prior to concluding any decision for buying.
- While enough care is taken by the Company to ensure that information in the brochure are up to date.

A series of 20 horizontal dashed lines spanning the width of the page, intended for writing.

A series of 20 horizontal dashed lines spanning the width of the page, intended for writing.