

SOLDERLESS TERMINALS

Control Cabinet Essentials

- Insulated Terminals
- Non-insulated Terminals



REACH
CERTIFIED 

Price list - 2026

w.e.f. - 12/03/2026



Ring Terminals - Insulated				
Wire Range mm ²	Article No.	Stud size d2	Description	Price List (Rs/Pc)
0.5-1.5 mm ²	01 17 27051	3.20	TTRVBI-3.2 (7060)	3.12
	01 17 27055	3.20	TTRVBI-3.2S (7054)	3.07
	01 17 04183	3.70	TTRVBLI-3.7	3.05
	01 17 27052	3.70	TTRVBI-3.7S (7058)	3.07
	01 17 27053	4.20	TTRVBI-4S (7056)	3.00
	01 17 04184	4.30	TTRVBLI-4	2.89
	01 17 04185	5.30	TTRVBI-5	3.33
	01 17 06845	6.40	TTRVBI-6	4.06
	01 17 27054	8.20	TTRVB I-8	4.19
	01 17 27043	6.40	TTRVBI-6S (7066)	4.09
1.5-2.5 mm ²	01 17 27056	3.70	TTRVBL2-3.7 (7070)	3.39
	01 17 04186	4.30	TTRVBL2-4	3.95
	01 17 27049	4.30	TTRVBL2-4S	3.95
	01 17 27059	5.20	TTRVBL2-5S (7072)	3.77
	01 17 04187	5.30	TTRVBL2-5	4.60
	01 17 04188	6.40	TTRVB2-6	5.71
	01 17 27057	6.40	TTRVBL2-6S (7074)	4.26
	01 17 04189	8.40	TTRVB2-8	5.32
	01 17 06846	10.50	TTRVBL2-10	7.35
	01 17 27058	13.00	TTRVBL2-12 (7082)	8.74
4-6 mm ²	01 17 27048	10.20	TTRVB2-10S (7080)	7.79
	01 17 04190	4.30	TTRVBL5-4 (7085)	6.96
	01 17 27060	5.20	TTRVB5-5L (7088)	6.81
	01 17 04191	5.30	TTRVB5-5 (7086)	8.25
	01 17 04192	6.40	TTRVB5-6	8.49
	01 17 27061	8.20	TTRVB5-8S (7090)	10.30
	01 17 04193	8.40	TTRVB5-8	8.36
	01 17 27062	9.00	TTRVB5-8L (7021)	13.76
	01 17 06847	10.50	TTRVB5-10	12.34
	01 17 27047	5.20	TTRVB5-5S (7084)	7.04


Ring Terminals - Insulated


Wire Range mm ²	Article No.	Stud size d2	Description	Price List (Rs/Pc)
8-10 mm ²	01 17 27063	5.2	TTRVB8-5 (7025)	7.67
	01 17 04194	6.4	TTRVBL8-6	13.62
	01 17 27064	6.4	TTRVB8-6S (7120)	8.10
	01 17 04195	8.4	TTRVB8-8	12.57
	01 17 27065	10.2	TRVB8-10L (7123)	16.00
	01 17 06848	10.5	TTRVB8-10	13.84
	01 17 27066	12.7	TTRVB8-12L (7028)	15.62
	01 17 06849	13	TTRVB8-12	17.22
(14-16 mm ²) 16	01 17 27044	8.20	TTRVB 8-8S	12.95
	01 17 04196	6.40	TTRVBS14-6	23.24
	01 17 04197	8.40	TTRVB14-8	25.93
	01 17 27068	10.20	TTRVB14-10L (7128)	24.73
	01 17 04198	10.50	TTRVB14-10	25.09
	01 17 06850	13.00	TTRVB14-12	30.02
	01 17 27067	13.00	TTRVB14-12S (7033)	21.52
	01 17 06851	15.00	TTRVB14-14	39.84
	01 17 27046	6.40	TTRVB14-6S	18.47
	01 17 27045	8.20	TTRVB14-8S	21.70


Ring Terminals - Non-Insulated


Wire Range mm ²	Article No.	Stud size d2	Description	Price List (Rs/Pc)
0.5-1.5 mm ²	01 17 27000	3.20	TTRNB1-3.2 (7104)	2.54
	01 17 27004	3.20	TTRNB1-3.2S	2.19
	01 17 04212	3.70	TTRNBL1-3.7	2.36
	01 17 27001	3.70	TTRNB1-3.7S (7048)	2.13
	01 17 27002	4.20	TTRNB1-4S (7154)	1.98
	01 17 04213	4.30	TTRNBL1-4 (7003)	2.26
	01 17 04214	5.30	TTRNB1-5 (7005)	2.52
	01 17 06852	6.40	TTRNB1-6 (7106)	3.56
	01 17 27003	8.20	TTRNB1-8 (1.5-8)	3.45
	01 17 10064	6.40	TTRNB1-6S (7007)	3.17
1.5-2.5 mm ²	01 17 27005	3.70	TTRNB52-3.7 (7108)	3.19
	01 17 04215	4.30	TTRNBL2-4 (7009)	2.95
	01 17 27050	4.30	TTRNBL 2-4S	2.92
	01 17 27008	5.20	TTRNBL2-5S (7010)	2.94
	01 17 04216	5.30	TTRNBL2-5 (7109)	3.49
	01 17 04217	6.40	TTRNB2-6 (7012)	4.56
	01 17 27006	6.40	TTRNBL2-6S (7011)	3.23
	01 17 04218	8.40	TTRNB2-8 (7013)	4.13
	01 17 06853	10.50	TTRNBL2-10 (7151)	6.85
	01 17 27007	13.00	TTRNBL2-12 (7047)	7.22
4-6 mm ²	01 17 10069	10.2	TTRNB2-10S (7015)	6.36
	01 17 04219	4.30	TTRNBL5-4 (7112)	5.13
	01 17 27009	5.20	TTRNB5-5L (7113)	6.33
	01 17 04220	5.30	TTRNB5-5 (7016)	5.19
	01 17 04221	6.40	TTRNB5-6 (7019)	6.56
	01 17 27010	8.20	TTRNB5-8S (7018)	5.74
	01 17 04222	8.40	TTRNB5-8 (7021)	8.21
	01 17 27011	9.20	TTRNB5-8L (7021)	7.83
8-10 mm ²	01 17 06854	10.50	TTRNB5-10 (7022)	9.93
	01 17 10068	5.20	TTRNB5-5S (7050)	5.20
	01 17 27012	5.20	TTRNB8-5 (7025)	8.81
	01 17 04223	6.40	TTRNBL8-6	12.62
	01 17 27013	6.40	TTRNB8-6S (7120)	8.36
	01 17 04224	8.40	TTRNB8-8 (7121)	11.56
	01 17 27014	10.20	TTRNB8-10L (7123)	17.48
	01 17 06855	10.50	TTRNB8-10 (7027)	13.28
	01 17 27015	12.70	TTRNB8-12L (7028)	15.81
	01 17 06856	13.00	TTRNB8-12	13.67
01 17 10065	8.20	TTRNB 8-8S (7121)	11.48	



Ring Terminals - Non-Insulated				
Wire Range mm ²	Article No.	Stud size d2	Description	Price List (Rs/Pc)
(14-16 mm ²) 16	01 17 04225	6.40	TTRNBS14-6 (7029)	17.22
	01 17 04226	8.40	TTRNB14-8 (7030)	20.09
	01 17 27017	10.20	TTRNBL14-10 (7128)	23.69
	01 17 04227	10.50	TTRNB14-10 (7032)	19.04
	01 17 06857	13.00	TTRNB14-12	24.69
	01 17 27016	13.00	TTRNB 14-12S (TR-7033)	21.87
	01 17 06858	15.00	TTRNB14-14	37.27
	01 17 10067	6.40	TTRNB14-6S (7029)	15.12
	01 17 10066	8.20	TTRNB14-8S (7030)	18.32
	01 17 27018	6.40	TTRNB22-6 (7129)	34.08
(22 mm ²) 25	01 17 27020	8.20	TTRNB22-8S (7034)	31.78
	01 17 06859	8.40	TTRNB22-8 (7036)	31.82
	01 17 27021	10.20	TTRNB22-10S (7035)	31.95
	01 17 06860	10.50	TTRNB22-10 (7131)	31.69
	01 17 27019	13.00	TTRNB22-12 (7037)	48.20
	(38 mm ²) 35	01 17 06861	6.40	TTRNBL38-6
01 17 27022		6.40	TTRNB38-6S (7133)	38.96
01 17 27023		8.20	TTRNB38-8S (7038)	37.64
01 17 06862		8.40	TTRNBL38-8	47.97
01 17 06863		10.50	TTRNBL38-10	45.21
01 17 27024		12.70	TTRNB38-12S (7040)	51.95
(60 mm ²) 50	01 17 06864	6.40	TTRNBL60-6	74.56
	01 17 06865	8.40	TTRNBL60-8	68.65
	01 17 06866	10.50	TTRNBL60-10 (7138)	65.84
	01 17 27025	13.00	TTRNBL60-12 (7042)	71.02
	01 17 27026	16.00	TTRNBL60-16 (7139)	84.33
70 mm ²	01 17 06867	8.40	TTRNBL70-8	89.83
	01 17 27029	10.20	TTRNB70-10S (7140)	91.03
	01 17 06868	10.50	TTRNBL70-10	77.88
	01 17 27027	13.00	TTRNBL70-12 (7043)	86.24
	01 17 27028	16.00	TTRNBL70-16 (7142)	106.51



Spade Terminals - Insulated				
Wire Range mm ²	Article No.	Stud size d2	Description	Price List (Rs/Pc)
0.5-1.5 mm ²	01 17 06869	3.20	TTSVBI.5-3.2 (7927)	3.33
	01 17 04199	3.70	TTSVBL1-3.7 (7926)	3.20
	01 17 04200	4.30	TTSVBL1-4	2.79
	01 17 04201	5.30	TTSVBS1-5 (7925)	2.74
1.5-2.5 mm ²	01 17 10059	3.60	TTSVBL2-3.5	3.95
	01 17 04202	4.30	TTSVBL2-4	2.95
	01 17 04203	5.30	TTSVBL2-5	5.77
	01 17 27069	5.60	TTSVBL2-3.2 (7928)	3.69
	01 17 04204	6.40	TTSVBS2-6L	4.52
	01 17 06870	8.40	TTSVB2-8	4.82
	01 17 27071	10.00	TTSVBS2-6	3.57
	01 17 27070	10.60	TTSVBL2-5L (7929)	7.97
4-6 mm ²	01 17 27074	3.60	TTSVBL5-3 (7931)	6.06
	01 17 04205	4.30	TTSVBL5-4	5.31
	01 17 27072	5.10	TTSVBL 5-5S	5.71
	01 17 04206	5.30	TTSVB5-5	5.04
	01 17 04207	6.40	TTSVBL5-6	7.00
	01 17 27073	6.40	TTSVBL 5-6S	5.78
	01 17 04208	8.40	TTSVB5-8	6.42
8-10 mm ²	01 17 06871	10.5	TTSVB5-10	6.88
	01 17 06872	5.30	TTSVBL8-5	9.58
	01 17 04209	6.40	TTSVB8-6	12.29
	01 17 27075	6.50	TTSVBL8-6L (7932)	16.66
14-16 mm ²	01 17 27076	8.20	TTSVBL8-8 (7933)	15.96
	01 17 04210	6.40	TTSVB14-6	17.22
	01 17 04211	8.40	TTSVB14-8	20.14



Spade Terminals - Non-Insulated				
Wire Range mm ²	Article No.	Stud size d2	Description	Price List (Rs/Pc)
0.5-1.5 mm ²	01 17 06873	3.20	TTSNBI-3.2	2.38
	01 17 04228	3.70	TTSNBL1-3.7 (7249)	2.26
	01 17 04229	4.30	TTSNBL1-4	2.40
	01 17 04230	5.30	TTSNBS1-5	3.70
1.5-2.5 mm ²	01 17 27030	3.20	TTSNBL2-3.2 (7251B)	2.56
	01 17 10058	3.60	TTSNBL2-3.5 (7251)	2.69
	01 17 04231	4.30	TTSNBL2-4	3.00
	01 17 27031	5.00	TTSNBL2-5L (7280)	6.60
	01 17 04232	5.30	TTSNBL2-5	4.89
	01 17 04233	6.40	TTSNBL2-6	4.23
	01 17 27032	6.50	TTSNBL2-5	3.24
	01 17 06874	8.40	TTSNB2-8	4.52
4-6 mm ²	01 17 27035	3.60	TTSNBL5-3 (7253)	4.81
	01 17 04234	4.30	TTSNBL5-4	4.81
	01 17 27033	5.10	TTSNBL 5-5S	5.20
	01 17 04235	5.30	TTSNB5-5	4.53
	01 17 27034	6.40	TTSNBL 5-6S	5.28
	01 17 04236	6.40	TTSNBL5-6	6.48
	01 17 04237	8.40	TTSNB5-8	5.91
8-10 mm ²	01 17 06875	10.50	TTSNB5-10	7.15
	01 17 04238	5.30	TTSNB8-6	11.09
	01 17 06876	6.40	TTSNB8-5	8.51
	01 17 27036	6.50	TTSNBL8-6L (7254)	12.99
	01 17 27037	8.20	TTSNBL8-8 (7255)	12.34
14-16 mm ²	01 17 04239	6.40	TTSNB14-6	15.05
	01 17 04240	8.40	TTSNB14-8	18.06



Pin Terminals Insulated				
Wire Range mm ²	Article No.	Stud size d2	Description	Price List (Rs/Pc)
0.5-1.5 mm ²	01 17 08985	1.90	TTPTVB1-12	3.41
2.5 mm ²	01 17 08986	1.90	TTPTVB2-12	3.75
4 mm ²	01 17 08987	2.70	TTPTVB4-14	7.78
6 mm ²	01 17 08988	2.70	TTPTVB5-14	8.21



Pin Terminals Non Insulated				
Wire Range mm ²	Article No.	Stud size d2	Description	Price List (Rs/Pc)
0.5-1.5 mm ²	01 17 08205	1.90	TTPTNB1-12	2.72
2.5 mm ²	01 17 08206	1.90	TTPTNB2-12	3.10
4 mm ²	01 17 08207	2.70	TTPTNB4-14	5.91
6 mm ²	01 17 08208	2.70	TTPTNB5-14	6.31
10 mm ²	01 17 10060	6.70	TTPTNB10 -14	9.36
16 mm ²	01 17 10061	8.20	TTPTNB16 -16	16.27
25 mm ²	01 17 10062	11.10	TTPTNB25 -20	38.45
35 mm ²	01 17 10063	12.60	TTPTNB35 -23	44.27

Terms & Conditions:

- This Price List supersedes all previous price lists.
- GST and Govt. levies, if any, are extra as applicable.
- Freight: Inclusive (if the dispatch value is > Rs. 60K).
- Prices are liable to change without any notice, in case the metal prices are increase by 5%.
- Warranty against manufacturing defect – 1 Year from date of invoice.
- Prices are valid for one month.

Trinity Touch Pvt. Ltd.
www.trinitytouch.com
INDIA

Delhi: Corporate Office
D-10, Defence Colony, New Delhi 110024 INDIA
Tel: +91.11.71200900
Fax: +91.11.71200998
E-mail: postmaster@trinitytouch.com


Trinity Touch (EUROPE) Ltd.
www.trinitytouch.co.uk
UK

Unit-L, Tyson Courtyard, Weldon South Industrial Estate,
Corby, Northants, N N18 8AZ, UK
Tel: +44 (0) 1536 400 641
Fax: +44 (0) 1536 268 043
E-mail: gbsales@trinitytouch.com