



Precision in Every Dimension

NEW NSP W.E.F 06.01.2026

s


Products Catalogue 2026





Tubular Cable Lugs

Standard Type, With Inspection Hole
for Copper Conductors
Material: E-copper
Surface: Tin Plated




Con- mm ² -Φ	3D Cat.No.	d1	d3	b	J	Std Pack	Price/ each
1.5-4	3D-2622	1.8	3.7	8	16	3000	6.28
1.5-5	3D-2623	1.8	3.7	8	16	3000	5.97
1.5-6	3D-2624	1.8	3.7	10	18	3000	6.43
2.5-4	3D-2625	2.4	4.0	8	18	3000	6.96
2.5-5	3D-2627	2.4	4.0	8	18	3000	6.66
2.5-6	3D-2628	2.4	4.0	10	20	3000	6.91
2.5-8	3D-2629	2.4	4.0	11	24	2000	7.83
4-5	3D-2630	3.1	4.8	10	20	2000	9.58
4-5	3D-2632	3.1	4.8	9	20	2000	9.12
4-6	3D-2631	3.1	4.8	10	20	2000	8.68
4-8	3D-2633	3.1	4.8	12	24	2000	9.93
6-5	3D-2634	3.8	5.5	10	23	2000	12.35
6-6	3D-2635	3.8	5.5	10	23	2000	11.63
6-8	3D-2637	3.8	5.5	12	27	1600	13.17
6-10	3D-2638	3.8	6.2	16	32	1000	22.50
10-5	3D-2642	4.5	6.2	12	25	1600	15.46
10-6	3D-2643	4.5	6.2	12	25	1600	14.98
10-8	3D-2645	4.5	6.2	12	27	1200	15.44
16-5	3D-2652	5.4	7.1	12	30	1000	22.40
16-6	3D-2653	5.4	7.1	12	30	1000	20.87
16-8	3D-2655	5.4	7.1	12	32	1000	21.02
25-6	3D-2663	6.8	8.8	13	30	600	29.84
25-8	3D-2665	6.8	8.8	13	32	600	30.52
25-8	3D-2666	6.8	8.8	16	37	600	35.86
25-10	3D-2668	6.8	8.8	16	37	600	34.09
25-12	3D-2670	6.8	8.8	18	41	400	38.62
35-6	3D-2673	8.2	10.6	15	35	400	51.74
35-6	3D-2674	8.2	10.6	15	38	400	57.65
35-8	3D-2676	8.2	10.6	15	35	400	49.99
35-8	3D-2677	8.2	10.6	15	38	400	54.47
35-10	3D-2679	8.2	10.6	15	40	400	54.61
35-10	3D-2680	8.2	10.6	18	38	400	50.17
35-10	3D-2681	8.2	10.6	18	41	400	55.81
35-12	3D-2683	8.2	10.6	20	45	300	60.03
50-6	3D-2687	10.0	12.8	18	43	250	90.89
50-8	3D-2689	10.0	12.8	18	43	250	82.45
50-10	3D-2691	10.0	12.8	18	43	250	79.38

Con-Bolt mm ² -Φ	3D Cat.No.	d1	d3	b	J	Std Pack	Price/ each
50-12	3D-2695	10.0	12.8	18	47	250	88.83
70-6	3D-2697	11.2	14.7	21	50	150	152.96
70-8	3D-2698	11.2	14.7	21	50	150	137.24
70-10	3D-2699	11.2	14.7	21	50	150	133.35
70-12	3D-2700	11.2	14.7	21	50	150	127.48
70-16	3D-2705	11.2	14.7	28	57	100	150.63
95-8	3D-2708	13.5	17.4	25	55	100	199.20
95-10	3D-2709	13.5	17.4	25	55	100	189.92
95-12	3D-2712	13.5	17.4	25	55	100	183.75
95-14	3D-2713	13.5	17.4	28	61	100	215.28
95-16	3D-2715	13.5	17.4	28	61	100	206.09
120-8	3D-2716	15.0	19.4	28	60	75	274.07
120-10	3D-2717	15.0	19.4	28	60	75	262.41
120-12	3D-2719	15.0	19.4	28	60	75	254.89
120-14	3D-2721	15.0	19.4	28	64	75	282.38
120-16	3D-2722	15.0	19.4	28	64	75	273.74
150-8	3D-2726	16.5	21.2	30	69	50	383.43
150-10	3D-2727	16.5	21.2	30	69	50	377.77
150-12	3D-2729	16.5	21.2	30	69	50	350.00
150-16	3D-2733	16.5	21.2	30	69	50	352.63
150-20	3D-2734	16.5	21.2	34	79	50	397.02
185-10	3D-2736	18.5	23.5	34	78	40	499.90
185-12	3D-2737	18.5	23.5	34	78	40	486.63
185-14	3D-2738	18.5	23.5	34	78	40	492.72
185-16	3D-2741	18.5	23.5	34	78	40	457.77
240-10	3D-2747	21.0	26.5	38	92	25	754.44
240-12	3D-2748	21.0	26.5	38	92	25	723.54
240-14	3D-2749	21.0	26.5	38	92	25	735.66
240-16	3D-2750	21.0	26.5	38	92	25	725.21
240-20	3D-2751	21.0	26.5	38	92	25	700.30
300-12	3D-2754	23.5	30.0	43	101	20	1091.90
300-14	3D-2755	23.5	30.0	43	101	20	1081.06
300-16	3D-2756	23.5	30.0	43	101	20	1068.72
300-20	3D-2757	23.5	30.0	43	101	20	1039.42
400-12	3D-2760	26.8	34.8	50	114	10	1754.73
400-14	3D-2761	26.8	34.8	50	114	10	1743.57
400-16	3D-2762	26.8	34.8	50	114	10	1728.56
400-16	3D-2763	26.8	34.8	50	105	10	1581.40
500-16	3D-2769	30.0	39.0	56	124	10	2392.56
500-20	3D-2770	30.0	39.0	56	124	10	2352.34
630-16	3D-2773	35.0	45.0	65.0	144	6	3637.52
630-20	3D-2774	35.0	45.0	65.0	144	6	3557.77

"NOTE: Certain catalogue nos. may have been discontinued from production, Please consult Our sales department for an alternative."




Tubular Cable Lugs
Extra Long Type,
W/O Inspection Hole
Material: E-copper
Surface: Tin Plated



Con-Bolt	3D	d1	d3	b	J	Std	Price/
mm ² -Φ	Cat.No.					Pack	each
25-8	3D-2340	7.0	9.0	13	41	400	37.49
25-10	3D-2340A	7.0	9.0	13	41	400	37.99
35-8	3D-2341	8.0	10.6	15	48	300	68.55
35-10	3D-2341A	8.0	10.6	15	48	300	65.61
50-8	3D-2342	9.2	12.2	17	59	200	116.66
50-10	3D-2342A	9.2	12.2	17	59	200	110.38
50-12	3D-2342B	9.2	12.2	17	59	200	110.01
70-10	3D-2343	11.5	15.0	21	66	100	181.04
70-12	3D-2343A	11.5	15.0	21	66	100	179.17
95-12	3D-2344	12.8	17.0	24	74	80	269.55
95-16	3D-2344A	12.8	17.0	24	74	80	266.68
120-12	3D-2345	14.8	19.6	28	82	50	390.40
120-16	3D-2345A	14.8	19.6	28	82	50	399.80
150-12	3D-2346	16.0	21.2	30	86	40	495.32
150-16	3D-2346A	16.0	21.2	30	86	40	497.32
185-12	3D-2347	18.0	24.0	34	95	25	710.18
185-16	3D-2347A	18.0	24.0	34	95	25	725.59
185-20	3D-2347B	18.0	24.0	34	95	25	698.69
240-16	3D-2348	22.0	28.0	40	112	20	1019.26
240-20	3D-2348A	22.0	28.0	40	112	20	1011.35

Tubular Cable Lugs


Copper Light Duty W/O Inspection Hole
for Aluminum Conductors
Material: E-Copper
Surface: Tin Plate



Con-Bolt	3D	d1	d3	b	J	Std	Price/
mm ² -Φ	Cat.No.					Pack	each
2.5-5	3D-2501	2.3	3.8	9	20	3000	5.95
4-6	3D-2502	3.1	4.8	11	22	2000	8.84
6-6	3D-2503	3.8	5.5	11	24	1600	10.90
10-6	3D-2504	4.5	6.2	11	24	1600	13.47
16-6	3D-2505	5.4	7.1	11	30	1000	19.32
25-6	3D-2506	7.0	9.0	13	37	400	36.03
35-6	3D-2507	8.0	10.0	15	37	400	41.36
35-8	3D-2508	8.0	10.0	15	37	400	37.69
50-6	3D-2509	9.2	11.2	16	45	250	58.01
50-8	3D-2510	9.2	11.2	16	45	250	55.91
50-10	3D-2511	9.2	11.2	16	45	250	51.25
70-8	3D-2512	11.5	13.8	20	56	150	99.31
70-10	3D-2513	11.5	13.8	20	56	150	92.48
70-12	3D-2514	11.5	13.8	20	56	150	90.63
95-10	3D-2515	12.8	15.6	23	58	100	131.55
95-12	3D-2516	12.8	15.6	23	58	100	129.08
120-10	3D-2517	14.8	17.8	26	62	75	185.90
120-12	3D-2518	14.8	17.8	26	62	75	169.41
120-16	3D-2519	14.8	17.8	26	62	75	171.95
150-10	3D-2520	16.0	19.6	28	70	50	250.83
150-12	3D-2521	16.0	19.6	28	70	50	238.17
150-16	3D-2522	16.0	19.6	28	70	50	235.34
185-12	3D-2523	18.0	22.0	32	83	40	357.88
185-16	3D-2524	18.0	22.0	32	83	40	357.44
240-16	3D-2525	22.0	26.0	38	97	25	502.13
240-20	3D-2526	22.0	26.0	38	97	25	521.63
300-16	3D-2527	24.0	28.7	42	103	20	690.35
300-20	3D-2528	24.0	28.7	42	103	20	684.96
400-20	3D-2529	28.0	33.2	49	116	15	1058.47
500-20	3D-2530	30.0	36.0	53	122	10	1395.50
630-20	3D-2531	35.0	41.5	61	137	10	1992.89

Butt Connectors

For Copper Conductors
With & Non Insulating Sleeve
Insulation : Hard PVC
Material: E-copper
Surface: Tin Plated




Con-Bolt	3D	d1	d3	J	Std	Price/
mm ² -Φ	Cat.No.				Pack	each
1.5-	3D-1845	1.6	3.2	15	5000	6.76
2.5-	3D-1846	2.4	4.0	15	4000	8.09
4-TYPE-	3D-1847	3.5	5.5	15	3000	12.91
1.5-	3D-3762	1.6	3.2	25	1600	9.17
2.5-	3D-3763	2.4	4.0	25	1200	10.73
4-TYPE-	3D-3764	3.5	5.5	27	800	16.61

"NOTE: Certain catalogue nos. may have been discontinued from production, Please consult Our sales department for an alternative."




Compression Type
 Aluminum Tubular Terminal Ends
 for Crimping to Aluminum Conductors
 Material: Aluminum
 Surface: Natural




Compression Type

Aluminum Tubular In-Line Connectors
 for Crimping to Aluminum Conductors
 Material: Aluminum
 Surface: Natural




Con-Bolt mm ² -Φ	3D Cat.No.	d1	d3	b	J	Std Pack	Price/ each
2.5-3	3D-2535	2.6	5.5	6.7	18	2000	2.37
4-4	3D-2536	2.9	5.5	7.2	18	2000	2.38
4-5	3D-2537	2.9	5.5	12.0	21	2000	2.62
6-6	3D-2538	3.5	5.5	12.0	23	1600	2.62
10-6	3D-2539	4.4	7.2	9.7	30	1000	4.24
10-8	3D-2540	4.4	7.2	15.0	30	800	3.95
16-6	3D-2541	5.4	8.3	11.4	37	600	6.02
16-8	3D-2542	5.4	8.3	11.7	37	600	6.64
16-10	3D-2543	5.4	8.3	18.0	38	400	5.72
25-6	3D-2544	7.0	9.7	13.7	44	400	8.21
25-8	3D-2545	7.0	9.7	13.7	44	400	9.17
25-10	3D-2546	7.0	9.7	14.0	44	400	7.87
25-12	3D-2547	7.0	9.7	20.0	44	300	7.53
35-6	3D-2548	8.0	10.8	15.4	46	300	9.68
35-8	3D-2549	8.0	10.8	15.4	46	300	9.68
35-10	3D-2550	8.0	10.8	15.7	46	300	9.68
50-8	3D-2551	9.3	13.0	18.3	54	200	17.35
50-10	3D-2552	9.3	13.0	18.3	54	200	17.35
50-12	3D-2553	9.3	13.0	18.5	54	200	16.00
70-8	3D-2554	11.3	15.5	21.8	60	100	26.89
70-10	3D-2555	11.3	15.5	21.8	60	100	25.40
70-12	3D-2556	11.3	15.5	21.8	60	100	23.92
95-10	3D-2557	13.2	17.4	24.8	64	80	31.04
95-12	3D-2558	13.2	17.4	24.8	64	80	31.04
95-16	3D-2559	13.2	17.4	24.8	64	80	29.18
120-10	3D-2560	14.7	19.6	28.0	73	50	46.35
120-12	3D-2561	14.7	19.6	28.0	73	50	44.91
120-16	3D-2562	14.7	19.6	28.0	73	50	44.91
150-10	3D-2563	16.4	21.5	30.8	79	40	57.95
150-12	3D-2564	16.4	21.5	30.8	79	40	54.97
150-16	3D-2565	16.4	21.5	30.8	79	40	54.97
185-10	3D-2566	18.4	24.0	34.5	84	40	72.28
185-12	3D-2567	18.4	24.0	34.5	84	40	73.77
185-16	3D-2568	18.4	24.0	34.5	84	40	72.28
240-12	3D-2569	21.0	28.0	40.0	102	30	125.76
240-16	3D-2570	21.0	28.0	40.0	102	30	122.79
300-16	3D-2571	23.8	31.0	45.0	115	20	162.63
300-20	3D-2572	23.8	31.0	45.0	115	20	159.66
400-20	3D-2573	26.8	35.5	50.8	130	15	245.63
500-20	3D-2574	29.5	41.0	57.8	140	10	411.04
630-20	3D-2575	34.85	46.0	65.8	154	5	413.70
800-	3D-2576	39.0	51.0	73.3	180	20	619.50
1000-	3D-2577	43.0	57.0	81.5	220	15	1138.91

Con-Bolt mm ² -Φ	3D Cat.No.	d1	d3	J	Std Pack	Price/ each
2.5	3D-2578	2.6	5.5	16	2000	2.28
4	3D-2579	2.9	5.5	16	2000	2.17
6	3D-2580	3.5	5.5	20	1600	2.98
10	3D-2581	4.4	7.2	20	1000	3.34
16	3D-2582	5.4	8.3	26	600	4.63
25	3D-2583	7.0	9.7	34	400	6.62
35	3D-2584	8.0	10.8	39	300	8.56
50	3D-2585	9.3	13.0	44	200	14.55
70	3D-2586	11.3	15.5	53	100	23.49
95	3D-2587	13.2	17.4	58	80	29.16
120	3D-2588	14.7	19.6	63	50	40.49
150	3D-2589	16.4	21.5	67	40	48.85
185	3D-2590	18.4	24.0	72	40	64.37
240	3D-2591	21.0	28.0	86	30	108.08
300	3D-2592	23.8	31.0	96	20	137.89
400	3D-2593	26.8	35.5	110	10	219.95
500	3D-2594	29.9	41.0	111	5	322.18
630	3D-2595	34.9	46.0	134	5	444.27
800	3D-2596	39.0	51.0	153	15	628.33
1000	3D-2597	43.0	57.0	201	10	955.02

IS 8309

ALUMINUM LUGS
 ALUMINUM LUGS as per ISI specification can be supplied on Extra charges.

Tubular Cable Lugs

Extra wide palm type
 With inspection Hole
 Material - E Copper
 Surface - Tin Plated




Con-Bolt mm ² -Φ	3D Cat.No.	d1	d3	b	J	Std Pack	Price/ each
10-10	3D-2648	4.7	7.1	16	32	800	34.85
16-10	3D-2658	5.5	7.9	16	36	600	34.55
16-12	3D-2659	5.5	8.5	18	40	400	28.35

"NOTE: Certain catalogue nos. may have been discontinued from production, Please consult Our sales department for an alternative."



Terminal Ends, Ring Type

Standard Type, W/O Sleeve,
Braze Seam
Material: E-Copper
Surface: Tin Plated




Con-Bolt	3D	d1	d3	b	J	Std	Price/
mm ² -Φ	Cat.No.					Pack	each
0.5to1.	3D-1247	1.6	3.2	6.0	14	5000	3.31
0.5to1.	3D-1269	1.6	3.2	6.0	14	5000	3.32
0.5to1.	3D-1241	1.6	3.2	6.0	14	5000	3.16
0.5to1.	3D-1258	1.6	3.2	6.8	13.0	5000	3.20
0.5to1.	3D-1246	1.6	3.2	8.0	16	5000	3.56
0.5to1.	3D-1261	1.6	3.2	7.0	15	5000	3.34
0.5to1.	3D-1262	1.6	3.2	8.0	16	5000	3.27
0.5to1.	3D-1267	1.6	3.2	10.0	18	4000	4.51
0.5to1.	3D-1224	1.6	3.2	10.0	18	5000	3.95
0.5to1.	3D-1268	1.6	3.2	12.0	18	4000	5.01
2.5-4	3D-1296	2.3	3.9	8.0	16	5000	4.13
2.5-5	3D-1304	2.3	3.9	8.0	16	5000	3.99
2.5-5	3D-1310	2.3	3.9	10.0	18	4000	5.10
2.5-6	3D-1342	2.3	3.9	10.0	18	4000	4.47
2.5-6	3D-1305	2.3	3.9	12.0	22	3000	6.25
2.5-8	3D-1307	2.3	3.9	12.0	22	3000	5.76
2.5-10	3D-1287	2.3	3.9	16.0	25	2000	7.42
2.5-12	3D-1438	2.3	3.9	18.0	29	1000	8.90
4to6-4	3D-1432	3.5	5.5	8.0	17	3000	6.88
4to6-5	3D-1431	3.5	5.5	8.0	17	3000	6.68
4to6-5	3D-1408	3.5	5.5	10.0	19	2000	7.90
4to6-6	3D-1415	3.5	5.5	12.0	20	2000	8.74
4to6-6	3D-1416	3.5	5.5	12.0	20	2000	7.83
4to6-8	3D-1417	3.5	5.5	12.0	20	2000	9.09
4to6-8	3D-1421	3.5	5.5	14.0	26	1600	10.81
4to6-10	3D-1427	3.5	5.5	16.0	30	1200	12.81
4to6-12	3D-1430	3.5	5.5	18.0	30	1000	13.32
10-5	3D-1460	4.3	6.3	10.0	20	2000	10.35
10-6	3D-1465	4.3	6.3	12.0	23	1600	11.06
10-8	3D-1466	4.3	6.3	16.0	27	1200	13.97
10-10	3D-1461	4.3	6.3	18.0	30	1000	15.85
10-12	3D-1462	4.3	6.3	22.0	34	800	20.02
16-5	3D-1516	5.6	8.0	10.0	24	1000	16.47

Con-Bolt	3D	d1	d3	b	J	Std	Price/
mm ² -Φ	Cat.No.					Pack	each
16-6	3D-1511	5.6	8.0	12.0	26	1000	18.51
16-8	3D-1512	5.6	8.0	16.0	30	800	21.34
16-10	3D-1514	5.6	8.0	18.0	33	600	24.47
16-10	3D-1520	5.6	8.0	22.0	35	400	30.16
16-12	3D-1515	5.6	8.0	22.0	35	400	27.87
25-6	3D-1561	7.5	11.1	12.0	31	400	40.45
25-6	3D-1557	7.5	11.1	16.0	30	400	46.13
25-6	3D-1558	7.5	11.1	16.0	33	400	49.81
25-8	3D-1556	7.5	11.1	12.0	31	400	39.54
25-8	3D-1552	7.5	11.1	16.0	30	400	42.26
25-8	3D-1554	7.5	11.1	16.0	33	400	44.12
25-10	3D-1553	7.5	11.1	16.0	30	400	39.64
25-10	3D-1559	7.5	11.1	18.0	34	400	47.51
25-10	3D-1560	7.5	11.1	22.0	42	300	64.06
25-12	3D-1555	7.5	11.1	22.0	42	300	58.18
35-6	3D-1584	9.0	12.6	16.0	31	400	52.00
35-8	3D-1581	9.0	12.6	16.0	31	400	47.02
35-8	3D-1585	9.0	12.6	18.0	36	400	55.62
35-10	3D-1582	9.0	12.6	18.0	36	300	53.48
35-10	3D-1586	9.0	12.6	22.0	42	300	70.88
35-12	3D-1583	9.0	12.6	22.0	42	300	62.84
50-8	3D-1609	10.5	14.1	18.0	43	200	79.94
50-10	3D-1607	10.5	14.1	18.0	43	200	78.00
50-10	3D-1610	10.5	14.1	22.0	43	200	84.75
50-12	3D-1608	10.5	14.1	24.0	48	200	91.20
70-10	3D-1637	12.0	16.0	22.0	47	150	113.62
70-12	3D-1636	12.0	16.0	22.0	47	150	110.76
95-10	3D-1651	13.5	18.1	22.0	46	100	147.85
95-10	3D-1652	13.5	18.1	24.0	50	100	150.38
95-12	3D-1650	13.5	18.1	24.0	50	100	155.64

"NOTE: Certain catalogue nos. may have been discontinued from production, Please consult Our sales department for an alternative."




Terminal Ends, Fork Type
 Standard Type, Brazed Seam
 Material: E-Copper
 Surface: Tin Plated



Connectors, Non-Tention Type

Standard Type with Cable Stopper
 Material: E-copper
 Surface: Tin Plated




Con-Bolt mm ² -Φ	3D Cat.No.	d1	d3	b	J	Std Pack	Price/ each
0.5to1.	3D-1923	1.6	3.2	6.0	14	5000	3.53
0.5to1.	3D-1699	1.6	3.2	6.8	14.5	5000	3.09
0.5to1.	3D-1700	1.6	3.2	6.0	14	5000	3.40
0.5to1.	3D-1704	1.6	3.2	6.5	15.0	5000	3.56
2.5-3.5	3D-1884	2.3	3.9	6.5	15	5000	3.70
4to6-	3D-1907	3.5	5.5	6.0	15.0	3000	6.21
4to6-4	3D-1914	3.6	5.6	8.0	18	2000	7.99
4to6-5	3D-1734	3.5	5.5	8.0	17.0	2000	7.42
16-5	3D-1922	5.3	7.7	10.0	26	1000	18.80

Con-Bolt mm ² -Φ	3D Cat.No.	d1	d3	J	Std Pack	Price/ each
1.5	3D-2802	1.8	3.7	12	2000	5.52
2.5	3D-2804	2.4	4.0	15	2000	6.38
4	3D-2806	3.1	4.8	15	2000	7.67
6	3D-2808	3.8	5.5	15	2000	8.78
10	3D-2810	4.5	6.2	20	1600	13.03
16	3D-2812	5.4	7.1	20	1200	15.16
25	3D-2817	6.8	8.8	32	400	33.92
35	3D-2820	8.2	10.6	36	300	53.31
50	3D-2823	10.0	12.8	40	200	84.94
70	3D-2826	11.2	14.7	40	100	120.97
95	3D-2828	13.5	17.4	45	100	180.43
120	3D-2830	15.0	19.4	45	80	226.36
150	3D-2833	16.5	21.2	55	50	323.43
185	3D-2836	18.5	23.5	65	40	451.87
240	3D-2838	21.0	26.5	80	25	689.43
300	3D-2841	23.5	30.0	85	20	973.93
400	3D-2843	26.8	34.8	91	10	1478.54

Terminal Ends, Fork Type

Standard Type, Brazed Seam
 Material: E-Copper
 With PVC Sleeve
 Surface: Tin Plated




Con-Bolt mm ² -Φ	3D Cat.No.	d1	d3	b	J	Std Pack	Price/ each
0.5to1.	3D-3640	1.6	3.2	6.0	19	2000	4.16
0.5to1.	3D-3641	1.6	3.2	6.0	19	2000	4.16
0.5to1.	3D-3639	1.6	3.2	6.8	19	2000	3.73
0.5to1.	3D-3647	1.6	3.2	6.5	20	2000	4.18
2.5-3.5	3D-3657	2.3	3.9	6.5	20	2000	4.34
2.5-5	3D-3664	2.3	3.9	10.0	24	1600	6.48
4to6-	3D-3675	3.5	5.5	6.0	24	1000	7.57
4to6-4	3D-3679	3.6	5.6	8.0	27	1000	9.64
4to6-5	3D-3721	3.5	5.5	8.0	25	1000	8.33
0.5to1.	3D-3685	1.6	3.2	6.8	19	2000	5.07
2.5-3.5	3D-3687	2.3	3.9	6.5	20	2000	5.86
4to6-	3D-3690	3.5	5.5	6.0	24	1000	9.52

"NOTE: Certain catalogue nos. may have been discontinued from production, Please consult Our sales department for an alternative."



Terminal Ends, Ring Type


Standard Type, With Insulating Sleeve
Material: E-Copper With PVC Sleeve
Surface: Tin Plated



Con-Bolt	3D	d1	d3	b	J	Std	Price/
mm ² -Φ	Cat.No.					Pack	each
0.5 to 1.5	3D-3078	1.6	3.2	6	19	2000	4.04
0.5 to 1.5	3D-3079	1.6	3.2	6	19	2000	4.06
0.5 to 1.5	3D-3080	1.6	3.2	6	19	2000	3.88
0.5 to 1.5	3D-3083	1.6	3.2	6.8	18	2000	4.12
0.5 to 1.5	3D-3085	1.6	3.2	8.0	21	2000	4.62
0.5 to 1.5	3D-3087	1.6	3.2	7	20	2000	4.01
0.5 to 1.5	3D-3086	1.6	3.2	8	21.0	2000	4.42
0.5 to 1.5	3D-3074	1.6	3.2	10	23	2000	5.38
0.5 to 1.5	3D-3089	1.6	3.2	10	23	2000	4.88
0.5 to 1.5	3D-3090	1.6	3.2	12	23	2000	5.92
2.5-4	3D-3129	2.3	3.9	8	21	2000	5.20
2.5-5	3D-3130	2.3	3.9	8	21	2000	5.01
2.5-6	3D-3132	2.3	3.9	10	23	2000	5.63
2.5-6	3D-3134	2.3	3.9	12	27	1200	7.28
2.5-8	3D-3135	2.3	3.9	12	27	1200	6.69
2.5-10	3D-3138	2.3	3.9	16	30	1000	8.60
2.5-12	3D-3140	2.3	3.9	18	34	1000	9.80
4 to 6-4	3D-3196	3.5	5.5	8	25	1000	8.54
4 to 6-5	3D-3197	3.5	5.5	8	25	1000	8.30
4to6-5	3D-3199	3.5	5.5	10	27	1000	9.47
4to6-5	3D-3204	3.5	5.5	12	30	800	11.83
4to6-6	3D-3202	3.5	5.5	12	28	800	10.11
4to6-6	3D-3205	3.5	5.5	12	30	800	11.01
4to6-8	3D-3203	3.5	5.5	12	28	800	9.40
4to6-8	3D-3207	3.5	5.5	14	34	800	12.19
4to6-10	3D-3210	3.5	5.5	16	38.0	600	14.91
4to6-12	3D-3213	3.5	5.5	18	38	600	14.83

Terminal Ends, Ring Type


Double Grip With Insulating Sleeve
Material: E-Copper + PVC
Surface: Tin Plated



Con-Bolt	3D	d1	d3	b	J	Std	Price/
mm ² -Φ	Cat.No.					Pack	each
0.5to1.5-	3D-3338	1.6	3.2	6.0	19	2000	5.51
0.5to1.5-	3D-3339	1.6	3.2	6.0	19	2000	5.45
0.5to1.5-	3D-3340	1.6	3.2	6.0	19	2000	5.34
0.5to1.5-	3D-3343	1.6	3.2	6.8	18	2000	5.22
0.5to1.5-	3D-3345	1.6	3.2	8.0	21	2000	6.02
0.5to1.5-	3D-3346	1.6	3.2	8.0	21	2000	5.81
0.5to1.5-	3D-3350	1.6	3.2	10.0	23	2000	6.30
0.5to1.5-	3D-3351	1.6	3.2	12.0	23	2000	7.41
2.5-4	3D-3385	2.3	3.9	8.0	21	2000	6.91
2.5-5	3D-3386	2.3	3.9	8.0	21	2000	6.71
2.5-5	3D-3387	2.3	3.9	10.0	23	2000	7.84
2.5-6	3D-3388	2.3	3.9	10.0	23	2000	7.50
2.5-8	3D-3391	2.3	3.9	12.0	27	1600	8.64
2.5-10	3D-3394	2.3	3.9	16.0	30	1000	10.69
4to6-5	3D-3494	3.5	5.5	8.0	26	1000	10.72
4to6-5	3D-3496	3.5	5.5	10.0	28	1000	12.16
4to6-6	3D-3499	3.5	5.5	12.0	29	800	12.85
4to6-6	3D-3502	3.5	5.5	12.0	31	800	13.58
4to6-8	3D-3504	3.5	5.5	14.0	35	800	14.78

Terminal Ends, Rectangular Pin Type

Brazed Seam,
Material : E Copper
Surface : Tin Plated




Con-Bolt	3D	d1	d3	b	J	Std	Price/
mm ² -Φ	Cat.No.					Pack	each
10	3D-1041	4.3	6.7	4.3	22	1600	13.63
16	3D-1043	5.8	8.2	5.5	26	1000	20.54
25	3D-1044	7.5	11.1	7.0	31	400	46.82
35	3D-1045	9.0	12.6	8.0	37	400	65.94
50	3D-1046	10.5	14.1	9.0	42	200	89.00
70	3D-1047	12.0	16.0	10.0	45	100	123.27

"NOTE: Certain catalogue nos. may have been discontinued from production, Please consult Our sales department for an alternative."



Terminal Ends, Round Pin Type


W/O Sleeve, Brazed Seam
Material: E-Copper
Surface: Tin Plated



Con-Bolt	3D	d1	d3	b	J	Std	Price/
mm ² -Φ	Cat.No.					Pack	each `
0.5 TO	3D-1012	1.6	3.2	1.9	17	5000	3.28
2.5	3D-1021	2.3	3.9	1.9	17	5000	3.72
4	3D-1030	2.9	4.9	2.7	20	3000	7.16
6	3D-1036	3.6	5.6	2.7	20	3000	8.05


Terminal Ends, Round Pin Type

Double Grip, With Insulating Sleeve
Material: E-Copper With PVC Sleeve
Surface: Tin Plated



Con-Bolt	3D	d1	d3	b	J	Std	Price/
mm ² -Φ	Cat.No.					Pack	each `
0.5to1.	3D-3040	1.6	3.2	1.9	22	2000	5.14
2.5	3D-3043	2.3	3.9	1.9	22	2000	6.11

Terminal Ends, Insulated Flat Pin Type Double Grip
With Insulating Sleeve
Material: E-Copper With PVC Sleeve
Surface: Tin Plated



Con-Bolt	3D	d1	d3	b	J	Std	Price/
mm ² -Φ	Cat.No.					Pack	each `
2.5	3D-3044	2.3	3.9	3.1	22	2000	6.11

Terminal Ends, Flat Pin Type


Standard Type w/o Sleeve, Brazed Seam
Material: E-Copper
Surface: Tin Plated



Con-Bolt	3D	d1	d3	b	J	Std	Price/
mm ² -Φ	Cat.No.					Pack	each `
0.5to1.	3D-1011	1.6	3.2	3.1	17	5000	3.40
2.5	3D-1022	2.3	3.9	3.1	17	5000	4.00

Terminal Ends, Round Pin Type


With Insulating Sleeve
Material: E-Copper With PVC Sleeve
Surface: Tin Plated



Con-Bolt	3D	d1	d3	b	J	Std	Price/
mm ² -Φ	Cat.No.					Pack	each `
0.5to1.5	3D-3008	1.6	3.2	1.9	22	2000	3.75
2.5	3D-3022	2.3	3.9	1.9	22	2000	4.32
4	3D-3026	2.9	4.9	2.7	28	1000	8.80

Terminal Ends, Insulated Flat Pin Type

With Insulating Sleeve
Material: E-Copper With PVC Sleeve
Surface: Tin Plated



Con-Bolt	3D	d1	d3	b	J	Std	Price/
mm ² -Φ	Cat.No.					Pack	each `
0.5to1.	3D-3009	1.6	3.2	3.1	22	2000	4.18
2.5	3D-3023	2.3	3.9	3.1	22	2000	4.61

"NOTE: Certain catalogue nos. may have been discontinued from production, Please consult Our sales department for an alternative."