



# KEI INDUSTRIES LTD.

Nirvan Corporate, 7<sup>th</sup> Floor, Opp. Aghadi Nagar, Andheri Pump House, Andheri - East,  
Mumbai - 400 093. Tel. : 022-2837 5642 / 2823 9673 Fax : 2825 8277  
spa.mumbai@kei-ind.com



PRICE LIST : 10th AUG 2026

LP NO. KEI/LDC/LP/26-27/03 DT.10.08.2026

## INDUSTRIAL MULTI STRAND CABLES

HSN CODE : 85.44.60.20

KEI PVC INSULATED INDUSTRIAL SINGLE CORE UNSHEATHED INDUSTRIAL MULTISTRAND CABLES WITH [FR / FRLSH / HFFR \(ZHFR\)](#) PROPERTIES, WITH FLEXIBLE BRIGHT ANNEALED BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS-694:2010 / IS 17048.

| CONDUCTOR<br>(AREA SQ.MM) | NO. & SIZE<br>OF<br>WIRE IN MM | CURRENT (AMPS)<br>BUNCHED &<br>ENCLOSED IN<br>CONDUIT OR<br>TRUNKING | Std. Coil<br>Packing | No. of<br>Coils | HOMECAB<br>(FR) |                     | CONFLAME<br>(FRLSH) |                     | BANFIRE<br>(ZHFR / HFFR) |                     |
|---------------------------|--------------------------------|----------------------------------------------------------------------|----------------------|-----------------|-----------------|---------------------|---------------------|---------------------|--------------------------|---------------------|
|                           |                                |                                                                      |                      |                 | RATE PER COIL   | RATE<br>PER<br>MTR. | RATE PER COIL       | RATE<br>PER<br>MTR. | RATE PER COIL            | RATE<br>PER<br>MTR. |
| 0.50                      | 16/0.20                        | 4                                                                    | 300<br>Mtr.          | 12              | 6400            | 21.33               | 6670                | 22.23               |                          |                     |
| 0.75                      | 24/0.20                        | 7                                                                    |                      | 8               | 8650            | 28.83               | 8980                | 29.93               | 9290                     | 30.97               |
| 1.00                      | 32/0.20                        | 11                                                                   |                      | 6               | 11140           | 37.13               | 11500               | 38.33               | 11900                    | 39.67               |
| 1.50                      | 30/0.25                        | 14                                                                   |                      | 4               | 16760           | 55.87               | 17260               | 57.53               | 17710                    | 59.03               |
| 2.50                      | 50/0.25                        | 19                                                                   |                      | 3               | 27240           | 90.80               | 28070               | 93.57               | 28670                    | 95.57               |
| 4.00                      | 56/0.30                        | 26                                                                   | 200<br>Mtr.          | 3               | 27430           | 137.15              | 28340               | 141.70              | 28820                    | 144.10              |
| 6.00                      | 84/0.30                        | 31                                                                   |                      | 2               | 41930           | 209.65              | 43290               | 216.45              | 43900                    | 219.50              |

## PVC INSULATED INDUSTRIAL FLEXIBLE SINGLE CORE CABLES

KEI FLEXIBLE PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL MULTISTRAND CABLES [FR / HRFR / FRLSH / HFFR \(ZHFR\)](#) WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS-694:2010/ IS 17048.

(Rate in Rs. Per 100 Mtrs)

| SQ.MM | COND.<br>CONST.<br>(NO./DIA.<br>MM) | CURRENT (AMPS)<br>CLIPPED DIRECT TO<br>A SURFACE OR ON A<br>CABLE TRAY,<br>BUNCHED &<br>UNENCLOSED | Std.<br>Pack of<br>100 Mtr.<br>Coil | SINGLE CORE |       |       |                | SQ.MM | COND.<br>CONST.<br>(NO./DIA.<br>MM) | CURRENT (AMPS)<br>CLIPPED DIRECT TO<br>A SURFACE OR ON A<br>CABLE TRAY,<br>BUNCHED &<br>UNENCLOSED | SINGLE CORE |         |         |                |
|-------|-------------------------------------|----------------------------------------------------------------------------------------------------|-------------------------------------|-------------|-------|-------|----------------|-------|-------------------------------------|----------------------------------------------------------------------------------------------------|-------------|---------|---------|----------------|
|       |                                     |                                                                                                    |                                     | FR          | HRFR  | FRLSH | HFFR<br>(ZHFR) |       |                                     |                                                                                                    | FR          | HRFR    | FRLSH   | HFFR<br>(ZHFR) |
| 0.50  | 16/0.20                             | 4                                                                                                  | 24                                  | 2130        | 2220  | 2220  | 2260           | 35    | 276/0.4                             | 110                                                                                                |             | 133170  | 133720  | 135060         |
| 0.75  | 24/0.20                             | 7                                                                                                  | 24                                  | 2880        | 2990  | 2990  | 3100           | 50    | 396/0.4                             | 145                                                                                                |             | 190960  | 191720  | 193640         |
| 1.00  | 32/0.20                             | 12                                                                                                 | 20                                  | 3710        | 3830  | 3830  | 3970           | 70    | 354/0.5                             | 200                                                                                                |             | 270440  | 271340  | 274050         |
| 1.50  | 30/0.25                             | 16                                                                                                 | 16                                  | 5590        | 5750  | 5750  | 5900           | 95    | 484/0.5                             | 235                                                                                                |             | 356770  | 357930  | 361510         |
| 2.50  | 50/0.25                             | 22                                                                                                 | 12                                  | 9080        | 9360  | 9360  | 9560           | 120   | 608/0.5                             | 270                                                                                                |             | 455900  | 457200  | 461770         |
| 4     | 56/0.30                             | 29                                                                                                 | 8                                   | 13720       | 14170 | 14170 | 14410          | 150   | 750/0.5                             | 310                                                                                                |             | 570060  | 571720  | 577440         |
| 6     | 84/0.30                             | 37                                                                                                 | 4                                   | 20970       | 21650 | 21650 | 21950          | 185   | 925/0.5                             | 360                                                                                                |             | 690420  | 692440  | 699360         |
| 10    | 80/0.40                             | 51                                                                                                 | 1                                   | 37470       | 38370 | 38620 | 39010          | 240   | 1210/0.5                            | 425                                                                                                |             | 913940  | 916690  | 925860         |
| 16    | 126/0.40                            | 68                                                                                                 | 1                                   | 58720       | 60140 | 60480 | 61090          | 300   | 1527/0.5                            | 490                                                                                                |             | 1139710 | 1142700 | 1154130        |
| 25    | 196/0.40                            | 86                                                                                                 | 1                                   |             | 94910 | 95390 | 96340          | 400   | 2036/0.5                            | 590                                                                                                |             | 1523450 | 1527150 | 1542420        |

### Note :

- FR / FRLSH & HFFR (ZHFR) wires up to 6 sq. mm are supplied in standard lengths of 300M & 200M Coils packed in Master Cartons.
- Single Core 10sqmm and above available in coil packing.
- GST and any other tax/levy will be charged extra, at actuals. Freight as per Policy.
- Please refer to our Marketing Department for Wires & Cables, not covered above.
- This Price List is subject to change without prior notice.



# KEI INDUSTRIES LTD.

Nirvan Corporate, 7<sup>th</sup> Floor, Opp. Aghadi Nagar, Andheri Pump House, Andheri - East,  
Mumbai - 400 093. Tel. : 022-2837 5642 / 2823 9673 Fax : 2825 8277  
spa.mumbai@kei-ind.com



PRICE LIST : 10th AUG 2026

LP NO. KEI/LDC/LP/26-27/03 DT.10.08.2026

## INDUSTRIAL MULTI STRAND CABLES

HSN CODE : 85.44.60.20

(Rate in Rs. Per 100 Mtrs)

**KEI FLEXIBLE PVC INSULATED MULTICORE FR PVC SHEATHED MULTISTRANDED CABLES WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS-694:2010.**

| SQ.MM | COND. CONST.<br>(NO./DIA.MM) | 2<br>CORE | 3<br>CORE | 4<br>CORE | 5<br>CORE | 6<br>CORE | 7<br>CORE | 10<br>CORE | 12<br>CORE | 14<br>CORE | 16<br>CORE | 19<br>CORE | 24<br>CORE |
|-------|------------------------------|-----------|-----------|-----------|-----------|-----------|-----------|------------|------------|------------|------------|------------|------------|
| 0.50  | 16/0.20                      | 4940      | 6940      | 9010      | 11300     | 13730     | 15590     | 22820      | 27100      | 31420      | 35650      | 41830      | 53240      |
| 0.75  | 24/0.20                      | 6950      | 9880      | 12930     | 16190     | 19630     | 22400     | 32670      | 38830      | 45080      | 51240      | 60270      | 76650      |
| 1.00  | 32/0.20                      | 8460      | 12160     | 16000     | 20540     | 24840     | 28460     | 41410      | 49270      | 57250      | 65140      | 76710      | 97520      |
| 1.50  | 30/0.25                      | 11960     | 17310     | 22790     | 29490     | 35420     | 40360     | 57760      | 69280      | 80700      | 91950      | 108740     | 137020     |
| 2.50  | 50/0.25                      | 19610     | 28490     | 37580     | 48120     | 57830     | 66040     | 94540      | 113390     | 132160     | 150700     | 178430     | 225020     |
| 4.00  | 56/0.3                       | 31800     | 46350     | 61320     | 78090     | 94680     | 108350    | 154950     | 185870     | 216610     | 247150     | 293150     | 369810     |
| 6.00  | 84/0.3                       | 46900     | 68750     | 91170     | 116040    |           |           |            |            |            |            |            |            |
| 10.00 | 80/0.4                       | 79230     | 116420    | 154500    | 197210    |           |           |            |            |            |            |            |            |
| 16.00 | 126/0.4                      | 123130    | 181440    | 240920    |           |           |           |            |            |            |            |            |            |
| 25.00 | 196/0.4                      |           | 277780    | 369800    |           |           |           |            |            |            |            |            |            |
| 35.00 | 276/0.4                      |           | 389240    | 518230    |           |           |           |            |            |            |            |            |            |
| 50.00 | 396/0.4                      |           | 557320    | 742160    |           |           |           |            |            |            |            |            |            |
| 70.00 | 354/0.5                      |           | 788480    | 1050160   |           |           |           |            |            |            |            |            |            |
| 95.00 | 484/0.5                      |           |           | 1387380   |           |           |           |            |            |            |            |            |            |

**KEI FLEXIBLE PVC INSULATED MULTICORE FRLS PVC SHEATHED MULTISTRANDED CABLES WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS-694:2010.**

| SQ.MM | COND. CONST.<br>(NO./DIA.MM) | 2<br>CORE | 3<br>CORE | 4<br>CORE | 5<br>CORE | 6<br>CORE | 7<br>CORE | 10<br>CORE | 12<br>CORE | 14<br>CORE | 16<br>CORE | 19<br>CORE | 24<br>CORE |
|-------|------------------------------|-----------|-----------|-----------|-----------|-----------|-----------|------------|------------|------------|------------|------------|------------|
| 0.50  | 16/0.20                      | 5520      | 7550      | 9740      | 12200     | 14910     | 16460     | 23840      | 28360      | 32940      | 37260      | 43710      | 55260      |
| 0.75  | 24/0.20                      | 7640      | 10610     | 13820     | 17280     | 21070     | 23440     | 33950      | 40350      | 46920      | 53220      | 62610      | 79980      |
| 1.00  | 32/0.20                      | 9160      | 12980     | 16960     | 21790     | 26440     | 29650     | 43090      | 50990      | 59340      | 67410      | 79410      | 101160     |
| 1.50  | 30/0.25                      | 12840     | 18370     | 24060     | 31140     | 37430     | 42210     | 60470      | 72530      | 84430      | 96060      | 113400     | 142740     |
| 2.50  | 50/0.25                      | 20980     | 30150     | 39590     | 50500     | 60730     | 68720     | 98450      | 118070     | 137550     | 156680     | 185270     | 233480     |
| 4.00  | 56/0.3                       | 33840     | 48790     | 64280     | 81680     | 99080     | 112440    | 160880     | 192950     | 224760     | 256260     | 303790     | 383000     |
| 6.00  | 84/0.3                       | 49580     | 71960     | 95210     | 121200    |           |           |            |            |            |            |            |            |
| 10.00 | 80/0.4                       | 83430     | 121510    | 160910    | 205560    |           |           |            |            |            |            |            |            |
| 16.00 | 126/0.4                      | 129160    | 188870    | 250340    |           |           |           |            |            |            |            |            |            |
| 25.00 | 196/0.4                      |           | 287070    | 381900    |           |           |           |            |            |            |            |            |            |
| 35.00 | 276/0.4                      |           | 401870    | 534710    |           |           |           |            |            |            |            |            |            |
| 50.00 | 396/0.4                      |           | 575010    | 765280    |           |           |           |            |            |            |            |            |            |
| 70.00 | 354/0.5                      |           | 812890    | 1082140   |           |           |           |            |            |            |            |            |            |
| 95.00 | 484/0.5                      |           |           | 1430360   |           |           |           |            |            |            |            |            |            |

**KEI FLEXIBLE PVC INSULATED MULTICORE ZHFR/HFFR THERMOPLASTIC COMPOUND SHEATHED MULTISTRANDED CABLES WITH BRIGHT ANNEALED ELECTROLYTIC BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100 V GENERALLY CONFORMING TO IS-694:2010.**

| SQ.MM | COND. CONST.<br>(NO./DIA.MM) | 2<br>CORE | 3<br>CORE | 4<br>CORE | 5<br>CORE | 6<br>CORE                                                                                                                                                                                                                                                                                                                   | 7<br>CORE | 10<br>CORE | 12<br>CORE | 14<br>CORE | 16<br>CORE | 19<br>CORE | 24<br>CORE |
|-------|------------------------------|-----------|-----------|-----------|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|------------|------------|------------|------------|------------|------------|
| 0.50  | 16/0.20                      | 6210      | 8180      | 10390     | 13070     | 16180                                                                                                                                                                                                                                                                                                                       | 17300     | 24930      | 29900      | 34650      | 39010      | 45450      | 56760      |
| 0.75  | 24/0.20                      | 8380      | 11260     | 14470     | 18160     | 22220                                                                                                                                                                                                                                                                                                                       | 24170     | 34800      | 41700      | 48400      | 54700      | 64020      | 80170      |
| 1.00  | 32/0.20                      | 10170     | 13950     | 18040     | 23260     | 28360                                                                                                                                                                                                                                                                                                                       | 31020     | 44590      | 53450      | 62100      | 70330      | 82490      | 103470     |
| 1.50  | 30/0.25                      | 13980     | 19450     | 25250     | 32810     | 39500                                                                                                                                                                                                                                                                                                                       | 43710     | 62750      | 75240      | 87460      | 99270      | 116800     | 146740     |
| 2.50  | 50/0.25                      | 22700     | 31780     | 41390     | 52610     | 63360                                                                                                                                                                                                                                                                                                                       | 70500     | 101140     | 121270     | 141140     | 160490     | 189290     | 238230     |
| 4.00  | 56/0.3                       | 36040     | 50900     | 66630     | 85330     | 102720                                                                                                                                                                                                                                                                                                                      | 114750    | 164360     | 197050     | 229340     | 261120     | 309220     | 389430     |
| 6.00  | 84/0.3                       | 52350     | 74620     | 98310     | 126280    | <b>Note :</b><br>• Multicore Flexible cables available in coil/drum packing.<br>• GST and any other tax/levy will be charged extra, at actuals. Freight as per Policy.<br>• Please refer to our Marketing Department for Wires & Cables, not covered above.<br>• This Price List is subject to change without prior notice. |           |            |            |            |            |            |            |
| 10.00 | 80/0.4                       | 87450     | 125330    | 165350    | 213420    |                                                                                                                                                                                                                                                                                                                             |           |            |            |            |            |            |            |
| 16.00 | 126/0.4                      | 134470    | 193880    | 256130    |           |                                                                                                                                                                                                                                                                                                                             |           |            |            |            |            |            |            |
| 25.00 | 196/0.4                      |           | 294640    | 391430    |           |                                                                                                                                                                                                                                                                                                                             |           |            |            |            |            |            |            |
| 35.00 | 276/0.4                      |           | 411720    | 547160    |           |                                                                                                                                                                                                                                                                                                                             |           |            |            |            |            |            |            |
| 50.00 | 396/0.4                      |           | 588310    | 782150    |           |                                                                                                                                                                                                                                                                                                                             |           |            |            |            |            |            |            |
| 70.00 | 354/0.5                      |           | 830500    | 1104550   |           |                                                                                                                                                                                                                                                                                                                             |           |            |            |            |            |            |            |
| 95.00 | 484/0.5                      |           |           | 1461410   |           |                                                                                                                                                                                                                                                                                                                             |           |            |            |            |            |            |            |



# KEI INDUSTRIES LIMITED ( MUMBAI )

Nirvan Corporate, 7<sup>TH</sup> Floor, Opp. Aghadi Nagar, Andheri Pump House, Andheri - East,  
Mumbai - 400 093.

Tel. : 022-2837 5642 / 2823 9673 Fax : 2825 8277 E-mail : spa.mumbai@kei-ind.com



PRICE LIST : 10th Aug 2026

LP NO. KEI/SOLAR/LP/26-27/03 DT. 10.08.2026

## PV SOLAR CABLES - PV1-F / H1Z2Z2-K / 2XY

### RATE (Rs.) PER MTR

| SIZE<br>(AREA<br>SQ.MM) | STANDARD<br>PACKING<br>MTRS. | "KEI" Make, 1500 V DC. Flexible (Class 5) Circular Tinned Copper Conductor, Extruded XLPO Insulated, and Overall Extruded XLPO Outersheathed Cables Conforming to TUV Standard 2 Pfg 1169/08.2007 & BS EN 50618, IEC 62930 & IS 17293 |                                    |                                                       | "KEI" Make 1500V DC. Plain Flexible Copper Conductor XLPE Insulated and UV Stabilized PVC Sheathed Single Core PV Cables. |                 |
|-------------------------|------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------|-------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|-----------------|
|                         |                              | Current Carrying<br>(Amps) Capacity @<br>Amb. 60 Deg.C. single<br>cable in air                                                                                                                                                        | TUV 2 Pfg<br>1169/08.2007<br>PV1-F | EN/BS EN 50618<br>H1Z2Z2-K,<br>IEC 62930,<br>IS 17293 | Current Carrying<br>(Amps) Capacity @<br>Amb. 40 Deg.C. single<br>cable in air                                            | XLPE/PVC<br>2XY |
| 1.50                    | 1000                         | 30                                                                                                                                                                                                                                    | 64.30                              | 68.50                                                 | 25                                                                                                                        | 63.65           |
| 2.50                    | 1000                         | 41                                                                                                                                                                                                                                    | 101.15                             | 105.00                                                | 35                                                                                                                        | 98.60           |
| 4                       | 1000                         | 55                                                                                                                                                                                                                                    | 142.30                             | 147.00                                                | 45                                                                                                                        | 139.30          |
| 6                       | 1000                         | 70                                                                                                                                                                                                                                    | 213.20                             | 218.00                                                | 58                                                                                                                        | 209.00          |
| 10                      | 1000                         | 98                                                                                                                                                                                                                                    | 360.00                             | 367.00                                                | 80                                                                                                                        | 353.00          |
| 16                      | 1000                         | 132                                                                                                                                                                                                                                   | 570.00                             | 582.00                                                | 106                                                                                                                       | 560.00          |
| 25                      | 1000                         | 176                                                                                                                                                                                                                                   | ----                               | 960.00                                                | 135                                                                                                                       | 927.00          |
| 35                      | 1000                         | 218                                                                                                                                                                                                                                   | ----                               | 1335.00                                               | 173                                                                                                                       | 1292.00         |
| 50                      | 1000                         | 276                                                                                                                                                                                                                                   | ----                               | 1900.00                                               | 226                                                                                                                       | 1840.00         |
| 70                      | 1000                         | 347                                                                                                                                                                                                                                   | ----                               | 2640.00                                               | 336                                                                                                                       | 2570.00         |
| 95                      | 1000                         | 416                                                                                                                                                                                                                                   | ----                               | 3565.00                                               | 406                                                                                                                       | 3480.00         |
| 120                     | 1000                         | 488                                                                                                                                                                                                                                   | ----                               | 4490.00                                               | 476                                                                                                                       | 4390.00         |
| 150                     | 500                          | 566                                                                                                                                                                                                                                   | ----                               | 5615.00                                               | 555                                                                                                                       | 5480.00         |
| 185                     | 500                          | 644                                                                                                                                                                                                                                   | ----                               | 6930.00                                               | 649                                                                                                                       | 6760.00         |
| 240                     | 500                          | 775                                                                                                                                                                                                                                   | ----                               | 8970.00                                               | 781                                                                                                                       | 8760.00         |

### Notes:

- Discount on above rates is applicable as per Policy.
- GST and any other tax/levy will be charged extra, at actuals. **HSN - 85446090**
- Technical data sheets are available on request.
- Minimum Order Qty shall be - up to 35 sq.mm 2kms & all above 1km against each size & colour.
- Packing Lengths - 100/300/500 Mtrs in Coils (up to 6 Sq.mm) & 10 sq.mm and above in 1000 Mtrs in wooden spool / drum.
- Freight as per W&F policy and for North East Freight will be extra at actual.
- This Price List is subject to change without prior notice.

**KEI WIRES & CABLES**